LOCATION OF WATER WELL:	Fraction		Section		Township Numbe	1	ange Number
County: Sedgwick	t town or other street		1/4 33		T 27 S	8 R	
1606 S. Broadway - Wichit		address of weilth located	a wid all City r				
WATER WELL OWNER: Kwil	k Shop						
R#, St. Address, Box # : P.O.	Box 1927				Board of Agriculture	, Division of	Water Resources
ity, State, ZIP Code : Hutc	<u>hinson, Kansas</u>				Application Number:		
LOCATE WELL'S LOCATION	4 DEPTH OF C	OMPLETED WELL	25 ft	ELEVA	ΠΟΝ:	1291.62	
WITH AN "X" IN SECTION BOX	Depth(s) Groun	dwater Encountered 1.					
	WELL'S STATI	C WATER LEVEL 1	8.1 ft. belov	v land surf	ace measured on mo	/day/yr	4/19/96
	Pum	np test data: Well water v	MasNA	ft. afte	rhou	rs pumping.	gpr
– – NW – – – – NE – –	Est. Yield N	Agpm: Well water	was	ft. afte	rhou	rs pumping.	gp
	Bore Hole Dian	neter 8 in. to.		ft., ar	nd	in. to	1
	E WELL WATER	TO BE USED AS: 5 F	ublic water supp	ly 8	Air conditioning	11 Injectio	n well
	1 Domestic	: 3 Feedlot 6 0	Dil field water sup	ply	Dewatering	12 Other (Specify below)
	2 Irrigation		awn and garden	only (10	Monitoring well		
		al/bacteriological sample	submitted to Dep		•		· · · · · · · · · · · · · · · · · · ·
Ś	submitted			Wate	r Well Disinfected?	es	No 🗸
TYPE OF BLANK CASING USE	D:	5 Wrought iron	8 Concrete til	e	CASING JOINTS:		•
1 Steel 3 RMP	(SR)	6 Asbestos-Cement	9 Other (spec				
(2)PVC 4 ABS		7 Fiberglass					
lank casing diameter							
asing height above land surface .	· · · · . -3.12 · · · · ·	.in., weight		lbs./ft.	Wall thickness or ga	uge No	. Sch. 40
YPE OF SCREEN OR PERFORAT	TON MATERIAL				10 Asbestos	-cement	
1 Steel 3 Stain	ess steel	5 Fiberglass	8 RMP (SP	ব)	11 Other (sp	ecify)	
	nized steel	6 Concrete tile	9 ABS		12 None use	ed (open hole)
CREEN OR PERFORATION OPE		5 Gauzed	wrapped		3 Saw cut	11 Ne	one (open hole)
1 Continuous slot	8 Mill slot	6 Wirewi	apped	Ş	9 Drilled holes		
2 Louvered shutter	Key punched						
		7 Torch c			Other (specify)		
	LS: From			.ft Fron	1	ft. to	
SCREEN-PERFORATED INTERVA	LS: From From			.ft., Fron .ft., Fron	1	ft.to	· · · · · · · · · · · · · · · · · · ·
	LS: From From LS: From		.25	.ft., Fron .ft., Fron .ft., Fron	1 1	ft. to ft. to	· · · · · · · · · · · · · · · · · · ·
GRAVEL PACK INTERVA	LS: From From LS: From From			.ft., Fron .ft., Fron .ft., Fron .ft., Fron	1	ft. to ft. to ft. to ft. to	
GRAVEL PACK INTERVA	LS: From From LS: From From	15ft. to 13ft. to 13ft. to 2. Cement grout	25 25 3Bentonite	. ft., Fron . ft., Fron . ft., Fron . ft., Fron 4 C	1 1 1 Xther	ft. to ft. to ft. to ft. to	· · · · · · · · · · · · · · · · · · ·
GRAVEL PACK INTERVA	LS: From From LS: From From pat cement ft. to11	15ft. to 13ft. to 13ft. to 2. Cement grout	25 25 3Bentonite ft. to	. ft., Fron . ft., Fron . ft., Fron . ft., Fron . ft., Fron . 13	n n n ther ther	ft. to ft. to ft. to ft. to ft. to	· · · · · · · · · · · · · · · · · · ·
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Na Grout Intervals: From	LS: From From LS: From From eat cement ft. to11 ible contamination:		25 25 3Bentonite ft. to 1	. ft., Fron . ft., Fron . ft., Fron . ft., Fron . ft., Ston 	n n n ther ther ther the From ck pens	ft. to ft. to ft. to ft. to ft. to ft. to	
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Grout Intervals: From	LS: From From LS: From From eat cement ft. to11 ible contamination: ateral lines	15ft. to 17	25 25 3Bentonite 1	. ft., Fron . ft., Fron . ft., Fron . ft., Fron 4 C . 13 .0 Livesto 11 Fuel st	n n Xher Xher ther ck pens orage	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandon 15 Oil well/G	o ed water well Sas well
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Grout Intervals: From	LS: From From LS: From From eat cement ft. to11 ible contamination: ateral lines less pool		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron 4 C 13 0 Livesto 11 Fuel st 12 Fertiliz	n n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandon 15 Oil well/6 16 Other (sp	b b b b c c c c c c c c c c c c c c c c
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne rout Intervals: From	LS: From From LS: From From eat cement ft. to11 ible contamination: ateral lines less pool	15ft. to ft. to 13ft. to 13ft. to 13ft. to 2.Cement grout ft., From1 7 Pit privy	25 25 3Bentonite 1	. ft., Fron . ft., Fron . ft., Fron . ft., Fron 4 C 13 0 Livesto 11 Fuel st 12 Fertiliz 13 Insecti	n n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandon 15 Oil well/G	b b b b c c c c c c c c c c c c c c c c
CREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne rout Intervals: From0 Vhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S birection from well? NW	LS: From From Ex: From From eat cement ft. to11 ible contamination: ateral lines eess pool eepage pit		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. ta 14 Abandon 15 Oil well/G 16 Other (sp UST Ba	D Ded water well Sas well Decify below) Isin.
CREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne rout Intervals: From	LS: From From Es: From From pat cement ft. to11 ible contamination: ateral lines eess pool eepage pit		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron 4 C 13 0 Livesto 11 Fuel st 12 Fertiliz 13 Insecti	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandon 15 Oil well/6 16 Other (sp	D Ded water well Sas well Decify below) Isin.
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Frout Intervals: From	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines sess pool eepage pit LITHOLOGIC oncrete,		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to ft. ta ft. ft. ft. ft. ft. ft. ft. ft. ft.	D Ded water well Sas well Decify below) Isin.
GREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Frout Intervals: From 0 Yhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? NW FROM TO 0 0.5 Asphalt/Co 0.5 6 Clay, Dark	LS: From From LS: From From bat cement ft. to11 ible contamination: ateral lines ress pool eepage pit LITHOLOGIC oncrete, K Black		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to ft. ta ft. ft. ft. ft. ft. ft. ft. ft. ft.	D Ded water well Sas well Decify below) Isin.
GREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Na GROUT MATERIAL: 1 Na Frout Intervals: From 0 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 Solitection from well? NW FROM TO 0 0.5 A Sephalt/Co 0.5 6 Participation	LS: From From LS: From bat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, CBlack n		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to ft. ta ft. ft. ft. ft. ft. ft. ft. ft. ft.	D Ded water well Sas well Decify below) Isin.
CREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Grout Intervals: From Yhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? NW FROM TO 0 0.5 Asphalt/Co 0 Silt, Brown 9 18	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to ft. ta ft. ft. ft. ft. ft. ft. ft. ft. ft.	D Ded water well Sas well Decify below) Isin.
CREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 National irout Intervals: From 0 Yhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 Silt, Brown FROM TO 1 NW 6 9 Silt, Brown	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to ft. ta ft. ft. ft. ft. ft. ft. ft. ft. ft.	D Ded water well Sas well Decify below) Isin.
CREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Grout Intervals: From Yhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? NW FROM TO 0 0.5 Asphalt/Co 0 Silt, Brown 9 18	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to ft. ta ft. ft. ft. ft. ft. ft. ft. ft. ft.	D Ded water well Sas well Decify below) Isin.
CREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Grout Intervals: From Yhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? NW FROM TO 0 0.5 Asphalt/Co 0 Silt, Brown 9 18	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to ft. ta ft. ft. ft. ft. ft. ft. ft. ft. ft.	D Ded water well Sas well Decify below) Isin.
GREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Grout Intervals: From 0 Yhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? NW FROM TO 0 0.5 0 0.5 Asphalt/Co 0 9 Sand, Brown 9 18 Sand, Brown	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to ft. ta ft. ft. ft. ft. ft. ft. ft. ft. ft.	D Ded water well Sas well Decify below) Isin.
GREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Grout Intervals: From 0 Yhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? NW FROM TO 0 0.5 0 0.5 Asphalt/Co 0 9 Sand, Brown 9 18 Sand, Brown	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. to ft. ta ft. ft. ft. ft. ft. ft. ft. ft. ft.	D Ded water well Sas well Decify below) Isin.
GREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Grout Intervals: From 0 Yhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? NW FROM TO 0 0.5 0 0.5 Asphalt/Co 0 9 Sand, Brown 9 18 Sand, Brown	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. ta 14 Abandon 15 Oil well/G 16 Other (sp UST Ba	D Ded water well Sas well Decify below) Isin.
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Frout Intervals: From	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron . ft., Fron ft., Fron 	n n ther t	ft. to ft. to ft. to ft. to ft. to ft. ta 14 Abandon 15 Oil well/G 16 Other (sp UST Ba	D Ded water well Sas well Decify below) Isin.
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Frout Intervals: From	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron 4 C . 13 0 Livesto 1 Fuel st 12 Fertiliz 13 Insecti 13 Insecti 14 C 15 Insecti 14 C 15 Insecti 15 Insecti 15 Insecti 16 Insecti 17 Insecti 18 Insecti 19 Insecti 19 Insecti 10 In	nn. h h h ther	ft. to ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandon 15 Oil well/G 16 Other (sp UST Ba NG INTERV/	D Ded water well Sas well Decify below) Isin.
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Frout Intervals: From	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron 4 C . 13 O Livesto 1 Fuel st 12 Fertiliz 13 Insecti How many O 	n n	ft. to ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandon 15 Oil well/G Other (sp UST Ba NG INTERV/	D Ded water well Sas well Decify below) Isin.
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Frout Intervals: From	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines leepage pit LITHOLOGIC oncrete, LITHOLOGIC oncrete, LITHOLOGIC oncrete, M		25 	. ft., Fron . ft., Fron . ft., Fron 4 C . 13 O Livesto 1 Fuel st 2 Fertiliz 13 Insecti How many 0 0 1 Fuel st 	hh. hh. hh. hh. therh. ck pens orage er storage feet? 130 PLUGG PLUGG W2, Tag # 00110099, oject Name: Kwik Sho	ft. to ft. to ft. to ft. to ft. to ft. to ft. to ft. to ft. to 	D Ded water well Sas well Decify below) Isin.
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne Frout Intervals: From 0 What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? NW FROM TO 0 0.5 Asphalt/Co 0.5 6 Clay, Dark 6 9 Silt, Brown 9 18 Sand, Brown 9 Sand	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines eepage pit LITHOLOGIC oncrete, CBlack n wn wn		25	. ft., Fron . ft., Fron . ft., Fron 4 C . 13 O Livesto 1 Fuel st 2 Fertiliz 3 Insecti bow many 0 0 0 1 Fuel st 	hh. hh. hh. hh. therh. ck pens orage er storage feet? 130 PLUGG PLUGG PLUGG W2, Tag # 00110099, oject Name: Kwik Sho oCore # 65, KDHE #	ft. to ft. to ft. to ft. to 	ALS
GRAVEL PACK INTERVA GRAVEL PACK INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 No Front Intervals: From 0 What is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? NW FROM TO 0 0.5 Asphalt/Co 0.5 6 Clay, Dark 6 9 Silt, Brown 9 18 Sand, Brown 9 18 Sand, Brown 9 18 Sand, Brown 9 18 Sand, Brown 9 18 Contractors or LANDOWN	LS: From From LS: From pat cement ft. to11 ible contamination: ateral lines ress pool eepage pit LITHOLOGIC oncrete, x Black n wn wn wn	15		. ft., Fron . ft., Fron . ft., Fron 4 C . 13 O Livesto 1 Fuel st 2 Fertiliz 3 Insecti bow many 0 	hh. h h ther	ft. to UST. Ba UST. Ba	b
CREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Na irout Intervals: From 0 Vhat is the nearest source of poss 1 Septic tank 4 Li 2 Sewer lines 5 C 3 Watertight sewer lines 6 S birection from well? NW FROM TO 0 0.5 Asphalt/Co 0.5 6 Clay, Dark 6 9 Silt, Brown 9 18 Sand, Brown 9 Sand, Sand, Sand 9 Sand	LS: From From LS: From bat cement ft. to11 ible contamination: ateral lines iess pool eepage pit LITHOLOGIC oncrete, CBlack n wn wn Wn WN	15	25	. ft., Fron . ft., Fron . ft., Fron 4 C . 13 O Livesto 1 Fuel st 2 Fertiliz 3 Insecti 	hh. h ther the	ft. to ft. to <td< td=""><td>vight state in the state i</td></td<>	vight state in the state i
CREEN-PERFORATED INTERVA GRAVEL PACK INTERVA GROUT MATERIAL: 1 Ne rout Intervals: From 0 /hat is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S irection from well? NW FROM TO 0 0.5 Asphalt/Co 0.5 6 Clay, Dark 6 9 Silt, Brown 9 18 Sand, Brow 18 25 Sand, Brow 18 25 Sand, Brow	LS: From From From From bat cement ft. to11 ible contamination: ateral lines less pool eepage pit <u>LITHOLOGIC</u> oncrete, <u>A Black</u> n wn wn wn wn cense No	15	25	. ft., Fron . ft., Fron . ft., Fron 4 C . 13 O Livesto 1 Fuel st 2 Fertiliz 3 Insecti 	Main and the set of th	ft. to ft. to <td< td=""><td>vight decision</td></td<>	vight decision

Division of Environment Curtis State Office Building 1000 SW Jackson, Suite 410 Topeka. KS 66612-1367

Robert Moser, MD, Secretary



Phone: 785-296-4367 Fax: 785-296-4823 jdom@kdheks.gov www.kdheks.gov

Department of Health & Environment

Sam Brownback, Governor

. -

November 23, 2011

Tim Roark Kwik Shop, Inc. P. O. Box 1927 Hutchinson, KS 67504-1927

RE: Monitoring Well Ownership Transfer Kwik Shop # 726, 1606 S. Broadway, Wichita, KDHE Project Code: U2-087-01278 $\Lambda W \Lambda W \Lambda W 33 - 275 - IE$ Dear Mr. Roark: DRL, 6/12/2014

The Kansas Department of Health and Environment (KDHE) Drycleaner Facility Release Trust Fund (DFRTF) has executed the attached agreement for transfer of ownership of groundwater Monitoring Well #2 & Monitoring Well #15, installed as part of the investigation of petroleum contamination associated with the above referenced site, to the Kansas Drycleaner Remediation Program. One copy of the signed well transfer agreement is enclosed for your files. The Kansas Drycleaning program will be responsible for all future responsibilities of well ownership that includes, but is not limited to, maintenance, and eventual well plugging.

If you have any questions please feel free to call me at 785-296-4367 or contact me via e-mail at jdom@kdheks.gov.

Respectfully, 1.h

Joseph Dom, P.G. Drycleaner Remediation Program Bureau of Environmental Remediation

Enclosure: Transfer of Monitoring Well Ownership Agreement
 cc: Scott Yankey → File: Former Best Cleaners, 1614 S. Broadway, C2-087-70798 (1)
 Jeff Swanson - KDHE/UST (w/ enclosure)

TRANSFER OF MONITORING WELL OWNERSHIP

Monitoring Well(s) Details

Site Name:QuikSite Address:1606 SKDHE Site ID:U2-08Monitoring Well Number:MW-3KDHE Site ID Number:11009Location:NW 3Current Well Owner(s) Information

 KWik
 7

 Quik Shop # \$26

 1606 S. Broadway. Wichita

 U2-087-01278

 MW-2
 MW-15

 110099
 328982

 NW NW NW
 33

NW NW NW NW 33-275-1E (DRL, 6/12/2014)

Kwik Shop, Inc. c/o Tim Roark P. O. Box 1927 Hutchinson, KS 67504-1927

Authorized Signature

1/17/11

New Well Owner(s) Information

Kansas Drycleaning Facility Release Trust Fund c/o Scott Yankey. Program Manager 1000 SW Jackson, Suite 410 Topeka, KS 66612

Authorized

11-22-11

Date

Return Form to:

Joseph Dom, P.G. Drycleaner Remediation Program Bureau of Environmental Remediation 1000 SW Jackson Topeka, Kansas 66612

ECEIVED

JUN 06 2014

3 GEO SURVEY