		Water Well Recor	ord Form WWC-5			
1 LOCATION OF WATER WELL:	FRACTION		'	Section Number	Township Number	Range Number
Sedgwick	NE 1/4	NW 1/4	SE 1/4	18	т 27 s	R 1E EW
Distance and direction frem nearest town or city	street address of well if loca	ated within city?				
937 N. Woodrow	Wichit	ta, Kansas	e.			
	CARTY, Glen		3			
	Columbine				Board of Agriculture, D	Divivsion of Water Resource
	ita, Kansa			67203	Application Number	
	DEPTH OF COL	GGSD WELL	21			<u>r</u>
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			21		EVATION:	2 8
N	Depth(s) groundwa		1	ft. I. BELOW EATH SU	nt-floor	3 ft.
	WELL'S STATIC WA			. BELOW BATEL	JRFACE MEASURED ON mo/day/yr	05/14/1996
NE	Pump test	data: Well	water was	ft.	after hours pum	nping gpm
	Est. Yield	gpm: Well	l water was	ft.	after hours pum	nping gpm
	Bore Hole Diameter		to	ft.	and in.	to ft.
	WELL WATER 185	E USED AS:	5 Public wate	er supply	8 Air conditioning 11 Is	Injection well
	1 Domestic	3 Feedlot	6 Oil field wa			Other (Specify below)
Sw	2 Irrigation	4 Industrial	7 Lawn and g		10 Monitoring well	(-1
	-			-	•	no/day/yr sample was
	Was a chemical/bacter	riologicai sampre s	abmitten w D.	•		
5 TYPE OF CASING USED:	submitted					
		5 Wrought iron	_	8 Concrete tile		Glued Clamped
1 Steel 3 RMP (SR)		6 Asbestos-Ceme	ent y	Other (Specify b		Welded
2 PVC 4 ABS		7 Fiberglass			T	Threaded
Blank casing Diameter 1 1/4	in. to	ft., Dia	in.	. to	ft., Dia in.	to ft.
Casing height above land surface 1	2 in.,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORAT		•	•	7 PVC	10 Asbestos-ceme	ent
1 Steel 3 Stainless Steel		5 Fiberglass	8	8 RMP (SR)	11 other (specify)	y) N/A
2 Brass 4 Galvanized steel	1	6 Concrete tile	•	9 ABS	12 None used (op	M/A
SCREEN OR PERFORATION OPEN	_	·			8 Saw cut	11 None (open hole)
1.5			uzed wrapped		9 Drilled holes	II none (open man)
J. J		6 1111	re wrapped			
2 Louvered shutter 4 Key pur	ached	7 Torc	zh cut	•	10 Other (specify)	/A
SCREEN-PERFORATION INTERVA	ALS: from	ft	t. to	ft., From	·	ft.
	from		it. to	ft., From	_	ft.
GRAVEL PACK INTERV			n. to ft. to	n., From ft., From		
GIGT DE LICEL	from		n. 10 N. to	ft., From		ft. ft.
6 GROUT MATERIAL: 1 Neat co		Cement grout		ntonite		
					4 Other	
Grout Intervals: From O	ft. to 6	ft. From	ft.		ft. From	ft. to ft.
What is the nearest source of possible of		~		10 Livesto		Abandon water well
1 Septic tank 4 Lateral	lines	7 Pit privy		11 Fuel sto	130	Oil well/Gas well
2 Sewer lines 5 Cess p	pool	8 Sewage lage	oon		izer storage 16 O	Other (specify below)
3 Watertight sewer lines 6 Seepag	9 Feedyard		13 Insecti	icide storage	, •	
Direction from well? West	ge pir				How many feet? 15	
	LITHOLOGIC LOG		FROM	то	How many feet? 15 PLUGGING INTER	DEVATO
TAVIA I	IIIIOLOGIC		O FROM		cement grout	(VALS
						-1
			6		bentonite hole	
			12	21 (chlorinated san	d and graver
	,					
					A	
		7.12.144			TOTAL TOTAL	The state of the s
		-				
 						
<u> </u>					VI-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
				211/11	No. 44 eVen — Barr 4	72.74
7 CONTRACTOR'S OR LANDOWNER'S	S CERTIFICATION: This	s water well was ((1) construct	ed, (2) reconstru	ucted, or (3) plugged under m	y jurisdiction and
was completed on (mo/day/year)						
Well Contractor's License No						
Under the business name ofあぬ	rb Mell &	Pump Serv	ice, ir	1C by (sign	ature)	
			***************************************		lane F	- 1 n