

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number		
County: Sedgwick		SE 1/4 SE 1/4 SW 1/4		21		T 27 S		R 1 EW		
Distance and direction from nearest town or city street address of well if located within city? 811 E. Waterman, Wichita, KS.										
2 WATER WELL OWNER: United Warehouse/Sam Hardage										
RR#, St. Address, Box #: 811 E. Waterman										
City, State, ZIP Code: Wichita, KS. 67202										
Board of Agriculture, Division of Water Resources										
Application Number:										
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 20'6" ft. ELEVATION:								
		Depth(s) Groundwater Encountered 1. 15' ft. 2. ft. 3. ft.								
		WELL'S STATIC WATER LEVEL 15.40 ft. below land surface measured on mo/day/yr 5-20-96								
		Pump test data: Well water was ft. after hours pumping gpm								
		Est. Yield gpm: Well water was ft. after hours pumping gpm								
		Bore Hole Diameter: 8 1/2" in. to 20'6" ft., and in. to ft.								
		WELL WATER TO BE USED AS:								
		5 Public water supply 8 Air conditioning 11 Injection well								
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well								
		Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted								
		Water Well Disinfected? Yes No								
5 TYPE OF BLANK CASING USED:										
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped										
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X										
7 Fiberglass Threaded										
Blank casing diameter 2.375 in. to 10'3" ft., Dia. in. to ft., Dia. in. to ft.										
Casing height above land surface: Flush Mt. in., weight lbs./ft. Wall thickness or gauge No. SDR 13 SCH 40										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement										
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)										
12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes										
7 Torch cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From 20'3" ft. to 10'3" ft., From ft. to ft.										
From ft. to ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From 20'6" ft. to 8' ft., From ft. to ft.										
From ft. to ft., From ft. to ft.										
6 GROUT MATERIAL:										
1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout Intervals: From 8' ft. to 4' ft., From 4' ft. to 0' ft., From ft. to ft.										
What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well										
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage FUEL 15 Oil well/Gas well										
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)										
13 Insecticide storage										
Direction from well? East How many feet? 200'										
LITHOLOGIC LOG										
FROM	TO	LITHOLOGIC LOG						FROM	TO	PLUGGING INTERVALS
0	.75	Gravel-roadpack								
.75	3.25	Dk brn-blk silty gravelly clay w/ cinders, slag, brick, ls.rk. gravel, moist-dry, no odor.								
3.25	7.50	Med brn silty clay w/ dk brn clay banding, moist, no odor, oxides, low-med plasticity.								
7.50	12	Lt brn-yellowish brn clayey silt w/ gray silty clay mottling, moist, soft, no odor, oxide staining.								
12	15	Fine grained oxide stained sand, moist, soft, well rounded & sorted.								
15	20'6"	Fine-coarse grained sand w/ctz. no odor.								F.M. OK'd by Don Taylor
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-20-96 and this record is true to the best of my knowledge and belief. Kansas										
Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 5-22-96										
under the business name of JB Environmental Drilling by (signature) James Becker										
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.										