_		ATER WELL:	Fraction			ction Number		ımper	Range Number	
County:	Sedgwic	k	SW 1/4	SW 1/4 I	NE 1/4	34	T 27	S	R 1 (E)W	
				address of well if loca	ated within city	/?				
		non - Wichita, k								
2 WATE	R WELL C	WNER: Coastal M	Tart Inc							\neg
		×# : Nine Gree	,	Poom 2010			Deerd of Amico		ion of Mater Description	
							_		sion of Water Resource	3
		Houston,					Application Num		205.50	-
3 LOCA	IE WELL'S	LOCATION 4 ECTION BOX:	DEPTH OF CO	MPLETED WELL	20	ft. ELEV	'ATION:	12	285.52	
_ *****		N De	epth(s) Ground	water Encountered	1 14	l ft.	2	ft. :	3	ft.
∓ Γ	- !	W	/ELL'S STATIC	WATER LEVEL	.13.45 ft.	below land s	urface measured or	n mo/day/y	r 7/24/96	
	. j.,		Pump	test data: Well wat	erwasl	NAft.a	fter	hours pun	npinggr	m
	NW	NE Es	st. Yield NA	gpm: Well wat	terwas	ft. a	fter	hours pun	nping gr	om!
w Zi	i								to	
l≊ w l				O BE USED AS:			8 Air conditioning		njection well	
i`. I	1	! "	1 Domestic				-	•	Other (Specify below)	
	sw	SE								
	1	1 !	2 Irrigation				10 Monitoring well			
l <u></u>				rbacteriological samp	ole submitted t				mo/day/yr sample was	
_		<u> </u>	ubmitted				ter Well Disinfected		No ✓	_
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Conc	rete tile	CASING JOIN	VTS: Glued	I Clamped	.
1 S	teel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify belo	w)	Welde	ed ,	
⊘ P	VC	4 ABS		7 Fiberglass				Threa	ded √	.
		r 2 ii							in. to	ft.
									o Sch. 40	
TYDE OF		R PERFORATION M	AATEDIAI	iri., weight	(7)PV	· · · · · · · ibs./				
				: ·				estos-ceme		. .
1 S		3 Stainless st		5 Fiberglass		1P (SR)				\cdot
	rass	4 Galvanized		6 Concrete tile	9 AB	S		used (ope	en hole)	
SCREEN	OR PERFO	RATION OPENINGS		5 Gauz	zed wrapped		8 Saw cut		11 None (open hole)	
1 C	Continuous s	lot (3)Milis	slot	6 Wire	wrapped		9 Drilled holes			
2 L	ouvered sho			7 Torcl			10 Other (specify)			- 1
SCREEN-	PERFORAT	ED INTERVALS:	From	. 10 ft. to .		ft Fr	om	ft. '	to	ft.
			From	ft to		ft Fr	om	ft ·	to	ff
(GRAVEL PA	CK INTERVALS:	From	8 ft to	20	ft Fr	om	ff -	to	f 7
`	51 C (V LL 1)								to	
										_
6 GROU	T MATERIA	L: 1 Neatcen	ment 2	Cement grout	3 Bento	onite 4	Other	• • • • • • • • •		
Grout Inte	rvals: Fro	m ft.	to 9	ft., From	. 9 ft.	to	ft., From		. ft. to	ft.
What is th	ne nearest s	ource of possible co	ontamination:			10 Lives	tock pens	14 Ab	andoned water well	-
1 Sep	tic tank	4 Lateral I	ines	7 Pit privy		11 Fuel	storage	<u>15</u> Oi	l well/Gas well	١,
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Ferti	Fertilizer storage 16 Other (specify below		her (specify below)	[
3 Wat	ertight sewe	rlines 6 Seepage	e pit	9 Feedyard			ticide storage		rmer UST Basin	
	from well?	SW					y feet? 140			
FROM	ТО		LITHOLOGIC L	OG	FROM	ТО		IGGING IN	TERVALS	\dashv
0	1	Clay, Dark Brow							12.(1),120	一,
1	5	Clay, Light Bro				 				-
										┦;
5	20	Sand, Light Bro	wn		-					-
							TENNIS LITTER TO THE PARTY OF T			٦
										\neg
	<u> </u>								144	\dashv
	 									\dashv
										4
										\perp
						N	IW6 , Tag # 001687	77 . Flushn	nount	\dashv
		*****		,			roject Name: Secor			-
										┨.
_	L		****				eoCore # 335 , KDI			_ ՝
7 CONTR	ACTORS C	R LANDOWNER'S	CERTIFICATIO	N: This water well w	as (1) constru	ucted, (2) rec	onstructed, or (3) p	lugged und	der my jurisdiction	
		(mo/day/year)			9				knowledge and belief.	
Kaneae M	Jater Well	ontractor's License I	No.	527	is Water Mell				7/26/96	
	business na				IIS V VALEI V VEII	by (signat	/ / /	1.00	0.0	. ;
				Services, Inc.				Kol	J	\dashv
				<u>SS FIRMLY</u> and <u>PRINT</u> of Kansas 66620-0001. Tel					ond top three copies to Kansa n one for your records.	,

Form WWC-5