W5-3	211100		R WELL RECOR	TIA.	WC-5 KSA 8 Section Numb		lumber	Range Number
LOCATION OF WA	• 1.	Fraction 1/4	NE 1/A	E 14	22	T Z		R EW
stance and direction	from nearest tov				city?	mada		1.4
· · · · · · · · · · · · · · · · · · ·	Approx		outh.		01 W.	Maple	NUC	chila
WATER WELL OV		Friends				Board of	Agriculture	Division of Water Resource
#, St. Address, Bo /, State, ZIP Code		Wich	Universita KS		3		n Number:	
OCATE WELL'S L								
N "X" IN SECTIO		Depth(s) Ground	water Encountere	d 1/3		t. 2	ft. 3	3 /
<u> </u>		WELL'S STATIC	WATER LEVEL	17	ft. below land	surface measured or	n mo/day/yr	4-5-90
NW	NE							ımping gpr
!	! ! !							umping gpr n. to
w	 	WELL WATER T			water supply			Injection well
i		1 Domestic	3 Feedlot			9 Dewatering	•	Other (Specify below)
sw	SE	2 Irrigation	4 Industria				_	
		Was a chemical/t	oacteriological sar	mple submitted	I to Department?	YesNo 🔑	≤; If yes	s, mo/day/yr sample was su
	S	mitted				Water Well Disinfect		No X
TYPE OF BLANK			5 Wrought iron		Concrete tile			d Clamped
1 Steel	3 RMP (S	iR)	6 Asbestos-Cer		Other (specify be	•		aded.
	, ZABS	in to	7 Fiberglass ft Dia			ft., Dia		
sing height above		Flush	in weight			s./ft. Wall thickness	or gauge N	10. Sch 40
PE OF SCREEN C			,		7 PVC		bestos-cem	
1 Steel	3 Stainles	s steel	5 Fiberglass		8 RMP (SR)	11 Ott	ner (specify)
2 Brass	4 Galvania	zed steel	6 Concrete tile		9 ABS	12 No	ne used (o _l	·
REEN OR PERFO				Gauzed wrapp		8 Saw cut		11 None (open hole)
1 Continuous sk		Aill slot	6	Wire wrapped		9 Drilled holes		
			_	T		10 046 /	L.A.	
		From	/.O ft.	to	ft., F	From	ft.	to
GRAVEL PAGEOUT MATERIA	ACK INTERVALS: L: Neat	From From From cement .ft. to	ft	to		FromFrom	ft. ft. ft. ft. ft. ft.	to
GRAVEL PAGROUT MATERIA out Intervals: Froat is the nearest s	ACK INTERVALS: ACK INTERVALS: AL: Om	From From From cement ft. to 8	ft. ft. ft. ft. ft. ft. ft. ft. ft. from ft.	to		FromFrom	ft. ft. ft. ft. ft. ft. ft. ft.	to
GRAVEL PAGEOUT MATERIA ut Intervals: Fro	ACK INTERVALS: ACK INTERVALS: AL: Om	From From From cement ft. to 8 contamination: ral lines	ft.	to		FromFrom	ft.	to
GRAVEL PAGEOUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: ACK INTERVALS:	From From From cement ft. to contamination: ral lines s pool	ft.	to		From From From 4 Other restock pens	ft.	to
GRAVEL PA GRAVEL PA GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sec	ACK INTERVALS: ACK INTERVALS: IL: 1 Neat Dm	From	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE OF THE PROPERTY OF THE PAGE OF	ACK INTERVALS: Neat on	From From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE OF THE PROPERTY OF THE PAGE OF	ACK INTERVALS: ACK INTERVALS: IL: 1 Neat Dm	From From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE OF THE PROPERTY OF THE PAGE OF	ACK INTERVALS: Neat on	From From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE OF THE	ACK INTERVALS: Neat on	From From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE OF THE	ACK INTERVALS: Neat on	From From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE GROUT MATERIA out Intervals: Froat is the nearest satistic tenk 2 Sewer lines 3 Watertight sevention from well?	ACK INTERVALS: Neat on	From	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE OF THE PROPERTY OF THE PAGE OF	ACK INTERVALS: ACK INTERVALS: IL: Neat Source of possible 4 Late 5 Cess wer lines 6 Seep Sund Sund Sund Sund Sund	From	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PARAMETERIA OF THE PROPERTY OF THE PROP	ACK INTERVALS: ACK INTERVALS: IL: Neat Source of possible 4 Late 5 Cess wer lines 6 Seep Sund Sund Sund Sund Sund	From	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PARAMETERIA OF THE PROPERTY OF THE PROP	ACK INTERVALS: ACK INTERVALS: IL: Neat Source of possible 4 Late 5 Cess wer lines 6 Seep Sund Sund Sund Sund Sund	From	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PARAMETERIA UT Intervals: From the section from well?	ACK INTERVALS: ACK INTERVALS: IL: Neat Source of possible 4 Late 5 Cess wer lines 6 Seep Sund Sund Sund Sund Sund	From	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE GROUT MATERIA out Intervals: Froat is the nearest satistic tank 2 Sewer lines 3 Watertight sevention from well?	ACK INTERVALS: ACK INTERVALS: IL: Neat Source of possible 4 Late 5 Cess wer lines 6 Seep Sund Sund Sund Sund Sund	From	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE GROUT MATERIA out Intervals: Froat is the nearest satisfies 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	ACK INTERVALS: ACK INTERVALS: IL: Neat Source of possible 4 Late 5 Cess wer lines 6 Seep Sund Sund Sund Sund Sund	From	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PAGE GROUT MATERIA out Intervals: Froat is the nearest satisfies 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	ACK INTERVALS: ACK INTERVALS: IL: Neat Source of possible 4 Late 5 Cess wer lines 6 Seep Sund Sund Sund Sund Sund	From	ft.	to	ft., F ft., F Bentonite ft. to	From	ft.	to
GRAVEL PA GROUT MATERIA out Intervals: Fro tat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set ection from well? ROM TO 2 4 13 15 20	ACK INTERVALS: ACK INTERVALS: IL: On. Source of possible 4 Late: 5 Cess wer lines 6 Seep Sund	From From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC GY Clay Clay Clay Clay Clay Clay Clay Clay	ft. ft. ft. ft. Cement grout ft., From From Freedyn Sewag Feedyn LOG	toZ. to to to Ty ye lagoon and FRO	ft., F ft., F ft., F Bentonite ft. to	From From 4 Other From Vestock pens el storage extilizer storage many feet?	14 / 15 (16 (16 (17)	to
GRAVEL PAGE GROUT MATERIA out Intervals: Froat is the nearest sand is Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	ACK INTERVALS: ACK INTERVALS:	From	tt	toZ. to to Ty ge lagoon and FRC Well was (1) co	ft., F ft., F ft., F Bentonite ft. to	From From 4 Other From Vestock pensivel storage and feet?	t. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to
GRAVEL PAGE GROUT MATERIA out Intervals: Froat is the nearest set is Septic tank 2 Sewer lines 3 Watertight severtion from well? ROM TO 2 13 15 20 15	ACK INTERVALS: ACK INTERVALS: IL: Neat Source of possible 4 Later 5 Cess wer lines 6 Seep Sund	From From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC GY Clay Clay Clay Clay Clay Clay Clay Clay	tt	toZ. to to to Y ge lagoon ard FRO Well was (1) co	Bentonite ft., F ft., F ft., F Bentonite ft. to	From From 4 Other From Ft., From Ft.	t. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to
GRAVEL PAGE GROUT MATERIA out Intervals: Froat is the nearest set of Sewer lines and Watertight set out of the page of the pag	ACK INTERVALS: ACK INTERVALS: IL: Neat Source of possible 4 Late 5 Cess wer lines 6 Seep Sund	From	tt	toZ. to to to Y ge lagoon ard FRO Well was (1) co	method by the structed of the	From From 4 Other From Vestock pensivel storage and feet?	t. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to