				Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCA		TER WELL:	FRACTION			Section Number	Township Number	Range Number
	Sedgv		NE NW 1/4	SW 1/4 NV	1/4	17	T 27 s	R 1E E/W
Distance	and direction	frem nearest town or cit	ty street address of well if lo	cated within city?				-
1124 Forrest Wichita, Kansas								
WATER WELL OWNER: CRAVENS, Sylvia								
RRM, ST. ADRESS, BOX#: 1124 Forrest  Board of Agriculture, Divivsion of Water Resource								
CITY	, STATE, ZIP	CODE: Wic	hita, Kans	as.			Application Num	ıber:
		OCATION WITH	4 DEPTH OF CO	MILETED WELL	20	ft. E	LEVATION:	
AN "X	' IN SECTIO	N BOX: N	Depth(s) ground	water Encountered	1	ft.	2 ft.	3 ft.
WELL'S STATIC WATER LEVEL 11 FT. BELOW LAND SURFACE MEASURED ON mo/day/yt 06/22/1996								
Pump test data: Well water was ft. after hours pumping gpm								
	<b> </b>		Est. Yield	<del>0</del> 1	iter was	ft.	after hours pu	ımping gpm
w Mile		E	Bore Hole Diameter		D	ft.	and in	
=			WELL WATER		Public water	r supply	8 Air conditioning 11	Injection well
1	sw-	sie	1 Domestic		Oil field wa		=	2 Other (Specify below)
li			2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well	
. ↓			1	teriological sample sub	nitted to De	_		mo/day/yr sample was
_		S	submitted			V		No No
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1 Stee	-	3 RMP (SR)		6 Asbestos-Cement	9	Other (Specify	below)	Welded
2 PVC		4 ABS		7 Fiberglass				Threaded
Blank ca	sing Diam	eter 1 1/4	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
-	-	STATE PROPERTY		, weight	-	lbs. / ft.	Wall thickness or gauge No.	ment
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) 37 / 7								
N/A								· N/A
2 Bras	_	4 Galvanized ste				ADS	8 Saw cut	` •
	N OK PEI nous slot	RFORATION OP			l wrapped		9 Drilled holes	11 None (open hole)
		3 Mill si		6 Wire w				·- 4 -
	red shutte	• •		7 Torch o	cut		10 Other (specify)	N/A
SCREE	N-PERFO	RATION INTER	VALS: from	ft. t	0	ft., Fro	om ft. t	o ft.
			from	ft. t	ft. to ft., From			o ft.
	GRAV	EL PACK INTER	VALS: from	ft. 1		ft., Fr		-
		4 NA	from	ft. 1		ft., Fr		o ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 0 ft. to 6 ft. From ft. to ft. From ft. From ft. to ft. From ft. From ft. From ft. to ft. From ft. From ft. From ft. to ft. From ft. F								
1 Septi		-	ral lines	7 Pit privy	7 DH 44 D 1 4			Abandon water well
2 Sewe					8 Sewage lagoon 12 Fertilizer storage			5 Oil well/Gas well 6 Other (specify below)
		5 Cess	•	• •	9 Feedyard 13 Insecticide storage			Ouler (specify below)
3 waterugit sewer intes 6 Seepage pit 9 reedystru								
FROM	TO		LITHOLOGIC LOG	· · · · · · · · · · · · · · · · · · ·	FROM	ТО	PLUGGING INT	ERVALS
	OM 10 Introduce 600				0	6	cement grout	
					6	11	bentonite hole	pluq
					11	20	chlorinated sa	
					<b></b>			
					<b></b>			And the second s
				· · · · · · · · · · · · · · · · · · ·				
							**************************************	
								NATIONAL CONTRACTOR OF THE CON
					<u></u>			
								edan Francisco (1900 - 1900 -
					<u> </u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was c	ompleted	on (mo/day/year	r)Q6/22/	/1996	nd this red	cord is true to	the best of my knowledge a	nd belief. Kansas Water
Well (	ontracto	r's License No	<u> 236                                    </u>	. This Water Well Re	cord was c	ompleted on	(mo/day/yr)Q6/	25/96
Under the business name of Harp								
l							Jodd	S. Harp