1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number		D N
					Township Number	Range Number
Sedgwick	NW 1/4	NE 1/4 S	1/4	17	T 27 s	R 1E EW
Distance and direction frem nearest town or city street address of well if located within city?						
905 Wiley Wichita, Kansas						
WATER WELL OWNER: BELL,	Robert					
RR#, ST. ADRESS, BOX #: 905 Wi					Board of Agriculture, D	ivivsion of Water Resource
CITY, STATE, ZIP CODE: Wichita, Kansas , Application Number:						r:
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 18 ft. ELEVATION:						
MAN MYM IN SECTION BOX.						
Depth(s) groundwater Encountered 1 WELL'S STATIC WATER LEVEL 8  FT. BELOW FINE BELOW MEASURED ON mod/day/yr 06/01/1996						
NWNE	Pump test		ater was	ft.	after hours pum	
Lest.	Yield	91	ater was	ft.	after hours pum	. 0
	Hole Diameteru		to	ft.	and in.	to ft.
T   WEI	LL WATER <b>189</b>		Public water	r supply	8 Air conditioning 11 I	njection well
sw	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12 C	Other (Specify below)
	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well	
Was Was	a chemical/bacte	riological sample sub	mitted to De	partment? Yes	No ★; If yes, m	o/day/yr sample was
S submitted Water Well Disinfected? Yes X No						
TYPE OF CACING LIGED.						
1 Steel 3 RMP (SR)		5 Wrought iron 6 Asbestos-Cement		Other (Specify)	· ·	lued Clamped Velded
			, ,	Ouler (Specify	· ·	
2 PVC 4 ABS		7 Flberglass			1	hreaded
Blank casing Diameter 1 1/4 in.	to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height at the same free 12	in.,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						ent
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N/A						) N/A
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (op	·
SCREEN OR PERFORATION OPENING	G ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot	6 Wire wrapped			9 Drilled holes		
o had the ppth						/-
/ Tolch cut						'A
SCREEN-PERFORATION INTERVALS	from	ft. t	to	ft., Fro	m ft. to	ft.
•	from	ft. 1	to	ft., Fro	m ft. to	ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., Fro	m ft. to	ft.
	from	ft, t	to	ft., Fro	m ft. to	ft.
6 GROUT MATERIAL: 1 Neat ceme	nt 2 C	ement grout	3 Ben	tonite	4 Other	
Grout Intervals: From O ft.	to 5	ft. From	ft. 1	to	ft. From	ft. to ft.
What is the nearest source of possible contamination:					estock pens 14 Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy 11 Fu		11 Fuel s	el storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				12 Fertil	rtilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage plt 9 Feedyard 13 Insecticide storage					(4)	
Direction from well? North How many feet? 2  FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS						NAT C
TROM TO LITT	IOLOGIC LOG		FROM	5	cement grout	IVALS
			0	1		7
		***	5	8	bentonite hole	
			8	18	chlorinated san	a ana graver
			ļ	1		
				1		
				1		
710000		,	<del> </del>	<u>†</u>		
				1 1		
				<b></b>	**************************************	
7 CONTRACTORIS OF	DTIBLO . T.C. TL:	e weter well 44	\ const*	nd /2\ "acama"	ruoted or /2\ nlugged under -	ov juriediction and
ONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)						
Well Contractor's License No. 23	ж.ж. <i>ж.ж.</i> и	This Water Well De	cord was a	oru is true to t	mo/day/yr) O6 / O	5/96
Well Contractor's License No236						
Onder the publicas name of www.M.	####	n <del>menag</del> rhr.W.hYh.	A.M.	uy (sig	Todd S	Hair
					Joaa D	. surp