: DOCA	TION OF WAT	TER WELL:	FRACTION		ter Well Reco	rd Form WW	Section Number	Township Number	Range Number
			NW	1/4 NW	1/4	NE 1/4	19	27	1 1 10
Sedgwick NW 1/4 NW 1/4 NE 1/4 19 T 27 S R 1E E								R IE E/W	
Near Wichita Water Plant in Sims Park Wichita, Kansas									
WATER WELLOWNER: CITY OF WICHITA Board of Agriculture, Divivious of Water Resource									
	ST. ADRESS, I		. Main						
CITY	, STATE, ZIP	CODE: Wichi	ta, Ka				67203	Application N	umber: 960307
	TE WELL'S LO	DCATION WITH		COMPLETE		40		LEVATION:	
	IN SECTION	N.	. ,,,	undwater Enc		1	ft.	2 ft.	3 ft.
		X w	ELL'S STAT	IC WATER L	EVEL 1	0	FT. BELOW LAND S	SURFACE MEASURED ON mo/day	√r 09/30/1996
	NW	NE	Pun	np test data:	Well	water was	ft.	after hours	pumping gpm
		1 -!-	i. Yield	gpm:	Well	water was	ft.	after hours	pumping gpm
₫w		E Boi	re Hole Diam	eter 12	in.	to 40	ft.	and	in. to ft.
E pts FF S years		WI	ELL WATER	R TO BE USEI	AS:	5 Public wa	iter supply	8 Air conditioning	11 Injection well
:			1 Domestic	3 Feed	llot	6 Oil field	water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well									
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was								
S submitted Water Well Disinfected? Yes X No									
TY	PE OF CAS	SING USED:		5 W-	onaht inon		8 Concrete tile	CASING JOINTS:	Glued X Clamped
5 Wiought Holl								Welded Welded	
2 PVC		4 ABS			rglass		SDR-26	,	Threaded
	_		. to 20		•			ft., Dia	_
	sing Diame	•	. 10 20		Dia		in. to lbs./ft.	ft., Dia Wall thickness or gauge No	in. to ft. D332
	•	e land surface 12 N OR PERFORATIO	N MATERI	in., AL:	weight	5.594	7 PVC	10 Asbestos	
1 Stee	_	3 Stainless Steel	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	5 Fiber	rglass		8 RMP (SR)	11 other (sp	ecify)
2 Bras		4 Galvanized steel		6 Conc	rete tile		9 ABS		d (open hole)
			NC ADE.		E Con			8 Saw cut	11 None (open hole)
O. W. L. L.									
ì		3 Mill slot	had					10 Other (specify)	
, 10.00									
CREE	N-PERFOR	RATION INTERVAL		20	f	t. to 40	ft., Fro	om ft.	to ft.
			from		_	t. to	ft., Fr	7111	to ft.
						ft. to 40	ft., Fr		. to ft.
		437	fron			t. to	ft., Fr		. to ft.
F (414-144)	OUT MATE			2 Cement g	rout	3 1	Bentonite	4 Other	
	tervals: F		t. to 20		From	1	it. to	ft. From	ft. to ft.
What is the nearest source of possible contamination:							10 Livestock pens 11 Fuel storage		14 Abandon water well
1 Septi	ic tank	4 Lateral li	nes					•	15 Oil well/Gas well
2 Sewe	r lines	5 Cess poo	ol	8 Sewage lagoon			12 Fertilizer storage		16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent									
	n from well							How many feet?	
TROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0	2	topsoil							
2	15	clay							
15	38	medium to	coars	e sand					The state of the s
38	40	shale							
									out
	ll								
a.wa-									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No236									
Under the business name of Harp Well & Pump Service. Inc. by (signature)									
Todd S. Harp									
	the busin	ess name of AAMAA,	MX.W.#.#.	жж.мы		A. M. M	њихм Dy (SI	Todd	S. Haro