OCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	T	Dan N	
	1				Township Number	Range Number	
Sedgwick	NW 1/4	NW 1/4 NE	C 1/4	19	т 27 в	R 1E EW	
States and direction frem nearest town or city street address of well if located within city?							
Near Wichita Water	r Plant i	n Sims Par	<u>k</u>	Wichit	a, Kansas		
	F WICHIT						
RR#, ST. ADRESS, BOX#: 455 N.					Board of Agriculture, I	Divivsion of Water Resource	
	a, Kansa	S		67203	Annilection Number	≈ 960307	
V. C. 18 . 1 11 12 12 12 12 12 12 12 12 12 12 12 1	DEPTH OF COM		40		EVATION:	24444	
S ≈ 1 X "Y" IN SECTION DOY:	Derth(s) groundwa		1	n. eli		3 ft.	
·	, .		_				
		TER LEVEL 10			RFACE MEASURED ON mo/day/yr	09/30/1996	
NE	Pump test			ft.	after hours pun	. 6 Br	
Est.	Yield	gpm: Well wa		ft.	after hours pun	nping gpm	
- W	e Hole Diameter	12 in. to		ft.	and in.	to ft.	
" WE	LL WATER TO B	E USED AS: 51	Public water	supply	8 Air conditioning 11	njection well	
swsæ	1 Domestic	3 Feedlot 6	Oil field wat	ter supply	9 Dewatering 12 0	Other (Specify below)	
, , , , , , , , , , , , , , , , , , , ,	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well		
Was	a chemical/bacter	iological sample subr	nitted to De	partment? Yes	No X : If ves. n	no/day/yr sample was	
6	bmitted	B mirhic agoi		-	ter Well Disinfected? Yes	X No	
TYPE OF CASING USED:		5 Wannahi tana	0				
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (Specify			Older 45 Chairpen		
0 1011					,	velded Threaded	
2 PVC 4 ABS		7 Fiberglass	S	DR-26		III CHUCU	
Hlank casing Diameter 8 in.	to 20	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 12	in. ,	weight 5.			Wall thickness or gauge No.	.332	
TYPE OF SCREEN OR PERFORATION	N MATERIAL:			PVC	10 Asbestos-cem	ent	
1 Steel 3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specify	7)	
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (o	pen hole)	
REEN OR PERFORATION OPENIN	G ARE:	5 Canzai	l wrapped		8 Saw cut	11 None (open hole)	
Continuus slot 3 Mill slot	- ALL	6 Wire w			9 Drilled holes	(*F***********************************	
5 Williams							
A Key punch		7 Torch c	ut		10 Other (specify)		
*CREEN-PERFORATION INTERVALS	: from 20	ft. to	40	ft., From	ft. to	ft.	
	from	ft. t	0	ft., Fron	ft. to	ft.	
GRAVEL PACK INTERVALS	S: from 20	ft. t	o 4 0	ft., Fron		ft.	
4 marks and the second	from	ft. t	0	ft., Fron		ft.	
6 GROUT MATERIAL: 1 Neat ceme	nt 2 Co	ment grout	3 Ben	tonite	4 Other		
Carout Intervals: From O ft.	to 20	ft. From	ft. 1	to	ft. From	ft. to ft.	
That is the nearest source of possible contamination:		41000	10 Livestock pen		-1	ι. το τ Abandon water well	
k Septic tank 4 Lateral lines		7 Pit privy 11 Fuel storag		- 17:	147 ADMINON WHEN WED		
		8 Sewage lagoor			13	Oil well/Gas well	
C Ceas poor			-		cido etomas	Other (specify below)	
3 Vatertight sewer lines 6 Seepage p	it	9 Feedyard			None	Apparent	
itirection from well?	101 0010 = = =				How many feet?		
	IOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
topsoil							
2 15 clay						Y10-1	
15 38 medium to	coarse sa	nd					
38 40 shale							
					W. PANE AND DESCRIPTION OF THE RESERVE OF THE RESER		
							
				-			
			-				
CONTRACTOR'S OR LANDOWNER'S CR	ERTIFICATION: This	water well was (1)	constructe	ed, (2) reconstr	ucted, or (3) plugged under r	ny jurisdiction and	
ੀਂ as completed on (mo/day/year)	09/30/1	996a	nd this rec	ord is true to th	ne best of my knowledge and	belief. Kansas Water	
Was completed on (mo/day/year)	09/30/1 36	996a his Water Well Rec	nd this rec	ord is true to the completed on (m	ne best of my knowledge and o/day/yr)10./0	belief. Kansas Water	
ੀਂ as completed on (mo/day/year)	09/30/1 36	996a his Water Well Rec	nd this rec	ord is true to the completed on (m	ne best of my knowledge and o/day/yr)10./.0.	belief. Kansas Water	