

1 LOCATION OF WATER WELL: County: <u>Sedawick</u>	Fraction <u>NE 1/4 SW 1/4 SW 1/4</u>	Section Number <u>35</u>	Township Number <u>T 27 S</u>	Range Number <u>R 1 E</u>
--	---	-----------------------------	----------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?

3342 E. Bellaire WICHITA, KS

2 WATER WELL OWNER: RR#, St. Address, Box # City, State, ZIP Code	<u>Gordon Monrow</u> <u>3120 E. Boston</u> <u>WICHITA, KS 67211</u>	Board of Agriculture, Division of Water Resources Application Number:
---	---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>16</u> ft. ELEVATION: <u>7-23-96</u>
--	--

Diagram of a section box with NW, NE, SW, and SE quadrants. The SW quadrant is circled and marked with an 'X'.

Depth(s) Groundwater Encountered 12 ft. 2. N/A ft. 3. N/A ft.

WELL'S STATIC WATER LEVEL 12 ft. below land surface measured on mo/day/yr 7-23-96

Pump test data: Well water was N/A ft. after N/A hours pumping N/A gpm

Est. Yield N/A gpm Well water was N/A ft. after N/A hours pumping N/A gpm

Bore Hole Diameter N/A in. to N/A ft. and N/A in. to N/A ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes N/A No X; If yes, mo/day/yr sample was submitted N/A

Water Well Disinfected? Yes X No N/A

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>N/A</u> Clamped <u>N/A</u>
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) <u>Galvanized</u>
2 PVC	4 ABS	7 Fiberglass	Welded <u>N/A</u>
Blank casing diameter <u>5</u> in. to <u>N/A</u> ft. Dia <u>N/A</u> in. to <u>N/A</u> ft. Dia <u>N/A</u> in. to <u>N/A</u> ft.			Threaded <u>N/A</u>
Casing height above land surface <u>6 ft. split level</u> in. weight <u>N/A</u> lbs./ft. Wall thickness or gauge No. <u>N/A</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) <u>N/A</u>
SCREEN-PERFORATED INTERVALS:	From <u>N/A</u> ft. to <u>N/A</u> ft.	From <u>N/A</u> ft. to <u>N/A</u> ft.	From <u>N/A</u> ft. to <u>N/A</u> ft.
GRAVEL PACK INTERVALS:	From <u>N/A</u> ft. to <u>N/A</u> ft.	From <u>N/A</u> ft. to <u>N/A</u> ft.	From <u>N/A</u> ft. to <u>N/A</u> ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other <u>N/A</u>
Grout Intervals: From <u>3</u> ft. to <u>9</u> ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
Direction from well? <u>STRAIGHT UP</u>				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				How many feet? <u>5</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>0</u>	<u>3</u>	<u>SPLIT level space</u>
			<u>3</u>	<u>11</u>	<u>Neat Cement</u>
			<u>11</u>	<u>16</u>	<u>Chlorinated Sand & Gravel</u>
					<u>Chlorinated</u>
					<u>Pulled first 3 ft. casing</u>

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7-23-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>913</u> This Water Well Record was completed on (mo/day/yr) <u>7-23-96</u> under the business name of <u>JET DRILLING</u> by (signature) <u>[Signature]</u>
