LOCATION OF WA	TED WELL:		ER WELL REC		Form WWC-5		2a-1212	Number	MW-6	
LOCATION OF WA	dswick	FractiogE	, SW	SI	E Sec	tion H umbe	er Township	Namber S	R Hange	Number
stance and direction										
WATER WELL ON	WNEFQuik Tri	p Corpora	tion C/O	Bill F	Roundcou	nt	Poord o	f Agriculture,	Division of W	ater Resour
R#, St. Address, Bo	^{ox #} 1862 Cra	ugshire D	rive, St	. Louis	s, MO 6	3146		tion Number:		
ity, State, ZIP Code	· · · · · · · · · · · · · · · · · · ·									
LOCATE WELL'S I	N BOX:	DEPTH OF C	COMPLETED	WELL	16	ft. ELE\	ATION:			<u>-</u> · · · · · · · <u>.</u>
	N	Depth(s) Ground	dwater Encour	ntered 1.	(12)	π	. 2	π. 3	10-17-	96 ·····π
	1 ! ! !			•	-		urface measured			
NW	NE	Pum	<u>ip t</u> est data:	Well water	was <u>.</u>	<u></u> π.	after	hours pu	mping	gp
<u> </u>		Est. Yield	98°.6	25 water	was	π.	after	nours pu	mping	gp
w 1	+ t						, and			
		WELL WATER			5 Public water		8 Air condition	-	Injection well	
SW	SE	1 Domestic		dlot 6	6 Oil field wa	ter supply	9 Dewatering	$\mathbf{A}\mathbf{h}^{12}$	Otner (Specii	ry below)
1		2 Irrigation		ustrial 7	7 Lawn and o	arden only	Monitoring v	veii		
			/bacteriologica	al sample si	ubmitted to De		YesNo			
	-	mitted					Vater Well Disinfe		No	
TYPE OF BLANK			5 Wrought		8 Concre			JOINTS: Glue		
1 Steel	3 RMP (SR	1)	6 Asbestos		9 Other	(specify be	low)	Weld		
(2)PVC	2 ^{4 ABS}	i n	7 Fiberglas						aded X	
lank casing diamete		<i>_</i>								
asing height above			in., weight .				s./ft. Wall thickne			
YPE OF SCREEN ((7)°V			Asbestos-ceme		
1 Steel 3 Stainless steel			5 Fiberglas			IP (SR)		Other (specify)		
2 Brass 4 Galvanized steel			6 Concrete		9 AB	S		None used (op	•	
CREEN OR PERFO					d wrapped		8 Saw cut		11 None (o	pen hole)
1 Continuous sl				6 Wire w	vrapped		9 Drilled hole			
2 Louvered shu	tter 4 Ke									
		y punched	ก	7 Torch			10 Other (spe	• •		
		From	D		>n	ft., F	10 Other (spe	• •		
CREEN-PERFORAT		From		ft. to	20		٠.	-, ft. 1	o 	
CREEN-PERFORAT		From		ft. to	20	ft., F	rom -	ft. t	o	
CREEN-PERFORAT	TED INTERVALS:	FromFromFrom	<u>7</u>	ft. to ft. to ft. to ft. to	20		rom	ft. 1 ft. 1 ft. 1	0	
CREEN-PERFORAT CAND GRAVEL PA	ACK INTERVALS:	FromFromFrom	7 2) Cement gr	ft. to	20 	ft., F ft., F ft., F	romrom	ft. 1	0	
GROUT MATERIA	ACK INTERVALS:	From From From From ement ft. to 7	7 2) Cement gr	ft. to	20 	ft., F ft., F ft., F	romrom	ft. 1	0	
GROUT MATERIA	ACK INTERVALS: 1 Neat common of possible common of	From From From From ement ft. to 7 contamination:	2)Cement gi	ft. to	20 	to	romrom	ft. 1	o	ater well
GROUT MATERIA	ACK INTERVALS:	From From From From ement ft. to 7 contamination:	2)Cement gi	ft. to	20 	ft., F ft., F ft., F nite to 9	romrom	ft. 1 ft. 1 ft. 1	ooo	ater well
GROUT MATERIA Grout Intervals: Fro	ACK INTERVALS: 1 Neat common of possible common of	FromFromFrom.ement ft. to7contamination:	2 Cement gr ft., Fr	ft. to	20 	to	romromromrom	ft. 1 ft. 1 ft. 1	o	ater well
GROUT MATERIA frout Intervals: From the state of the stat	ACK INTERVALS: 1 Neat composible of possible of 4 Latera	FromFrom ement ft. to7 contamination: al lines	2) Cement gr ft., Fro 7 Pit 8 Se	ft. to rout	20 	tt., F. ft., F ft., F nite to	romrom	ft. 1 ft. 1 ft. 1	oo. ft. to bandoned wa iil well/Gas w ther (specify	ater well eil below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight seriection from well?	1 Neat communication of possible of the state of the stat	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romrom	14 A 15 C	o	ater well eil below)
GROUT MATERIA rout Intervals: From the state of the state	1 Neat communication of possible of the state of the stat	FromFrom ement ft. to7 contamination: al lines	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F nite to	romromrom	ft. 1 ft. 1 ft. 1	o	ater well eil below)
GROUT MATERIA rout Intervals: From the state of the state	1 Neat communication of possible of the state of the stat	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 C	o	ater well eil below)
GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set irrection from well?	1 Neat or source of possible of 4 Latera 5 Cess wer lines 6 Seepa	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 C	o	ater well eil below)
GROUT MATERIA GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO	1 Neat community of the second	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 C	o	ater well eil below)
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 1.00 7.00	1 Neat composition of the second of the seco	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 C	o	ater well ell below)
GROUT MATERIA Frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 C	o	ater well eil below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat composition of the second of the seco	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 C	o	ater well eil below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 C	o	ater well eil below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 C	o	ater well eil below)
GROUT MATERIA Frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 C	o	ater well eil below)
GROUT MATERIA irout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	rom	14 A 15 CONTA	o	ater well eil below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	romromrom	14 A 15 CONTA	o	ater well eil below)
GROUT MATERIA Frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	rom	14 A 15 CONTA	o	ater well eil below)
GROUT MATERIA irout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	rom	14 A 15 CONTA	o	ater well eil below)
GROUT MATERIA irout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	rom	14 A 15 CONTA	o	ater well eil below)
GROUT MATERIA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 1.00 7.00 7.00 20.00	1 Neat community of the course of possible of the course of possible of the course of	From From From From From From From From	7 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to	20 	ft., F ft., F ft., F ft. ft., F ft. ft., F ft. ft., F ft.,	rom	14 A 15 Conta PLUGGING I	o	ater well eil below)
GROUT MATERIA irout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 1.00 7.00 7.00 20.00 TD	ACK INTERVALS: 1 Neat composition of possible of 4 Latera 5 Cess wer lines 6 Seepa Silty Clarent of Box End o	From From From From From From From From	Cement grant ft., From tt., From tt.	ft. to	3 Bento ft.	10 Liv 12 Fei 13 Ins How n	rom	14 A 15 C 16 Conta	o	ater well eil below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set irrection from well? FROM TO 3.00 7.00 7.00 7.00 7.00 7.00 7.00 7.0	ACK INTERVALS: 1 Neat composition of possible of 4 Latera 5 Cess wer lines 6 Seepa Soil Silty Clayey Silty Clayer Silty C	From From From From From From From From	Clement growth, From the second secon	ft. to	3 Bento ft.	10 Liv 11 Fundamental Ferrore 10 Liv 11 Fundamental Ferrore 13 Instruction 10 Liv 12 Ferrore 13 Instruction 14 Instruction 15 Instruction 16 Instruction 16 Instruction 17 Instruction 17 Instruction 18 Ins	rom	14 A 15 C 16 Conta PLUGGING I	o	ater well ell below) Si
GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irection from well? FROM TO 1.00 7.00 7.00 0.00 TD CONTRACTOR'S impleted on (mo/dai	Soil Silty Cla Clayey Si End of Bo	From From From From From From From From	Cloment grant ft., From tt., From tt	t privy ewage lago	3 Bento ft.	tt., F ft., F ft., F nite to	rom	14 A 15 C 16 Conta PLUGGING I	o	ater well ell below) Si
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser rection from well? FROM TO GL 1.00 7.00 7.00 7.00 7.00 7.00 7.00 7.00	Soil Silty Clayey Sind of Body Sylvar) OR LANDOWNER Sylvary License No	From From From From From From From From	Cloment grant ft., From tt., From tt	t privy ewage lago	3 Bento ft.	tt., F ft., F ft., F nite to	rom	14 A 15 C 16 Conta PLUGGING I	ter my jurisdi owledge and	ater well ell below) Si