County: Sedgwi	ATER WELL:	Fraction			KSA 82a- tion Number	Township Nun		Range Number
		SE 1/4	SE 1/4 NE	1/4	26	т 27	S	R 1 (E/W
		er, Wichita,	tress of well if located	within city?				
		er, wichte,	, ND					
WATER WELL C		n Corporatio	n C/O Bill Ro	mdaamt	-	Decid of Ac	ioulturo F	Nivisian of Motor Bassure
								ivision of Water Resource
INV, State, ZIP COO			ve, St. Louis,	711	.40	Application	umuer.	
AN "X" IN SECT	IOCATION WITH							
	N							· · · · · · · · · · · · · · · · · · ·
								11/7/96
NW -	NE							nping
								nping
								to
- 1		WELL WATER TO		Public water		B Air conditioning		njection well
SW -	SE	1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	mu	Dther (Specify below)
		2 Irrigation						
	_ 	mitted	ictenological sample su					mo/day/yr sample was su
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre		er Well Disinfected?		
TYPE OF BLANH 1 Steel	3 RMP (SI		6 Asbestos-Cement		specify below			ed
	4 ABS		7 Fiberglass		• •	<i>.</i>		ded 🙀
Blank casing diamet			•					n. to
Casing height above	6	~ 7						
TYPE OF SCREEN			n., weight SCH	40 PVC		10 Asbes	stos-ceme	
1 Steel	3 Stainless		5 Fiberglass	8 RMI	P (SR)			•
2 Brass	4 Galvaniz		6 Concrete tile	9 ABS		12 None		
CREEN OR PERF	ORATION OPENIN		5 Gauzeo	l wrapped		8 Saw cut		11 None (open hole)
1 Continuous	slot (3)M	fill slot	6 Wire w	••		9 Drilled holes		(
2 Louvered sh	•	ey punched	(7 Torch c	nt r		10 Other (specify)		
CREEN-PERFOR	TED INTERVALS:	From	H ft to	Z4	ft Erom	n	ft. to)
				· · · · · · · · · · · ·	· · · · · IL, I IUII	• • • • • • • • • • • • • • • •		
-	7	From	ft. to				ft to)
SAL) PACK INTERVALS:	From.			ft., From		ft to)
SAL					ft., From	·	ft to)
SMT 1 GRAVEL F	ACK INTERVALS:	From /3 From /3	ft. to ft. to ft. to ft. to	Z 3 Bentor	tt., From tt., From tt., From		ft. to ft. to <u>ft. to</u>	, fi
GROUT MATERI GROUT MATERI Grout Intervals: F	AL:	From /3 From /3 cement (2 ft. to /1	ft. to ft. to ft. to	Z 3 Bentor	tt., From tt., From tt., From		ft. to ft. to <u>ft. to</u>	, fi
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest	AL:	From /3 From /3 cement (2 ft. to /1	ft. to ft. to ft. to ft. to	Z 3 Bentor	tt., From tt., From tt., From	Dither	ft. to ft. to 	, fi
GROUT MATERI GROUT MATERI Grout Intervals: F	AL: rom. 0 ¹ Neat of source of possible 4 Later	From /3 From /3 cement (2 ft. to /1 contamination: ral lines	ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	ft., From ft., From ft., From hite o. /3	Dther	ft. to ft. to ft. to 	
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines	AL: source of possible 4 Later 5 Cess	From /3 From /3 cement (2 ft. to /1 contamination: ral lines s pool	ft. to ft. to ft	3 Bentor ft. t	ft., From ft., From tt., From ite o	Dther	ft. to ft. to ft. to ft. to ft. to	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se	AL: roff. 0 source of possible 4 Later 5 Cess ewer lines 6 Seep	From /3 From /3 cement (2 ft. to /1 contamination: ral lines s pool	ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	it., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz	Dther	ft. to ft. to ft. to ft. to ft. to	. ft. to
GROUT MATERI GROUT MATERI Frout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well?	AL: roff. 0 source of possible 4 Later 5 Cess ewer lines 6 Seep	From /3 From /3 cement (2 . ft. to . /1 contamination: ral lines s pool page pit	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Frout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight so Direction from well?	AL: roff. 0 source of possible 4 Later 5 Cess ewer lines 6 Seep	From /3 From /3 cement (2 ft. to /1 contamination: ral lines s pool	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI irout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well?	AL: roff. 0 source of possible 4 Later 5 Cess ewer lines 6 Seep	From /3 From /3 cement (2 . ft. to . /1 contamination: ral lines s pool page pit	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO	AL: rom 0 1 Neat of source of possible 4 Later 5 Cess ewer lines 6 Seep	From /3 From /3 cement (2 . ft. to . /1 contamination: ral lines s pool bage pit LITHOLOGIC LC	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO GL 1.00	AL: source of possible 4 Later 5 Cess ewer lines 6 Seep	From /3 From /3 cement (2 .ft. to . /1 contamination: ral lines s pool bage pit LITHOLOGIC LC fill	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO GL 1.00 1.00 17.00	AL: rom. 0 ¹ Neat of source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla	From /3 From /3 cement (2 .ft. to . /1 contamination: ral lines s pool bage pit LITHOLOGIC LC .fill y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 1.00 17.00 7.00 24.00	AL: I Neat of rom O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 1.00 17.00 7.00 24.00	AL: rom. 0 ¹ Neat of source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI irout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 L.00 17.00 7.00 24.00	AL: I Neat of rom O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 L.00 17.00 7.00 24.00	AL: I Neat of rom O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 L.00 17.00 7.00 24.00	AL: I Neat of rom O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 L.00 17.00 7.00 24.00	AL: I Neat of rom O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From ft., From ft., From ite o. 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Frout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 L.00 17.00 7.00 24.00	AL: I Neat of rom O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From tt., From ft., From ft., From ft., From 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man TO	Dther Dther Dther trock pens torage er storage cide storage y feet? (74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 L.00 17.00 7.00 24.00	AL: I Neat of rom O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From tt., From tt., From tt., From tt., From tt., From 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man TO	Dither	74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 1.00 17.00 7.00 24.00	AL: I Neat of rom O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From tt., From tt., From tt., From tt., From tt., From 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man TO	Dither Ther	74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 1.00 17.00 7.00 24.00	AL: I Neat of rom O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines pool page pit LITHOLOGIC LC fill y (CL) y (CL)	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bentor ft. t	tt., From tt., From tt., From tt., From 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man TO	Dither Di	74 Ab	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 1.00 17.00 7.00 24.00 4.00 TD	AL: AL: intervals: alignature of a line of	From /3 From /3 cement (2 ft. to /1 contamination: ral lines s pool bage pit LITHOLOGIC LC fill ty (CL) prehole	ft. to ft. ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	FROM	tt., From tt., From tt., From tt., From tt., From 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man TO F War	Dither Di	ft. to ft. t	ft. to
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 1.00 17.00 7.00 24.00 4.00 TD	AL: AL: I Neat of rom. O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla End of Bo	From /3_ From /3_ cement (2 . ft. to . /1 contamination: ral lines s pool bage pit LITHOLOGIC LC . fill ty (CL) prehole R'S CERTIFICATION	ft. to ft. ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	FROM FROM	tt., From tt., From tt., From tt., From tt., From tt., From 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man TO F War ted, (3) recom	Dither Tit., From torage torage ter storage cide storage y feet? PLU PLU PLU PLU PLU PLU PLU PLU	ft. to ft. t	
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO GL 1.00 1.00 17.00 7.00 24.00 4.00 TD	AL: AL: I Neat of rom. O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla End of Bo Concrete, Silty Cla	From /3 From /3 cement (2 ft. to /1 contamination: ral lines s pool bage pit LITHOLOGIC LC fill ty (CL) prehole	ft. to ft. to ft	FROM (1) Construct	tt., From tt., From tt., From tt., From tt., From tt., From 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man TO F War ted, (3) recon and this record	Dither Tit., From torage torage cide storage cide storage y feet? PLU PLU PLU PLU Storage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage torage tor	ft. to ft. t	
GROUT MATERI GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight su Direction from well? FROM TO GL 1.00 1.00 17.00 7.00 24.00 4.00 TD	AL: AL: I Neat of rom. O source of possible 4 Later 5 Cess ewer lines 6 Seep Concrete, Silty Cla Sandy Cla End of Bo OR LANDOWNEF ay/year)	From /3_ From /3_ cement (2 ft. to /1 contamination: ral lines s pool page pit LITHOLOGIC LC fill y (CL) y (CL) prehole R'S CERTIFICATION -7-76	ft. to ft. ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	FROM (1) Construct	tt., From tt., From tt., From tt., From tt., From tt., From 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man TO F War ted, (3) recon and this record	Dither ti, From torage torage torage ter storage y feet? PLU PLU PLU PLU PLU PLU Structed, of (3) plu d is true to the best n (mo/day/y)	ft. to ft. t	