		Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCATION OF WATER WELL:	FRACTION	SW NW SW	1	Section Number	Township Number	Range Number	
Sedgwick	√8/E 1/4	NW 1/4 SW	1/4	27	T 27 s	R 1E EW	
Distance and direction frem nearest town	or city street address of well if lo	cated within city?					
1007 6 34	• •						
1287 S. Minne		Wichita, K	ansas				
WATER WELL OWNER: BO	OSWELL, Bob						
RR#, ST. ADRESS, BOX #: 1	287 S. Minnea	apolis			Board of Agriculture, D	ivivsion of Water Resource	
	ichita, Kansa			67211	Application Number:		
LOCATE WELL'S LOCATION WITH		MACH WELL	23,5		LEVATION:		
AN "X" IN SECTION BOX:	1 1			ft.	2 ft.	3 ft.	
N P	¬	vater Encountered	1				
	WELL'S STATIC V	VATER LEVEL 16	FT.	BELOW LAND S	URFACE MEASURED ON mo/day/yr	11/27/1996	
NWNE	Pump tes	st data: Well wa	ter was	ft.	after hours pum	ping gpm	
	Est. Yieid	gpm: Well wa	ter was	ft.	after hours pum	ping gpm	
W W	Bore Hole Diameter			ft.	and in.	to ft.	
I ∑ W	WELL WATER					njection well	
	1 1		Public water		•	•	
	_ 1 Domestic		Oil field wate		•	Other (Specify below)	
	2 Irrigation	4 Industrial 7]	Lawn and ga	rden only	10 Monitoring weli		
]	Was a chemical/bact	eriological sample subn	nitted to Dep	partment? Yes	No X; If yes, m	o/day/yr sample was	
s	submitted			W	ater Well Disinfected? Yes	X No	
5 TYPE OF CASING USED:		5 Wrought iron	9.4	Concrete tile	CASING JOINTS: G	lued Clamped	
1 Steel 3 RMP (S		5 Wrought iron 6 Asbestos-Cement	_	Other (Specify		Velded	
	~,	7 Fiberglass	,	raici (opecny		hreaded	
2 PVC 4 ABS	• -	•					
Blank casing Diameter 1 1/		ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surfac	,	weight		lbs. / ft.	Wall thickness or gauge No.	4	
TYPE OF SCREEN OR PERFO	ORATION MATERIAL:			PVC	10 Asbestos-ceme	ent	
1 Steel 3 Stainless S	iteel	5 Fiberglass	81	RMP (SR)	11 other (specify) N/A	
2 Brass 4 Galvanize	d steel	6 Concrete tile	9.	ABS	12 None used (o _j	en hole)	
SCREEN OR PERFORATION	OPENING ARE:	5 Coursed	wronned		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		5 Gauzed wrapped 6 Wire wrapped			9 Drilled holes	• •	
2 Louvered shutter 4 K	ey punched	7 Torch c	ut		10 Other (specify)	/A	
SCREEN-PERFORATION INT	ERVALS: from	ft. to	D	ft., Fro	m ft. to	ft.	
	from	ft. to	0	ft., Fro	om ft. to	ft.	
GRAVEL PACK INTERVALS: from		ft. t		ft., Fr		ft.	
from		ft. to		ft., Fr		ft.	
6 GROUT MATERIAL: 11		Cement grout	3 Ben		4 Other		
U GROOT MEHT EREALE.	-						
Grout Intervals: From 1.5	ft. to 23.5	ft. From	ft. t		ft. From	ft. to ft.	
What is the nearest source of possible contamination:						bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel	134	Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon				16 Other (specify below)	
3 Watertight sewer lines 6	Seepage pit	9 Feedyard		13 Insec	cticide storage None	Apparent	
Direction from well?					How many feet?		
FROM TO LITHOLOGIC LOG			FROM TO		PLUGGING INTERVALS		
			0	1.5	surface clay an	d silt	
			1.5	23.5	cement grout		
				 	1	Ananya -	
<u> </u>				 			
				 			
				1			
	,						
7 CONTRACTORIS OR LAND		his water well was (4)	construct	d (2) racons	tructed or (3) nlugged under	my jurisdiction and	
CONTRACTOR SURLAND	DWNER'S CERTIFICATION: T	his water well was (1)	constructe	ed, (2) recons	tructed, or (3) plugged under i	ny jurisdiction and	
was completed on (mo/day/	year)11/27/	<u> 1996 </u>	nd this rec	ord is true to	the best of my knowledge and	l belief. Kansas Water	
was completed on (mo/day/	year)11/27/ lo236	1996a This Water Well Rec	nd this rec	ord is true to empleted on (the best of my knowledge and (mo/day/yr)11/2	l belief. Kansas Water	
was completed on (mo/day/	year)11/27/ lo236	1996a This Water Well Rec	nd this rec	ord is true to empleted on (the best of my knowledge and (mo/day/yr)11/.2.	l belief. Kansas Water	