Location on water and	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212		D N
1 LOCATION OF WATER WELL:				Section Number	Township Number	Range Number
Sedgwick	NE 1/4	SW 1/4 SV	1/4	35	T 27 s	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?						
2224 S. Rutan	Wichita, F	(ansas				
WATER WELL OWNER: BU	SHEY, Max					
L_J	24 S. Rutan				Board of Agriculture, D	ivivsion of Water Resource
	chita, Kansa	S		67218	Application Numbe	r:
		49 genwell	48		EVATION:	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:						3 ft.
N N	Depth(s) groundwa		1	ft.	2 ft.	
	WELL'S STATIC W			BELOW LAND SU	URFACE MEASURED ON mo/day/yr	01/03/1997
NW NE	Pump test	t data: Well wa	ater was	ft.	after hours pum	ping gpm
	Est. Yield	gpm: Well wa	ater was	ft.	after hours pum	ping gpm
w w	Bore Hole Diameter	ANKHOWNIA 6	0	ft.	and in.	to ft.
5 "	WELL WATER	USED AS: 5	Public water	r supply	8 Air conditioning 11 I	njection well
	1 Domestic	3 Feedlot 6	Oil field was	ter supply	9 Dewatering 12 C	Other (Specify below)
X	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring weli	
	· -	riological comple sub	mitted to De		, •	o/day/yr sample was
5 TYPE OF CASING USED:	Submutteu			***************************************		
5 W Pought from 8 Concrete the Cristing of Mater Champer						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						
2 PVC 4 ABS		7 Fiberglass			. Т	'hreaded
Blank casing Diameter 6	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casin height about ministrate	24 in.,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORM	RATION MATERIAL:	J		PVC	10 Asbestos-ceme	ent
1 Steel 3 Stainless Ste	el	5 Fiberglass	8	RMP (SR)	11 other (specify) N/A
2 Brass 4 Galvanized s	steel	6 Concrete tile	9	ABS	12 None used (or	
		£ Caman	J L		8 Saw cut	11 None (open hole)
SCREEN ON TENTON OTENING ARE: Scauzeu wrappeu					iii.voite (openitions)	
1 Continous slot 3 Mil		6 Wire w	vrapped			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A						/A
SCREEN-PERFORATION INTE	RVALS: from	ft. t	to	ft., Fron	n ft. to	ft.
	from	ft. t	to	ft., Froi	n ft. to	ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., Fro	••	ft.
from		ft. to		ft., Fro		1L ft.
<u> </u>		ement grout	3 Dei	поште	4 Outer	
Grout Intervals: From O	ft. to 6	ft. From	ft. 1		ft. From	ft. to ft.
What is the nearest source of possible contamination:				10 Livest	-	bandon water well
1 Septic tank 4 Lateral lines			• •		iel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool					tilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent						
Direction from well? How many feet?						
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS						
			0	6	cement grout	
			6	24	bentonite hole	plug
			24	48	chlorinated san	
			44	130	CHIOLINGCOG BUIL	u unu gruvor
		· · · · · · · · · · · · · · · · · · ·		1	Shaker Market Street Street	100
				+ +		
			-	 		<u>, , , , , , , , , , , , , , , , , , , </u>
				1		
			<u> </u>	1		
				1 1		
				<u> </u>		
	•					
				1		,
				 		
	·		<u> </u>			
7 CONTRACTOR'S OR LANDOW	NER'S CERTIFICATION: Th	is water well was (1)) construct	ed, (2) reconst	ructed, or (3) plugged under r	ny jurisdiction and
was completed on (mo/day/year)						
Well Contractor's License No.	236	This Water Well Re	cord was c	ompleted on (r	no/day/yr)Q.1./.Q!	<u>6/97</u>
Under the business name of HarpWell&PumpServiceInc by (signature)						
	_			, (· · · · ·	Todd. I	. Hara
Todd S. Harp						