1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-	Section Number	Township Number	Range Number	
Sedgwick	NE 1/4	SE 1/4 N	E 1/4	7	1 07	1 1 1 1 1	
			E 1/4		T 21 S	R IE E/W	
Distance and direction frem nearest town or city street address of well if located within city?							
1947 Hood Wichita, Kansas							
	TT, Pat						
RR#, ST. ADRESS, BOX#: 212 N. St. Clair Board of Agriculture, Divivsion of Water Resource							
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:							
LOCATE WELL'S LOCATION WITH 4 DEPTH OF CONTROL TO WELL 38 ft. ELEVATION:							
AN "X" IN SECTION BOX:	Depth(s) groundw	· - - - -	1	ft.	2 ft.	3 ft.	
1 1	WELL'S STATIC W		_		RFACE MEASURED ON mo/day/yr	12/21/1996	
]	Pump test						
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-		ater was	ft.	after hours pum	- 0	
ا ا و ا	Est. Yield		ater was	ft.	after hours pum	ping gpm	
	Bore Hole Diameter		0	ft.	and in.	to ft.	
-	WELL WATER 😘	E USED AS: 5	Public wate	r supply	8 Air conditioning 11 I	njection well	
	1 Domestic	3 Feedlot 6	Oil fleld wa	iter supply	9 Dewatering 12 C	Other (Specify below)	
	2 Irrigation	4 Industrial 7	Lawn and g	garden only	10 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No							
TURE OF CASHIO LIGHT							
5 wrought from a concrete tile CASING CONTS. Gited Champed							
Westernament of the second of							
		•			_		
	in. to	ft., Dia	in.		ft., Dia in.	to ft.	
Casing height above land surface 3		weight		lbs. / ft.	Wall thickness or gauge No.	4	
TYPE OF SCREEN OR PERFORAT	£ 17th		7 PVC	10 Asbestos-cement			
1 Steel 3 Stainless Steel		5 Fiberglass	2	B RMP (SR)	11 other (specify) N/A	
2 Brass 4 Galvanized steel		6 Concrete tile	9	9 ABS	12 None used (op	en hole)	
SCREEN OR PERFORATION OPEN	NING ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot	6 Wire v	6 Wire wrapped		9 Drilled holes			
127 amount deather ATC					10 Other (specify)	/ TA	
SCHEEN DEDECORATION INTERVALS.							
SCREEN-FERFORATION INTERVA		ft. (0	ft., Fron	n ft. to	ft.	
from		ft. to		ft., Fron	n ft. to	ft.	
GRAVEL PACK INTERVALS: from		ft. to		ft., Fro	n ft. to	ft.	
	from	ft.	to	ft., From	n ft. to	ft.	
6 GROUT MATERIAL: 1 Neat co	ement 2 C	ement grout	3 Be	ntonite	4 Other		
Grout Intervals: From 2	ft. to 10	ft. From	ft.	to	ft. From	ft. to ft.	
What is the nearest source of possible contamination:		· · · · · · · · · · · · · · · · · · ·		10 Livesto	•	bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel st	ama = a	Dil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertili		16 Other (specify below)	
э ссая р	9 Feedyard	12 1			` '		
None Apparent							
Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
L	IIIOLOGIC LOG			2 TO	surface clay an		
			0			n pit	
		.,	2		cement grout		
			10		bentonite hole		
			16	38	chlorinated san	d and gravel	
			ļ				
			L				
				1	- Allowania	·	
				+ +			
				1			
							
				+			
				\bot	****		
	·····		<u> </u>				
7 CONTRACTOR'S OR LANDOWNER'	CERTIFICATION. Thi	s water well was /4	construct	ed (2) reconstr	ucted or (3) plunged under m	v jurisdiction and	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
Well Contractor's License No236							
Under the business name of Harp Well & Pump Service. Inc by (signature)							
uie susiliess light Vi.AAMA	CD METT W	rumo servi	ce. II	1C hv leian	ature)		
	tDwettw	knmb servi	₩¥1	kG by (sign	ature) Todd S	Harr	