				Water Well Record					
ائا		TER WELL:	FRACTION	center of	NW	Section Number	Township Number	Range Number	
	Sedgv		1/4	1/4	1/4	20	т 27 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
<u>Ne</u>	ar Os	age and I		Wichita,	Kansa	S			
WAT	TER WELL (IITA, CITY	OF					
RR#, ST. ADRESS, BOX#: 455 N. Main Board of Agriculture, Divivsion of Water Resource									
CITY,	STATE, ZIP	code: Wich	ita, Kansa	ıs		67203 Application Number: 970002			
			4 DEPTH OF COM	MPLETED WELL	40	ft. EL	EVATION:		
AN "X"	IN SECTION	N BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
1 1			WELL'S STATIC W	ATER LEVEL 1	В гт.	BELOW LAND SU	URFACE MEASURED ON mo/day/yr	01/07/1997	
Pump test data: Well water was ft. after hours pun							ping gpm		
	1 7		Est. Yield	gpm: Well	water was	ft.	after hours pum	ping gpm	
M M		- $ -$	Bore Hole Diameter	12, in.	to 40	ft.	and in.	to ft.	
= '			WELL WATER TO	BE USED AS:	5 Public water	r supply	8 Air conditioning 11 I	njection well	
	sw		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 12 C	Other (Specify below)	
- The section of the			2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well		
ļ	Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was								
	S submitted Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Steel		3 RMP (SR)		6 Asbestos-Ceme	nt 9	Other (Specify l	below) V	Velded	
2 PVC		4 ABS		7 Fiberglass	S	DR-26	Т	hreaded	
Blank ca	– sing Diam	eter 8	in. to 20	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing h	elght abov	e land surface 1	2 in.,	weight 5	.52	lbs. / ft.	Wall thickness or gauge No.	.332	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Stee	1	3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specify)	
2 Bras	s	4 Galvanized steel	l	6 Concrete tile	9	ABS	12 None used (op	en hole)	
SCREE	N OR PER	REPORTION OPE	NING ARE:	5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)	
1 Contin	ous slot	3 Mill slo	ot		wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN	-PERFO	RATION INTERV			to 40	A F	1.	ft.	
			20			ft., Fron	_		
from ft. (GRAVEL PACK INTERVALS: from 20 ft.					to to 40	ft., Fron		ft.	
from					- · · ·			ft.	
from ft. to ft., From ft. to ft. GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From 0 a to 20									
What is the nearest source of possible contamination:				ft. From	ft. to		ft. From ock pens 14 A	ft. to ft.	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel st		14 Abandon water well		
2 Sewer lines 5 Cess pool				8 Sewage lagoon			130	15 Oil well/Gas well 16 Other (specify below)	
ř.	tight sewe	-	-	9 Feedyard	12 Inc. et al		1-134	` '	
None apparent								Apparent	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0	2	topsoil							
2	10		nd and bac	kfill				No. ayan and	
10	37		o coarse s						
		and grave							
		9							
,									
	1			***************************************			PROPERTY CONTRACTOR OF THE PROPERTY CONTRACTOR O		
					-				
					1				
			,	8		 			
					+	+ +	AB-118		
					-	+ +			
7 CONTRACTORIS OR LANDOWNERDS CERTIFICATION. This water well use (4) constructed (2) reconstructed or (2) plugged under my jurisdiction and									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
was co	mpleted	on (mo/day/year)		L <i>Z.X.l</i>	and this rec	ord is true to t	he best of my knowledge and	belief. Kansas Water	
Well Contractor's License No									
Todd S. Hara									