

1 LOCATION OF WATER WELL: Sedgwick	FRACTION SW 1/4 SW 1/4 SW 1/4	Section Number 18	Township Number T 27 S	Range Number R 1E E/W
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

Intersection of McLean Blvd. and Central Wichita, Kansas

WATER WELL OWNER: WICHITA, CITY OF	Board of Agriculture, Division of Water Resource
RR#, ST. ADDRESS, BOX #: 455 N. Main	Application Number: 960401
CITY, STATE, ZIP CODE: Wichita, Kansas 67203	

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF plugged WELL 40 ft. ELEVATION:
	Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.
	WELL'S STATIC WATER LEVEL 15 FT. BELOW LAND SURFACE MEASURED ON 03/27/1997
	Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter unknown in. to ft. and in. to ft. WELL WATER USE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No

5 TYPE OF CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (Specify below)	Welded
2 PVC 4 ABS	7 Fiberglass		Threaded
Blank casing Diameter 8 in. to ft., Dia in. to ft.			
Casing height above land surface 36 in., weight lbs. / ft.			Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	11 other (specify) N/A
1 Steel 3 Stainless Steel	6 Concrete tile	9 ABS	12 None used (open hole)
2 Brass 4 Galvanized steel			
SCREEN OR PERFORATION OPENING ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter 4 Key punched	7 Torch cut	10 Other (specify) N/A	
SCREEN-PERFORATION INTERVALS: from ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS: from ft. to ft., From ft. to ft.			

6 GROUT MATERIAL: 1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 3 ft. to 9 ft. From ft. to ft.			
What is the nearest source of possible contamination:			
1 Septic tank 4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandon water well
2 Sewer lines 5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
		13 Insecticide storage	None Apparent

Direction from well?		How many feet?	
FROM	TO	FROM	TO
		0	3
		3	9
		9	15
		15	40
LITHOLOGIC LOG		PLUGGING INTERVALS	
		surface clay and silt	
		cement grout	
		bentonite hole plug	
		chlorinated sand and gravel	

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) <u>plugged</u> under my jurisdiction and was completed on (mo/day/year) 03/27/1997 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 03/31/97
Under the business name of Harp Well & Pump Service, Inc. by (signature) Todd S. Harp