LILOCA	TION OF WA	TED WELL.	FRACTION	Water Well Rec	ord Form WWC-	5 KSA 82a-1212 Section Number	Township Number	Range Number	
T Bodinion of Willek WEEE					3773	1	1	1	
Sedgwick NE 1/4			NE 1/4	NE 1/4	<u> 19</u>	T 27 s	R 1E E/W		
Distance and direction frem nearest town or city street address of well if located within city?									
Wi	<u>chita</u>	Water Depa	<u>artment F</u>	Plant	Wichit	a, Kansa	5		
WA	TER WELL C	OWNER: WICHIT	A, CITY	OF					
RR#,	ST. ADRESS,	200					Board of Agriculture,	Divivsion of Water Resource	
CITY	, STATE, ZIP	CODE: Wichit	a, Kansa	S		67203	Application Numi	ber: 970055	
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 50 ft. ELEVATION:									
AN "X	' IN SECTION	N BOX:	Depth(s) groundwa	ater Encountered	1	ft.	2 ft.	3 ft.	
i †		X we	LL'S STATIC W	ATER LEVEL	18 F	T. BELOW LAND SUF	FACE MEASURED ON mo/day/yr	04/18/1997	
	NW	NE	Pump test	i data: Wel	l water was	ft. a	after hours pu	mping gpm	
		1 19	Yield	gpm: Wel	ll water was	ft.	after hours pu	m ping gpm	
∰ w		E Bore	Hole Diameter	12 in.	to 50	ft.	and in.	to ft.	
🖺 "		WEI	L <mark>L WATER TO</mark> I	BE USED AS:	5 Public wat	er supply	8 Air conditioning 11	Injection well	
Ι.			1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering 12	Other (Specify below)	
	SW	, ~~ , , , , , , , , , , , , , , , , ,	2 Irrigation	4 Industrial	7 Lawn and	garden only 1	0 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No 🗶 ; If yes, mo/day/yr sample was									
S submitted Water Well Disinfected? Yes X No									
5 TY	PE OF CA	SING USED:		5 Wrought iro	n	8 Concrete tile	CASING JOINTS:	Glued X Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded							<u>-</u> 1		
2 PVC		4 ABS		7 Fiberglass		5DR-26		Threaded	
	_ sing Diam		to 20	ft., Dia	in		ft., Dia in.	to ft.	
	•	e land surface 12	in.,	,	5.52		Wall thickness or gauge No.	.332	
	•	N OR PERFORATION	•	weight	3.32	7 PVC	10 Asbestos-cer		
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
	nous slot	3 Mill slot	· · · · · · ·		re wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
		J 1				A TO .	`•	ft.	
SCREEN-PERFORATION INTERVALS: from 20 ft. to 50 ft., From ft. to									
fron GRAVEL PACK INTERVALS: fron					ft. to ft. to 50	ft., From ft., From			
	GRAVI	EL FACK INTERVALS	S: from 20 from	n. w su ft. to		ft., From			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Count Intervals. From A A A A A									
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandon water well									
1 Septi	lc tank	4 Lateral line	es	7 Pit privy		11 Fuel sto	rage 15	Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertiliz		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent									
Direction from well? How many feet?									
FROM	ТО		IOLOGIC LOG		FROM	ТО	PLUGGING INT	ERVALS	
0	2	topsoil							
2	20	silty sand					- Control of the Cont		
20	45	medium to		and					
45	50	blue shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No236									
Under the business name of HarpWell&PumpServiceInc by (signature)									
Under	the busir	rs License No	Well &	This Water Well Pump Ser	Record was	completed on (m ম床 by (sign	ature)	1	
Under	the busir	ess name of HAKP.	Well &	This Water Well Pump Serv	Record was ViceI	completed on (m ぬに by (sign	ature)	8. Harp	