1 LOCATION OF WATER WELL:			FRACTION	Water W	ell Record Form W	WC-5 KSA 82a- Section Nu		umber	Range Number
Sedgwick NW 1/4			NE 1/	4 SE	1/4 8	т 27		R 1E FAV	
Distance and direction from nearest town or city street address of well if located within city?									
1751 Park Place Wichita, Kansas									
WATER WELL OWNER: GUST, Harry									
RR#, ST. ADRESS, BOX#: 1751 Park Place  Board of Agriculture, Divivsion of Water Resource									
CITY OF UP CORP. THE ALL A STATE OF THE ALL A STATE									
			DEPTH OF CO		TELL A	Application Number:  10 ft. ELEVATION:			
	" IN SECTIO	N POV:				_	ELEVATION:	_	2 4
1 +	<u> </u>	<del>'''</del>	Depth(s) ground			ft.	_	ft.	3 ft.
1 1			LL'S STATIC V				ND SURFACE MEASURED		04/24/1997
1'	NW	NE	Pump te		Well water wa		ft. after	hours pum	
a	1	1 ! ! !	Yield	gpm:	Well water wa		ft. after	hours pum	
M M	<b>/</b>	X	e Hole Diameter		in. to 4(	_	ft. and	in.	to ft.
l		1 ! 1 1	LL WATER TO	3 Feedlot		water supply	8 Air conditionin	-	njection well
11	sw		1 Domestic	4 Industria	_	ld water supply ınd garden only	9 Dewatering		Other (Specify below)
		1 ! ! !	2 Irrigation				•		(1)
'		e e	s a chemical/bact	teriological san	nple submitted	to Department?		-	o/day/yr sample was
Submitted Water Well Disinfected? Yes X No									
5 Wrought from 6 Concrete the CASIAG SOLITS. Given A Champed									•
l .		` '		7 Fiberglas		9 Other (Sp	•	Welded Threaded	
2 PVC	_	4 ABS		-		SDR-26			
1	sing Diam	•	to 30 .	,	Dia	in. to	ft., Dia	in.	to ft.
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214   TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Bra		4 Galvanized steel		6 Concrete		9 ABS			
			C ADE				8 Saw cut	None used (op	*
Statute wild please (February)									
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREE	N-PERFO	RATION INTERVALS	: from 3(	)	ft. to 40	ft.,	, From	ft. to	ft.
			from		ft. to	ft.	, From	ft. to	ft.
	GRAV	EL PACK INTERVALS	S: from 2	4	ft. to 40	ft.	., From	ft. to	ft.
<u> </u>			from		ft. to	<u>ft.</u>	, From	ft. to	ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 4 ft. to 2.4 ft. From ft to 6									
		_	to 24	ft. From	n	ft. to	ft. From		ft. to ft.
1		t source of possible cont			_		ivestock pens	14 A	bandon water well
1 Septic tank 4 Lateral lines			-	7 Pit privy		Fuel storage	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool					ge lagoon		Fertilizer storage	16 O	other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? East How many feet? 75									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									RVALS
0	3 10	topsoil							
10	40	clay							
10	*0	medium to	COAISE S	and					
			tu piere .						
			11111111						
							<del></del>		
. 1						<u></u>			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No. 236. This Water Well Record was completed on (mo/day/yr)									
Under the business name of Harp Well & Pump Service. Inc. by (signature)  Todd & Harp									