LOCATION OF THE	TED WELL	WATER WELL	RECORD F	orm WWC-5			<del></del>	<del></del>
] LOCATION OF WA County: Sedgu	wick	Fraction WW NW	1/4 NV	J 1/4	Stion Number	T Townshin	Number S	Range Number
Distance and direction	from nearest town or	city street address of	well if located	within city?	a.K.			
WATER WELL OV	VNER OTSI	7	- •		11-	m	רנ	
RR#. St. Address. Bo	× # : 186 2	Craigshire	Drive			•	•	Division of Water Resource
City Chata ZID Code	1	- ( - VMA					on Number:	DIVISION OF TRACE RESOURCE
LOCATE WELL'S L	OCATION WITH 4 DI	EPTH OF COMPLETE	ED WELL	8	. ft. ELEV	ATION:		
AN X IN SECTIO	N BOX: Dept	h(s) Groundwater End	ountered 1.	~15.5	ft.	2	ft. 3	
ī <b>X</b> !	WEL	L'S STATIC WATER	LEVEL	ft. b	elow land su	rface measured	on mo/day/yr	
		Pump test data	: Well water	was	ft	after	hours pui	mping gpm
	Est.	Yield gpm	n: Well water	was	ft	after	hours pur	mping gpm
<u> </u>	Bore	Hole Diameter	in. to .			and	in.	to
w	l WEL	L WATER TO BE US	ED AS: 5	Public water	er supply	8 Air conditioni	ng 11	Injection well
- l w		1 Domestic 3 F				9 Bewatering		Other (Specify below)
;;;	*	2 Irrigation 4 I	ndustrial 7	Lawn and g	garden only	10 Monitoring w	ell	
<u>     i                               </u>	Was	a chemical/bacteriolog	gical sample su	bmitted to D	epartment? \	/es(No.)	; If yes,	mo/day/vr sample was sub
	ş mitte	d			W	ater Well Disinfe		No )
TYPE OF BLANK	CASING USED:	5 Wroug	t iron	8 Concre	ete tile	CASING .	OINTS: Glued	Clamped
1_Steel	3 RMP (SR)	6 Asbes	tos-Cement	9 Other	(specify belo	w)	Welde	ed
2 PVC	4 ABS	7 Fiberg	lass				Threa	ded.)
•	· in. to	<b>\</b>						n. to ft.
	and surface		nt		lbs	/ft. Wall thicknes	s or gauge No	)
TYPE OF SCREEN C	R PERFORATION MA	TERIAL:		7 PV	رء	10 A	sbestos-ceme	nt
1 Steel	3 Stainless stee	5 Fiberg	lass	8 RM	IP (SR)	11 C	ther (specify)	
2 Brass	4 Galvanized ste	eel 6 Concr	ete tile	9 AB	S	12 N	one used (ope	en hole)
SCREEN OR PERFO	RATION OPENINGS A	RE:	5 Gauzeo	wrapped		8 Saw cut		11 None (open hole)
1 Continuous sk	ot 3 Mill slot	)	6 Wire w	rapped		9 Drilled hole	S	
2 Louvered shut	ter 4 Key pur	v	7 Torch o	eut, 🕢		, ,	• •	
SCREEN-PERFORAT	ED INTERVALS: FI	rom , 🔼	ft. to	. 18	ft., Fro	om	ft. tc	o
	Fı	rom	ft. to		ft., Fro	om	ft. to	)
GRAVEL PA	CK INTERVALS: F	rom	ft. to	.10	ft., Fro	m	ft. to	a
T		rom	ft. to		ft., Fro		ft. to	
GROUT MATERIA								
	m		From	ft.	to !	ft., From		. ft. to
	ource of possible conta					stock pens	14 Ab	andoned water well
1 Septic tank	4 Lateral line	-	Pit privy		11 Fuel	storage		l well/Gas well
2 Sewer lines	5 Cess pool		Sewage lagoo	n	12 Ferti	lizer storage	16 01	her (specify below)
_	ver lines 6 Seepage p	it 9	Feedyard		13 Inse	cticide storage	usig	• • • • • • • • • • • • • • • • • • • •
Direction from well? FROM TO		1101 0010 1 00				iny feet?		
FROM TO	Topcoil	THOLOGIC LOG		FROM	то		PLUGGING IN	HERVALS
5 5	(100301)	Jane 11						
10 12	Jen, m	MON SIFT,		me 14				
13.5	JIT, MIN	r clay + -	fine Sa	nd, lt	· gray			
	Jano Tin	a, cr. grow	<del> </del>					
		-						
					L			
CONTRACTOR'S	OR LANDOWNER'S C	RTIEIC TION: This	water well was	(1) construc	cted, (2) reco	onstructed, or (3)	plugged unde	er my jurisdiction and was
ompleted on (mo/day		15 (97						wledge and belief. Kansas
Vater Well Contractor	·	З т	his Water Wel			on (mg/ <del>dg</del> y/yr)	25/15	ไรวั
inder the business na	ر ،	TEST			by (signa		( about	by LL
	pewriter or ball point pen. PLI		RINT clearly Please	e fill in blanke •			Send top three c	opies to Kansas Department
		, Kansas 66620-0001. Telep						op. to the load Sopulation