			ER WELL RECORD	2 LOILI AAA	/C-5 KSA 82	a-1212		
LOCATION OF W		Fraction SW	1/4 NE 1/4	NW 1/4	Section Numbe	1 57		Range Number
unty: Sedgr						T 2/	S	R 1 (E/W)
		· -	address of well if lo	cated within c	ty r			
WATER WELL O	orial Park i	II WICHILE	City of Wi	ahita				
#, St. Address, B			455 N. Mai			Poord of A	arioulturo I	Division of Water Resource
, State, ZIP Code							-	
								79028 Term Perm
N "X" IN SECTION								
								8-12-97
l l _x	1 1 1							
NW	NE						•	mping gpn
1								mping gpn
w 			neter46in TO BE USED AS:					to
		1 Domesti			water supply water supply	8 Air conditioning		Injection well
SW	SE	2 Irrigation						Other (Specify below)
1 !	1 ! 1	•						mo/day/yr sample was su
<u> </u>		mitted	ii/bacteriological sair	ipie submitted		ater Well Disinfecte		X No
TYPE OF BLANK		miled	5 Wrought iron	8 0				i Clamped
1 Steel	3 RMP (SR	3/	6 Asbestos-Cem		her (specify belo			edX
2 PVC	4 ABS	''	7 Fiberglass			ee.1		ided.
		in to 27.5						in. to ft
sing height above	land surface (ste	ee1) 12		9 steel, 35	.76 Stainles	At Wall thickness	or daude N	.375 stee1
	OR PERFORATION			7	PVC steel	10 Ash	estos-ceme	nt.188 stainless ste
1 Steel	3_Stainless		5 Fiberglass		RMP (SR)			···
2 Brass	4 Galvanize		6 Concrete tile		ABS		e used (op	
	DRATION OPENING		5 0	Sauzed wrappe	d	8 Saw cut	, ,	11 None (open hole)
1 Continuous s	lot 3 Mil	ll slot		Vire wrapped		9 Drilled holes		()
2 Louvered shu		y punched	7 T	Forch cut		10 Other (specify	·)	
REEN-PERFORA	TED INTERVALS:		32.•5ft.	to 45.	5 4 5-	nm	ft. t	o
						Jili		
		From	ft.					
GRAVEL P	ACK INTERVALS:			to	ft., Fr	om	ft. t	o
GRAVEL P	ACK INTERVALS:			to	ft., Fro ft., Fro ft., Fro	om	ft. t ft. t ft. t	o
		From From		to	ft., Fr ft., Fr ft., Fr	om	ft. t ft. t ft. t	off off
		From From		to	ft., Fr ft., Fr ft., Fr	om	ft. t ft. t ft. t	oft oft
GROUT MATERIA Concr out Intervals: Fr		From From ement ation ft. to9.		to		om	tt t ft t ft t tonite H	oft oft
GROUT MATERIA Concr out Intervals: Fr	AL: 1 Neat control on	From From ement ation ft. to9. contamination:	23 ft. ft. 2 Cement grout ft., From 7 Pit privy	to		om om om Other 50% Ben	ft. t. ft. t ft. t tonite H	o
GROUT MATERIA Concr out Intervals: Fr nat is the nearest	AL: 1 Neat cete Pump Founds om	From From ement ation ft. to9 contamination: al lines	23 ft. ft. 2 Cement grout ft., From 7 Pit privy	to		om om Other 50% Ben ft., From stock pens	ft. t ft. t ft. t tonite H 20 14 A 15 O	o ft
GROUT MATERIA Concr out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines	AL: 1 Neat cete Pump Founds om	From From ement ation ft. to9 contamination: al lines pool	23 ft. ft. 2 Cement grout ft., From 7 Pit privy	to		om om Other 50% Ben tt., From stock pens	ft. t ft. t ft. t tonite H 20 14 A 15 O	o
GROUT MATERIA Concr out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well?	AL. 1 Neat cete Pump Founds om	From From ement ation ft. to9. contamination: al lines pool age pit	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedya	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	of the plug & 50% Road
GROUT MATERIA Concr out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	AL: 1 Neat cete Pump Founds om	From From ement ation ft. to9 contamination: al lines pool	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedya	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	o ft
GROUT MATERIA CONCEPTION TO THE PROPERTY OF T	AL: 1 Neat cete Pump Founds om	From From ement ation ft. to9. contamination: al lines pool age pit	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	ob
GROUT MATERIA CONCEPTION TO THE PROPERTY OF T	AL: 1 Neat cete Pump Founds on . 0	From From ement ation ft. to 9 contamination: al lines pool age pit LITHOLOGIC	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedya	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA Concr out Intervals: Fr iat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 1 1 5	AL: 1 Neat cete Pump Founds on	From From ement action ft. to9. contamination: al lines pool age pit LITHOLOGIC scrap irc	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	ob
GROUT MATERIA Concr out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 1 1 5	Neat cete Pump Founds on	From From ement ation ft. to9. contamination: al lines pool age pit LITHOLOGIC scrap irc	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	ob
GROUT MATERIA Concr out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? ROM TO 0 1 1 5 5 8 8 18	Neat cete Pump Founds on .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	From. From ement ation ft. to9. contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	o ft
GROUT MATERIA Concr out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? FROM TO 0 1 1 5 5 8 8 18 8 19	Neat cete Pump Foundary Source of possible of 4 Laterary Source of Seepart Topsoil Soil with (old dump) Sand, fine Sand and g	From. From ement ation ft. to9 contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA Concrut Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 1 1 5 5 8 8 18 8 19 9 40	Topsoil Soil with (old dump) Sand, fine Sand and g Clay strea Sand and g Sand and g	From. From ement ation ft. to9 contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal ine, medium	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA CONCE put Intervals: Froat is the nearest: 1 Septic tank 2 Sewer lines 3 Waterlight selection from well? ROM TO 0 1 1 5 8 8 18 8 19 9 40 0 44.5	Topsoil Soil with (old dump) Sand, fine Sand and g	From. From ement ation ft. to9 contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA Out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 1 1 5 8 8 18 8 19 9 40 0 44.5	Topsoil Soil with (old dump) Sand, fine Sand and g Clay strea Sand and g Sand and g	From. From ement ation ft. to9 contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal ine, medium	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA Out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 1 1 5 8 8 18 8 19 9 40 0 44.5	Topsoil Soil with (old dump) Sand, fine Sand and g	From. From ement ation ft. to9 contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal ine, medium	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA CONCE put Intervals: Froat is the nearest: 1 Septic tank 2 Sewer lines 3 Waterlight selection from well? ROM TO 0 1 1 5 8 8 18 8 19 9 40 0 44.5	Topsoil Soil with (old dump) Sand, fine Sand and g	From. From ement ation ft. to9 contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal ine, medium	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA Concr cout Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? ROM TO 0 1 1 5 5 8 8 18 8 19 9 40 0 44.5	Topsoil Soil with (old dump) Sand, fine Sand and g	From. From ement ation ft. to9 contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal ine, medium	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA Concr cout Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? ROM TO 0 1 1 5 5 8 8 18 8 19 9 40 0 44.5	Topsoil Soil with (old dump) Sand, fine Sand and g	From. From ement ation ft. to9 contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal ine, medium	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA Concr cout Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? ROM TO 0 1 1 5 5 8 8 18 8 19 9 40 0 44.5	Topsoil Soil with (old dump) Sand, fine Sand and g	From. From ement ation ft. to9 contamination: al lines pool age pit LITHOLOGIC scrap iro	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal ine, medium	to	ft., Fr. ft., Fr. ft., Fr. entonite ft. to 20 10 Live 11 Fue 12 Fert 13 Inse	om	ft. t. ft. f	observed by the control of the contr
GROUT MATERIA Concr cout Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? ROM TO 0 1 1 5 5 8 8 18 8 19 9 40 0 44.5 4.5 46	Topsoil Soil with (old dump) Sand, fine Sand and g Clay strea Sand and g Clay Clay Clay Clay Clay Clay Clay Clay	From. From ement ation ft. to 9. contamination: al lines pool age pit LITHOLOGIC scrap irc gravel, fi ak gravel, me	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal line, medium edium edium, coarse	to		om	ft. t. ft. f	to form of the policy of the p
GROUT MATERIA Concrut Intervals: Fr inat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 1 1 5 5 8 8 18 8 19 9 40 0 44.5 4.5 46 CONTRACTOR'S	Topsoil Soil with (old dump) Sand, fine Sand and g Clay strea Sand and g Clay Clay OR LANDOWNER	From. From ement ation ff. to 9 contamination: al lines pool age pit LITHOLOGIC scrap iro gravel, fi k gravel, me	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal ine, medium edium edium, coarse	to	ft., Fr. ft., Fr. ft., Fr. entonite 10 Live 11 Fue 12 Fert 13 Inse How m 10 TO	om	tonite H 15 O 16 O None UGGING II	b
GROUT MATERIA put Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 1 1 5 5 8 8 18 8 19 9 40 0 44.5 4.5 46 CONTRACTOR'S expleted on (mo/da	Topsoil Soil with (old dump) Sand, fine Sand and g Clay strea Sand and g Clay Clay Clay Clay Clay Clay Clay Clay	From. From ement ation ft. to 9 contamination: al lines pool age pit LITHOLOGIC scrap irc grave1, fi ak grave1, me grave1, me	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal line, medium edium, coarse	to	ft., Fr. ft., Fr. ft., Fr. ft. to 20 10 Live 11 Fue 12 Fert 13 Inse How m 1 TO	om	tonite H 20 14 A 15 O None UGGING II	observed by the control of the contr
GROUT MATERIA CONCE Dut Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 1 1 5 5 8 8 18 8 19 9 40 0 44.5 4.5 46 CONTRACTOR'S inpleted on (mo/dater Well Contractor	Topsoil Soil with (old dump) Sand, fine Sand and g Clay strea Sand and g Clay Clay Clay Clay Clay Clay Clay Clay	From. From ement ation ft. to 9 contamination: al lines pool age pit LITHOLOGIC scrap irc gravel, fi ak gravel, me gravel, me gravel, me	23 ft. ft. 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyal C LOG on and metal ine, medium edium edium, coarse	to	ft., Fr. ft., Fr. ft., Fr. ft. to 20 10 Live 11 Fue 12 Fert 13 Inse How m 1 TO	om	tonite H 20 14 A 15 O None UGGING II	observed by the control of the contr