1 LOCATION OF WATER WELL:	FRACTION 464	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
Sedgwick	₩ E 1/4	NE SE SE	E 1/4	34	1 22	1 1 12
Distance and direction from nearest town or city			1/4	24	T 21 s	R IE EW
3015 E. Kincaid Wichita, Kansas						
	IRON, Jean		цвав		*****	
RR#, ST. ADRESS, BOX#: 3015 E. Kincaid				Board of Agriculture, Divivsion of Water Resource		
CITY, STATE, ZIP CODE: Wich			67211	Application Number:		
LOCATE WELL'S LOCATION WITH	DEPTH OF COM		21		LEVATION:	
AN "X" IN SECTION BOX:	Depth(s) groundwa		1	ft.	+2 10 a a ft.	3 ft.
	WELL'S STATIC W	ATER LEVEL 7	FT.	BELOW LAND	WEACE MEASURED ON mo/day/yr	09/29/1997
NWNE	Pump test	data: Well w	ater was	ft.	after hours pun	n ping gpm
	Est. Yield	gpm: Well w	vater was	ft.	after hours pun	nping gpm
	Bore Hole Diameter U		to	ft.	and in.	to ft.
	WELL WATER 1200		Public water		•	Injection well
swsk	1 Domestic		Oil field wat			Other (Specify below)
	2 Irrigation		Lawn and ga		10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No ✗; If yes, mo/day/yr sample was						
Submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Wolded						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded						
	im 4-					
Blank casing Diameter 1 1/4 Casing holdst above and applace 6	in. to	ft., Dia	in.	to lbs. / ft.	ft., Dia in.	to ft.
TYPE OF SCREEN OR PERFORAT	U in. , ION MATERIAL:	weight		PVC	Wall thickness or gauge No. 10 Asbestos-cem	ent
1 Steel 3 Stainless Steel	5 Fiberglass		RMP (SR)	11 other (specify	y) 37 / 3	
2 Brass 4 Galvanized steel		6 Concrete tile		ABS	12 None used (o	M/A
SCREEN OR PERFORATION OPEN	5 Gauze	ed wrapped		8 Saw cut 11 None (open hole)		
1 Continous slot 3 Mill slot	6 Wire wrapped		9 Drilled holes			
2 Louvered shutter 4 Key pur	7 Torch			10 Other (specify)	/A	
SCREEN-PERFORATION INTERVALS: from		ft.		ft., Fro	20	ft.
	from		-			ft.
GRAVEL PACK INTERVALS: from				ft., Fro ft., Fro	•••	ft.
from				ft., Fro		ft.
6 GROUT MATERIAL: 1 Neat ce	ement 2 Co	ement grout	3 Bent	tonite	4 Other	
Grout Intervals: From O	ft. to 21	ft. From	ft. t	D	ft. From	ft. to ft.
What is the nearest source of possible contamination:				tock pens 14 A	bandon water well	
1 Septic tank 4 Lateral lines				11 Fuels	15 Off Methodas Meth	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Westertlebt sorror lines 6 Sewage 14 Other (specify below)						
Valetught sewer lines 6 Seepage pit 9 reenyard						
Direction from well? South FROM TO L	ITHOLOGIC LOG		FROM	1 TO 1	How many feet? 6	DVALG
IXOM IO	IIIOLOGIC LOG		0	10 21	PLUGGING INTE	KVALS
				4	Cement grout	
				 		
				<u> </u>	·································	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)						
Well Contractor's License No236						
Under the business name of Wat	236 1 £ 1	This Water Well Re	cord was co	mpleted on (mo/day/yr)Q9./.3.	0.7.97
Under the business name of.从A》	236 cp.Well & J	This Water Well Re RumpServi	cord was co	mpleted on (i G by (sig	mo/day/yr) Q9./.3 ! nature) Todd &	1