

mw-14

1 LOCATION OF WATER WELL: County: Seagwick		Fraction NW 1/4 SW 1/4	Section Number 25	Township Number T 27 S	Range Number R 1 E
Distance and direction from nearest town or city street address of well if located within city? 840 S. Oliver					
2 WATER WELL OWNER: RR#, St. Address, Box # : Quik Trip #370 Attn: Alan Renner City, State, ZIP Code : 901 N. Mingo Rd., Box 3475 Tulsa, OK 74101 Board of Agriculture, Division of Water Resources Application Number: -----					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 25 ft. ELEVATION: -----			
		Depth(s) Groundwater Encountered 1. 20.5 ft. 2. ----- ft. 3. ----- ft. WELL'S STATIC WATER LEVEL 15.31 ft. below land surface measured on mo/day/yr Pump test data: Well water was ----- ft. after ----- hours pumping ----- gpm Est. Yield ----- gpm; Well water was ----- ft. after ----- hours pumping ----- gpm Bore Hole Diameter 8.625 in. to 25 ft. and ----- in. to ----- ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well mw-14 Was a chemical/bacteriological sample submitted to Department? Yes ----- No X ; If yes, mo/day/yr sample was submitted ----- Water Well Disinfected? Yes ----- No X			
		5 TYPE OF BLANK CASING USED:			
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ----- Clamped ----- 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded ----- 7 Fiberglass Threaded X Blank casing diameter 2 in. to 15 ft. Dia ----- in. to ----- ft. Dia ----- in. to ----- ft. Casing height above land surface ----- in. weight SCH. 40 PVC lbs./ft. Wall thickness or gauge No. -----			
		TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) ----- 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) -----			
SCREEN-PERFORATED INTERVALS:		From 15 ft. to 25 ft., From ----- ft. to ----- ft. From ----- ft. to ----- ft., From ----- ft. to ----- ft. SAND GRAVEL PACK INTERVALS: From 14 ft. to 25 ft., From ----- ft. to ----- ft. From ----- ft. to ----- ft., From ----- ft. to ----- ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other -----					
Grout Intervals: From 0 ft. to 12 ft., From 12 ft. to 14 ft., From ----- ft. to ----- ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) cont. site 13 Insecticide storage Direction from well? ----- How many feet? -----					
FROM		TO		LITHOLOGIC LOG	
FROM		TO		PLUGGING INTERVALS	
GL 0.50		Concrete, fill			
0.50 25.00		Silty Clay (CL)			
25.00 TD		End of Borehole			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-17-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 10-29-97 under the business name of AET by (signature) John D. Duncan					

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4