						Water	Well Reco	rd Form V	WWC-5	KSA 82a-1212					
1 LOCA	TION OF WA	TER WELL:	FI	RACTION					T	Section Number	Tow	nship Number		Range Numb	per
	Sedgw	ick	1	NE	1/4 N	E	1/4	NE	1/4	19	т	27 s		R 1E	E/W
Distance and direction frem nearest town or city street address of well if located within city?														-	
_		Wichita					W:	ichit	ta,	Kansas					
LJ	TER WELL C		HITA,		CA OI	•						Board of Agricul	ture. Divivsion	of Water Reso	urce
l .	ST. ADRESS, STATE, ZIP		N. M hita,		2820					67203		Application		70231	
		OCATION WITH			COMPI	LETED	WELL	4	0		EVATION			1.42.51	
	IN SECTIO		Dept	h(s) grou	undwater	r Encou	ntered	1		ft.	2	ft.	3		ft.
1 1			WELL'		IC WAT		ÆL 1	.0	FT.	BELOW LAND ST	URFACE MEA	ASURED ON mo/da	у/уг О€	5/10/1	.997
1	NW	NE			p test da	ta:		water w		ft.	after		pumping		gpm
<u> </u>		Est. Yie		_	pm:		water w	vas · O	ft.	after	hours	pumping in. to		gpm ft.	
Mile M		Bore Ho			12 USED A	in. S:	to 4.	•	ft. r supply	and 8 Air cond	litioning	in. to 11 Injectio	on well	"	
١.			omestic		Feedlo				ter supply	9 Dewater	_	-	Specify bel	low)	
	SW	2 Irrigation 4 Industrial 7 Lawn a						and g	and garden only 10 Monitoring well						
	Was a chemical/bacteriological sample submitted t						l to De	-							
<u> </u>		S	submit	ted							ater Well D		Yes 🗶	No	
5 TY		SING USED:				5 Wroug 6 Asbest	•		-	Concrete tile		SING JOINTS:		X Clamp	ed
		3 RMP (SR) 4 ABS				Fiberg		ent		Other (Specify)	below)		Welded Thread		ı
2 PVC	: sing Diam		in. t	o 25	,	ft	Dia		in.	DR-26	ft. ,	Dia	in. to		nt.
		•	L 2	0 43	in.,			2.35	ш	lbs. / ft.	,	ness or gauge N		.214	
TYPE OF SCREEN OR PERFORATION MATERIAL:										7 PVC 10 Asbestos-cement					
1 Steel 3 Stainless Steel 5 Fiberglass										8 RMP (SR) 11 other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile									9	9 ABS 12 None used (open hole)					
	SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapp														
	nous slot	3 Mill s						e wrappe	ed						
1	red shutte						7 Toro					ner (specify)			
SCREEN-PERFORATION INTERVALS: from 25						ft. to 40 ft. to			,	ft., From ft., From		-	ft. to ft. ft. to ft.		1
GRAVEL PACK INTERVALS: from					24				0	n., r rom ft., From			n. to ft. to		ft.
from						ft. to				ft., From			ft. to		n
	UT MATI		cement		2 Cem	ent grou	ıt_		3 Ben	tonite	4 Other	•			
Grout Intervals: From 4 ft. to 24 ft. Fro What is the nearest source of possible contamination:							om		ft. 1	to 10 Livest		From ft. to ft.			
1 Septic tank 4 Lateral lines					: 7 Pit privy					11 Fuel s		14 Abandon water well 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool						8 Sewage lagoon				12 Fertil	•	16 Other (specify below)			
3 Watertight sewer lines 6 Scepage pit						9 Feedyard				13 Insecticide storage			None Apparent		
	n from we									4	How	many feet?			
FROM			LITHOL	OGIC I	.OG			FR	ROM	ТО		PLUGGING I	NTERVAL	<u>s</u>	
0 2	2 5	backfill silty sa										***************************************			
5	30	medium t		arse	Sar	nd									
30	40	blue she		<u> </u>	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										
				-											
								_							
			** ***												
										11					
										<u> </u>					
7 CON	TRACTO	R'S OR LANDOWN! on (mo/day/yea	ER'S CERTI	FICATION	This v	vater w	ell was	(1) <u>cons</u>	struct	ed, (2) reconst	tructed, or	(3) plugged un	der my jur	isdiction a	and
was co	ontractor	on (mo/day/yea: 's License No	236	***.(·.*	Th	is Wate	r Well	and th Record v	us rec was c	ompleted on ()	uie pest of mo/dav/vr)	Rhowledge	/12/9	i. Nansas 7	vvater
Under	the busir	ess name of	arpN	ell.	.&P.1	mp	Serv	ice.	Ix	ໄຕ by (sig	nature)				
												Iodd	S	Harp	