1 LOCA	TION OF WA	TER WELL:	FRACTION	Wat	er Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
Sedgwick			NE	1/4 NE	1/4 NE	E 1/4	19	1	15
SECQWICK NE 1/4 NE 1/4 NE 1/4 Distance and direction frem nearest town or city street address of well if located within city?								T 27 s	R IE F/W
City of Wichita Water Plant Wichita, Kansas									
					Wic	hita,	Kansas		
	TER WELL O		TA, CI	Y OF					D
RRM, ST. ADRESS, BOX#: 455 N. Main Board of Agriculture, Divivsion of Water								•	
	, STATE, ZIP		ta, Kar			40	67203	Application Nu	mber: 970231
LOCATE WELL'S LOCATION WITH DEPTH OF COMPLETED WELL 40 ft. ELEVATION:									
Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.									
			ELL'S STAT					RFACE MEASURED ON mo/day/y	00, 10, 133,
'	NW	NE		p test data:	Well wa		ft.	after hours p	
<u>.</u>	1		st. Yield	gpm:	Well wa	iter was	ft.	after hours p	
N K	/ 	- I - I - I - I - I - I - I - I - I - I	ore Hole Diamo		in. to		ft.		in. to ft.
-			ELL WATER			Public water		•	11 Injection well
lт	sw	sie	1 Domestic	3 Feedl		Oil field wat			12 Other (Specify below)
			2 Irrigation	4 Indus	triai 7	Lawn and g	irden only	10 Monitoring well	
+	L		as a chemical/	bacteriologica l	sample subi	nitted to De	partment? Yes	•••	s, mo/day/yr sample was
S submitted Water Well Disinfected? Yes X No									
5 TY	PE OF CA	SING USED:		5 Wro	ught iron	8	Concrete tile	CASING JOINTS:	Glued 🗶 Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded								Welded	
2 PV	C	4 ABS		7 Fiber	glass	SI	DR-26		Threaded
Blank c	 asing Diam	eter 8 in	to 25	ft.,	Dia	in.	to	ft., Dia in	L to ft.
Casing	height abov	ve land surface 12		in.,	weight 2.	35	lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
1 Conti	nous siot	3 Mill slot			6 Wire w	rapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 25 ft. to 40 ft., From ft. to ft.									
from ft. to ft., From ft. to									
GRAVEL PACK INTERVALS: from 24						ft. to 40 ft., From			•••
from ft. to ft., From ft. to									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandon water well									
1 Septic tank 4 Latera			d lines 7 Pit privy			11 Fuel st	orage	15 Oil well/Gas well	
2 Sewer lines 5 Cess			d 8 Sewage lagoon		ı	12 Fertili		16 Other (specify below)	
3 Wate	rtight sewe	-		9 F	eedyard		13 Insect	icide storage NO:	ne Apparent
Direction from well? How many feet?									
FROM			THOLOGIC L	OG		FROM	TO	PLUGGING IN	ΓERVALS
0	2	backfill							
2	5	silty san	d						
5	30	medium to		sand					
30	40	blue shal							
			•				1 1		
			******				<u> </u>	**************************************	
		AND TO SERVICE OF THE PERSON O					†		
								- Indianaly Harry	
							1		
								10 10 10 10 10 10 10 10 10 10 10 10 10 1	
							+ +		
							+ +		
				****			 	-	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No236									
Todd S. Harp									
								Joad	v. surp