1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
Sedgwick	NE 1/4	NE 1/4 N	E 1/4	30	T 27 s	R 1E EW
Distance and direction from nearest town or city street address of well if located within city?						
401 S. Seneca Wichita, Kansas						
WATER WELL OWNER: KS MASC					D	A A
	S. Seneca			67010		ivivsion of Water Resource
	ita, Kansa		37	67213	Application Number	r:
LOCATE WELL'S LOCATION WITH DEPTH OF CONTRESS WELL 37 ft. ELEVATION: AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.						
WELL'S STATIC WATER LEVEL 15.5 FT. BELOW LAND SURFACE MEASURED ON modday/yr 08/20/1997						
	Pump test		ater was	ft.	after hours pum	
NWNE	Est. Yield	gpm: Well w	ater was	ft.	after hours pum	
	Bore Hole Diameter		to	ft.	and in.	to ft.
=	WELL WATER		Public wate			njection well
swse	1 Domestic		Oil field wa		•	Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was						
Submitted water well Distinction: Yes X 1/0						
1 Steel 3 RMP (SR)	5 Wrought iron 6 Asbestos-Cement		Other (Specify b	Glaca & Champea		
2 PVC 4 ABS 7 Fiberglass Threaded						
Blank casing Diameter 5	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 3	,			Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORAT	7 PVC			10 Asbestos-ceme		
1 Steel 3 Stainless Steel	5 Fiberglass 8 RMP (SR)			11 other (specify	M/A	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS					12 None used (op	' '
SCREEN OR PERFORATION OPE	5 Gauzed wrapped			8 Saw cut 9 Drilled holes	11 None (open hole)	
1 Continous slot 3 Mill slo 2 Louvered shutter 4 Key pu		6 Wire wrapped				
ACREADY PROPERTY AND					/A.	
SCREEN-PERFORATION INTERVALS: from		ft. (ft., From		
GRAVEL PACK INTERVALS: from		ft. to ft. to		ft., Fron ft., Fron		ft. ft.
from				ft., Fron		ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug						
Grout Intervals: From 2 ft. to 8 ft. From ft. to ft. From 8 ft. to 16 ft.						
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines				10 Livesto 11 Fuel st		bandon water well
2 Sewer lines 5 Cess pool		8 Sewage lagoon			Fertilizer storage 15 Oil well/Gas well Fertilizer storage 16 Other (specify below)	
5 Ctas				ticide storage None Apparent		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard None Apparent Direction from well? How many feet?						
	LITHOLOGIC LOG		FROM	TO	PLUGGING INTE	
			0		surface silt an	d clay
			2		cement grout	
			8		bentonite hole	
	AF-20-3		16	37	chlorinated san	a and gravel
					100	
		7.07				
	ALT BLA					
					The state of the s	

	U Market Constitution		ļ			
	and the second s					
7 CONTRACTORIS ON A NUMBER OF						
7 CONTRACTOR'S OR LANDOWNER was completed on (mo/day/year)	R'S CERTIFICATION: Th	is water well was (1) 1 9 9 7) construct	ed, (2) reconstr	ucted, or (3) <u>plugged</u> under n	ny jurisdiction and
Well Contractor's License No	236	This Water Well Re	cord was c	ompleted on (m	no/day/yr)08./2.	5/97
Under the business name of HarpWell&PumpServiceInc by (signature)						
Todd S. Harp						
						<u> </u>