WATER WELL PLUGGING RECORD Form WWC-5P KSA 82a-1212

1 LOCATION OF WATER WELL: Fraction , O / Section Number Township Number Range Number
$\frac{1}{100} = \frac{1}{100} = \frac{1}$
Distance and Direction from nearest town or city street address of well if located within city?
WATER WELL OWNER: Graham Reality
RR#, St. Address, Box #: 9505 W. CENTRAL Board of Agriculture, Division of Water Resources
City, State, ZIP Code : NICHITA, KS 10722 Application Number:
MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: N WELL'S STATIC WATER LEVEL
WELL WAS USED AS:
N N E Tomestic 5 Public Water Supply 9 Dewatering 0 0 0 0 10 Monitoring Well 0 3 Feedlot 7 Lawn and Garden Only 11 Injection Well 4 10 Monitoring 12 Other
S W S E Was a chemical/bacteriological sample submitted to Department? YesNo/ If yes, mo/day/yr sample was submitted
S Water Well Disinfected: Yes
5 TYPE OF BLANK CASING USED:
1 Steel 3 RMP (SR) 5 Wrought 7 Fiberglass 2 PVC 4 ABS 6 Asbestos-Cement 8 Concrete Tile
Blank casing diameterin. Was casing pulled? Yes No If yes, how much Casing height above or below land surfacein.
GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
What is the nearest source of possible contamination:
1 Septic tank6 Seepage pit11 Fuel storage2 Sewer lines7 Pit privy12 Fertilizer storage3 Matertight sewer lines8 Sewage lagoon13 Insecticide storage4 Lateral lines9 Feedyard14 Abandoned water well5 Cess Pool10 Livestock pens15 Oil well/Gas well
Direction from well? DI How many feet?
FROM TO PLUGGING MATERIALS
30 10 graul
10 0 Cernenc
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year)
INSTRUCTIONS: Use typewriter or ball point pen. <u>Please press firmly</u> and <u>print</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913/296-3565. Send one to Water Well Owner and retain one for your records.