1 LOCATION OF WATER WELL:				FRACTION	v v	Wa	ter Well Rec	ord Form	1 WWC-:	Section Number	Township N	umber	Ran	ge Number	
				ı		SW		ME	1/4	27	0.77		1	1 E	
Sedgwick SW 1/4 Distance and direction from nearest town or city street address of well if loca						1/4	NE	1/4	21	T 27	S	R	TE EW		
72	<u>1 Sou</u>	<u>ıth Gre</u>	en			Wic	<u>:hita</u>	, Ka	nsa	s					
WAT	ER WELL (OWNER: RH	ODES	, Max	ine										
RR#, S	T. ADRESS	BOX#: #7	Via	Verd	е						Boa	rd of Agriculture, D	vivsion of Wat	er Resource	
CITY,	STATE, ZIF			a, Ka		s	Application Number:								
LOCAT	E WELL'S I	OCATION WITH	-	DEPTH OF			POWELL		31	ft. E	LEVATION:				
	IN SECTIO			Depth(s) gro				1	-	ft.	2	ft.	3	ft.	
l + 1		- \ 		ELL'S STAT				L2 Î	FI		SURFACE MEASURED		06/1	9/1997	
			WE		np test			L Z water							
NW NE Est. Yield										ft.	after	hours pum		gpm	
1		v				gpm:		l water	was	ft.	after	hours pum		gpm	
W W		_^		e Hole Diam				to		ft.	and	in.	to	ft.	
										er supply	8 Air conditionia		njection we		
Sw SE 1 Domestic					3 Feed 4 Indu				eter supply	9 Dewatering		ther (Spec	пу веюж)		
		2 Irrigation					•	garden only	10 Monitoring w			_			
Was a chemical/bacteriological sample submitted to									ed to D	•			o/day/yr sa	-	
submitted Water weii Districted: Yes No													No		
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped														lamped	
1 Steel	_	3 RMP (SI	()			6 Asbe	stos-Cen	ient	9	Other (Specify	below)	V	elded'		
2 PVC	_	4 ABS				7 Fibe	rglass					T	hreaded	x	
Blank cas	ing Diam	neter 1 1/4	in.	to		ft.,	Dia		in.	. to	ft., Dia	in.	to	ft.	
		land surface			in.,	,	weight			lbs. / ft.	Wall thickness of	r gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:												Asbestos-ceme	ent		
1 Steel 3 Stainless Steel 5 Fiberglass										8 RMP (SR) 11 other (specify) N/A					
2 Brass	3	4 Galvanized	steel			6 Conci	rete tile		9	9 ABS	12	None used (or		,_	
SCREEN	OR PE	REORATION (PENIN	C ARE:			5 Ga	uzed wr	anned		8 Saw cut		11 None	e (open hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrap 1 Continous slot 3 Mill slot 6 Wire wrappe											9 Drilled hol	29		,	
2 Louver									pcu						
			y punche				7 Tor	ch cut			10 Other (s)	ecify) N	A		
SCREEN-PERFORATION INTERVALS: from ft.										ft., Fr	o m	ft. to		ft.	
from						ft. to				ft., From		ft. to		ft.	
GRAVEL PACK INTERVALS: from					ft. to				ft., From		ft. to		ft.		
				fron	1			ft. to		ft., Fr	om	ft. to		ft.	
6 GRO	UT MAT	ERIAL: 1 No	at ceme	nt	2 C	ement gi	rout		3 Be	ntonlte	4 Other be	ntonite	hole	plug	
								ft. From			ft. From	3 ft. to 20 ft.			
What is the nearest source of possible contamination:										10 Livestock pens		14 Abandon water well			
1 Septic tank 4 Lateral lines						7 Pit privy				11 Fuel	storage	15 Oil well/Gas well			
2 Sewer lines 5 Cess pool						8 Sewage lagoon					ilizer storage	16 Other (specify below)			
3 Water	tight sew		epage p			9 Feedyard				13 Inse	cticide storage	None	None Apparent		
Direction	from we						•				How many f				
FROM	TO		LITE	HOLOGIC	LOG	FROM				ТО		GGING INTE	RVALS		
								0		3	cement g				
								3		20	bentonit		plug		
							, , , , , , ,	20)	31	chlorina			gravel	
	A1 744														
								,			***************************************				
		7.0													
						*******						1			
										<u> </u>					
		1.								-					

oxdot		<u></u>													
7 CON	TRACTO	R'S OR LANDON	NER'S C	ERTIFICATIO	N: Thi	s water	well was	s (1) cor	nstruc	ted, (2) recons	structed, or (3) plu	igged under n	ny jurisdic	tion and	
was co	mpleted	on (mo/day/ve	ear)	06/	19/	1997		and 1	his re	cord is true to	the best of my k	nowledge and	belief. Ka	ansas Water	
Well Co	ontracto	r's License No	23	3.6		This Wa	rter Well	Record	l was o	completed on	(mo/day/yr)	06/2	3/97		
Under	the busi	ness name of	Harp	Well	&	P.ump	Serv	vice.	I	ກ.ຕ by (si	gnature)				
			_			_				- '		Todd L	. Ha	NO	