1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
Ľ		NT NT	. l		•	, and the second
Sedgwick	SW 1/4	NE 1/4 NI	E 1/4	22	T 27 s	R 1E E/W
Distance and direction from nearest town or city street address of well if located within city?						
368 N. Erie Wichita, Kansas						
WATER WELL OWNER: WICHITA, CITY OF						
	I. Main				Board of Agriculture, I	Divivsion of Water Resource
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:						
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMBIGERS WELL 48 ft. ELEVATION:						
AN "X" IN SECTION BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.
	VELL'S STATIC W	ATER LEVEL 26	FT.	BELOW LAND S	URFACE MEASURED ON mo/day/yr	07/17/1997
NW	Pump test	t data: Well wa	iter was	ft.	after hours pun	nping gpm
l E	st. Yield	gpm: Well w	ater was	ft.	after hours pun	
E B	ore Hole Diameter		0	ft.	and in.	to ft.
E W	ELL WATER	E USED AS: 5	- Public water			Injection well
	1 Domestic		Oil field wa		-	Other (Specify below)
sw	2 Irrigation		Lawn and g		10 Monitoring well	(
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was						
		eriological sample sub	mitted to De			
submitted water wen Disinfected: 188 X 100						
5 TYPE OF CASING USED:		5 Wrought iron		Concrete tile		Glued Clamped
1 Steel 3 RMP (SR)		6 Asbestos-Cement	9	Other (Specify	· ·	Welded
2 PVC 4 ABS		7 Fiberglass				Threaded X
Blank casing Diameter 2	n. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above and surface 50	in.,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						ent
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N/2						^{y)} N/A
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						• -
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole						11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes						
						/=
A Total Cut and A Total Cut an						
SCREEN-PERFORATION INTERVALS: from ft. to ft., From ft. to					ft.	
from		ft. to		ft., Fro		ft.
GRAVEL PACK INTERVALS: from from		ft. to		ft., Fro		ft.
La constant de Novembre	ft. to ft., Fro			ft.		
6 GROUT MATERIAL: 1 Neat ce		ement grout	3 Ber	tonite	4 Other bentonite	e hole plug
_	ft. to 3	ft. From	ft.		ft. From 3	ft. to 25 ft.
What is the nearest source of possible contamination:		10 Livestock pens			Abandon water well	
1 Septic tank 4 Lateral lines		<u> </u>			el storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon 12 Fertilize				
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent						Apparent
Direction from well? How many feet?						
FROM TO LI	THOLOGIC LOG		FROM	TO	PLUGGING INTE	RVALS
			0	3	cement grout	
			3	25	bentonite hole	plug
			25	48	chlorinated sar	d and gravel
				1		
				1		
				1		
			<u> </u>	1		-
				1 1		
			†	1 1		
				 		
				- 		
 	 			1 1		
 			-	1		
<u> </u>	<u> </u>		 	1 1	· · · · · · · · · · · · · · · · · · ·	
<u> </u>						
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: Th	is water well was (1)	construct	ed, (2) recons	tructed, or (3) plugged under	my jurisdiction and
was completed on (mo/day/year)	<u> </u>	<u> 1997</u> a	ınd this rec	ord is true to	the best of my knowledge and	l belief. Kansas Water
Well Contractor's License No236						
Under the business name of Harp Hell & Pump Service. Inc by (signature)						
Todd S. Harp						