1 LOCATION OF WATER WELL:	FRACTION	Water Well Recor	d Form WWC-5	KSA 82a-1212 Section Number			
Sedgwick NE 1/4		SW 1/4 SE 1/4		7	Township Number	Range Number	
Distance and direction frem nearest town or city street address of well if loc		ated within city?	3E 1/4		T 27 s	R 1E E/W	
1488 N. Perry		hita, Kans	120				
	M, Janeil	nica) Raile	<u>, a o</u>				
RR#, ST. ADRESS, BOX #: 1936	N. Sheffo	ord Ct.			Board of Agriculture, D	tvivsion of Water Resource	
CITY, STATE, ZIP CODE: Wichita, Kansa		ls 67		67212			
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF CON	nggan D WELL	27	ft. ELEV	VATION:		
N	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
		ATER LEVEL 2		BELOW LAND SURI	FACE MEASURED ON mo/day/yr	02/18/1999	
NWNE	Pump tes	· · · ch	water was	ft. at	fter hours pum	ping gpm	
ii	it. Yield ore Hole Diameter U		water was		fter hours pum	ping gpm	
E Bo	ELL WATER	<i>~</i>	to 5 Public water	ft.	and in.	to ft.	
	1 Domestic		6 Oil field water		-	njection well	
X X	2 Irrigation	47 4	7 Lawn and g	:	Monitoring well	Other (Specify below)	
	as a chemical/bacte	riological sample su	bmitted to De		•	o/day/yr sample was	
S	ubmitted			_	r Well Disinfected? Yes	• •	
5 TYPE OF CASING USED:		5 Wrought iron 8 Concrete til		Concrete tile			
1 Steel 3 RMP (SR)		CA-bastan Co. 4		Other (Specify bel			
2 PVC 4 ABS		7 Fiberglass			T	hreaded	
Blank casing Diameter 1 1/4 in. Casing height above land surface 60		ft., Dia	in.		ft., Dia in.	to ft.	
TYPE OF SCREEN OR PERFORATION	in., ON MATERIAL:	weight		lbs. / ft. W PVC	all thickness or gauge No.	_ 4	
1 Steel 3 Stainless Steel				RMP (SR)	11 other (specify)	10 Asbestos-cement	
2 Brass 4 Galvanized steel		· · · · · · · · · · · · · · · · · ·		ABS	12 None used (op	N/A	
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped			8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes	11 None (open note)	
2 Louvered shutter 4 Key punched		7 Torch cut		10 Other (specify) N/		' 7 .	
SCREEN-PERFORATION INTERVALS: from		ft. to		ft., From	ft. to	ft.	
from		ft. to		ft., From	ft. to		
GRAVEL PACK INTERVALS: from		ft. to		ft., From	ft. to	ft. ft.	
from		ft. to		ft., From	ft, to	11. Ct.	
GROUT MATERIAL: 1 Neat cem Grout Intervals: From ()		ement grout	3 Bent	onite	4 Other		
Grout Intervals: From () ft. to 27 What is the nearest source of possible contamination:		ft. From ft. to			ft. From	ft. to ft.	
1 Septic tank 4 Lateral lines		7 Pit privy		10 Livestock 11 Fuel stors	- 1441	oandon water well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer	130	15 Oil well/Gas well	
3 Watertight sewer lines 6 Seepage pit		5 5			ecticide storage None Apparent		
Direction from well?		•			How many feet?	Apparent	
FROM TO LITHOLOGIC LOG						PLUGGING INTERVALS	
			0	27 ce	ement grout		
				ļ			
							
			 				
7 CONTRACTOR			<u> </u>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year)							
Under the business name of Harp Well & Pump Service. Inc. by (signature)							
Todd S. Harp							
					v ouw v.	V V V V V V	