Trop.	TION OF IN		1	1.077031	Water Wel	ll Record F	orm WWC-5							
LOCA	ATION OF WA		- 1	RACTION				Section Numb	er]	ownship Number	•	Ran	ige Number	
	Sedgy			SE 1/4	SW 1/4	SE	1/4	9		т 27 s		R	1E _{E/W}	
Distance and direction frem nearest town or city street address of well if located within city?														
		reet and						<u>Wichit</u>	a, Kar	sas		,		
Ŭ WA	TER WELL (WIC.		CITY	OF									
RR#,	ST. ADRESS,		N. M					Board of Agriculture, Divivsion of Water Resource						
CITY	, STATE, ZIP	code: Wic	<u>hita,</u>	Kansa	3.8					Appli	cation Number	990	004	
	TE WELL'S I	OCATION WITH	4 DEP	TH OF CO	MPLETED WI	ELL	40	ft.	ELEVATIO	N:				
AN "X	" IN SECTIO	N BOX:	Depti	h(s) groundv	vater Encounte	red	1	ft.	2		ft.	3	ft.	
			WELL	S STATIC W	ATER LEVE	ւ 13	FT.	BELOW LAND	SURFACE M	IEASURED ON	mo/day/yr	03/0	2/1999	
Pump test data: Well water was ft. after										h	ours pump	ping	gpm	
	1 :		Est. Yiel	ld	gpm:	Well wate	er was	ft.	. after	h	ours pump	ping	gpm	
M Mile	,	E	Bore Hol	le Diameter	12 i	in. to	40	ft.	and		in.	to	ft.	
-			WELL V	VATER TO	BE USED AS:	5 Pu	ıblic wate	r supply		nditioning	11 In	ijection we	eli e	
SW 1 Domestic 3 Fee						6 O	il field wa	ter supply	9 Dewa	_	12 O	ther (Spec	cify below)	
			2 Irı	rigation	4 Industrial	7 Ls	awn and g	arden only	10 Moni	toring well				
		<u> X</u>	Was a ch	nemical/bact	eriological sam	ple submi	tted to De	partment? Y	es	No X	; If yes, me	o/day/yr sa	ımple was	
		S	submitt	ted					Water Well	Disinfected?	Yes	X	No	
5 TY	PE OF CA	SING USED:			5 Wrought	iron	8	Concrete tile	C	ASING JOIN	TS: GI	ued X	Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded											-			
2 PVC	2	4 ABS			7 Fiberglass	s		DR-26	-		TI	hreaded		
Blank ca	 asing Diam	eter 8	in. to	0 20	ft., D	dia	in.	to	ft.,	Dia	in.	to	ft.	
		e land surface	L2	in. ,		ht 5.5	2	lbs. / ft.	•	ckness or gau			.332	
TYPE (OF SCREE	N OR PERFORA	TION MA	ATERIAL:		,	_	PVC			estos-ceme	nt	,	
1 Ste	el	3 Stainless Steel			5 Fiberglass		8	RMP (SR)		11 oth	er (specify))		
2 Brass 4 Galvanized steel 6 Concrete tile								9 ABS 12 None used (open hole)						
SCREEN OR PERFORATION OPENING ARE: 5 Gauze							vrapped		w cut	11 None (open hole)				
1 Continous slot 3 Mill slot 6 Wire w														
2 Louve	red shutte	r 4 Key p	unched		7	Torch cut			10 (Other (specify	y)			
SCREE	N-PERFO	RATION INTERV	VALS:	from 20		ft. to		A F		``			ft.	
				from	,		40	ft., F			ft. to			
GRAVEL PACK INTERVALS: from 20					1	ft. to ft. to 40			ft., From ft., From		ft. to		ft.	
	GICAVI	SETACK INTER	VALS.	from	,	ft. to	40		rom		ft. to ft. to		ft. ft.	
6 GRO	OUT MATI	ERIAL: 1 Neat	cement		Cement grout	11. 10	3 Ber	itonite		er bent		holo	. A 47	
Grout Intervals: From 0 ft. to 20 ft. From											OHILLE			
What is the nearest source of possible contamination:					ic From	ft. From ft. to			o ft. Fron 10 Livestock pens		ft. to ft. 14 Abandon water well			
1 Septic tank 4 Lateral lines					7 Pit pi	7 Pit privy			11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool						8 Sewage lagoon			12 Fertilizer storage		16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit					J	9 Feedyard			13 Insecticide storage			None Apparent		
1	n from wel	-	age pit		> 1 ccuj.				Uo	w many feet?	иопе	Арра	rent	
FROM			LITHOL	OGIC LOG	*		FROM	ТО	I		NG INTER	VALS		
0	4	topsoil								120001	10 11 12 21			
4	15	fine sar	nd											
15	23	coarse s												
23	40	shale												
											V-20/2011			
				744										
7 CO	ITD A CTC	Dicor	nu	VO	ie weter	was (4)	onet	nd (0) =====	etu ete e	(2) ml	d under	a ireladi.	tion and	
1 1 001	NIKACIO	R'S OR LANDOWNE on (mo/day/year	R'S CERTIF	ICATION: Th	ns water well ' 1999	was (1) C	onstruct	eu, (2) recor	istructed, (of my knowl	u under m	y jurisala belief 🛂	ancae Water	
Was C	ompleted	on (mo/day/year 's License No	, 236	v.m./	This Water M	and	rd was a	omnisted or	o the best	or my knowl m)	03/03	/99	misas vydler	
Under	the husir	ess name of H	arp W	ell &	Pump Se	rvic	e, Ir	Chipieteu or	i (mo/uay/y signature)					
	Duoli	Viinki								Ja	dd S	. Ha	ro	
										~ ~	~		-7-	