w236/26V				Section Number	Township Numb	er Range Number
OCATION OF W		Fraction	Alul 66		T Z7	
unty: Sedawi			address of well if located v			
						1) Julichita
1.2 + 1.E	of SWC	orner of	Williams Ext	ermination (10012. Linco	In J, WIONTA
WATER WELL O	WNER:		eth Stewar	4		
R#, St. Address, E	ox # :	390) N. Harding	,	•	culture, Division of Water Reso
y, State, ZIP Code	e :		chita KS	67220	Application Nu	umber:
LOCATE WELL'S	LOCATION WITH			t. ELEVA	ATION:	
AN "X" IN SECTI	DN BOX:					ft. 3
						o/day/yr
i						iours pumping
NW	NE					iours pumping
1						in. to
w –		1	•			
				Public water supply	8 Air conditioning	
sw _	SE	1 Domesti		Oil field water supply		
1	1	2 Irrigation	n 4 Industrial 7	Lawn and garden only	A Manton wer	SUE
1		Was a chemica	al/bacteriological sample sul		•	; if yes, mo/day/yr sample wa
	\$	mitted		Wa	ater Well Disinfected?	Yes No
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINT	S: Glued Clamped
1 Steel	3 RMP (S	SR)	6 Asbestos-Cement	9 Other (specify belo	w)	Welded
2 PVC	4 ABS		7 Fiberglass			Threaded + USh
nk casing diamet	ər 2 . .	.in. to	2 ft., Dia	in. to	ft., Dia	in. to
sing height above	land surface.	lush	in., weight .0, 70.3)lbs.	/ft. Wall thickness or g	in. to gauge No. SCh U O os-cement
PE OF SCREEN	OR PERFORATIO	N MATERIAL:		TPVC	10 Asbest	os-cement
1 Steel	3 Stainles		5 Fiberglass	8 RMP (SR)		(specify)
2 Brass	4 Galvani		6 Concrete tile	9 ABS		used (open hole)
			5 Gauzed		8 Saw cut	11 None (open hole)
	5		6 Wire wr	••		ri None (open noie,
1 Continuous s					9 Drilled holes	
	Jtter 4 K TED INTERVALS: ACK INTERVALS	From	<u>.</u> ft. to	14.5	om	ft. to ft. to ft. to
GRAVEL F	TED INTERVALS: ACK INTERVALS	From From From From cement	2 Cement grout	14.5	omom	ft. to ft. to ft. to ft. to
GRAVEL F	TED INTERVALS: ACK INTERVALS	From From From From cement	2 Cement grout	14.5	omom	ft. to
REEN-PERFORA GRAVEL F GROUT MATERIA Dut Intervals: F	TED INTERVALS: ACK INTERVALS	From	2 Cement grout	14,5 ft., Fro ft., Fro 14,5 ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro	omom	ft. to ft. to ft. to ft. to
GRAVEL F GRAVEL F GROUT MATERIA Jut Intervals: F	ACK INTERVALS	From	2 Cement grout	14.5	omom	ft. to
GRAVEL F GRAVEL F GROUT MATERIA ut Intervals: Fr at is the nearest	ACK INTERVALS	From From From From cement .ft. to contamination: ral lines	2. S	14.5	om	ft. to
GRAVEL F GRAVEL F GROUT MATERIA out Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines	ACK INTERVALS: ACK INTERVALS AL: 1 Neat om. 1 source of possible 4 Late 5 Cess	From H From From From cement ft. to contamination: ral lines s pool	2 Cerrent grout 2 Cerrent grout 2 S ft. ro 7 Pit privy	14.5	om	ft. to
GRAVEL F GRAVEL F GROUT MATERIA tut Intervals: Fratis the nearest 1 Septic tank 2 Sewer lines 3 Watertight se	ACK INTERVALS	From H From From From cement ft. to contamination: ral lines s pool	1.5. ft. to ft. to ft. to ft. to ft. to 2 Cement grout 2.5. ft. From 7 Pit privy 8 Sewage lagoo	14.5	Offer	ft. to
GRAVEL F GROUT MATERI ut Intervals: Fi at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se action from well?	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GRAVEL F GROUT MATERIA tut Intervals: Fil at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GROUT MATERI ut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se oction from well? 30M TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GRAVEL F ROUT MATERI at Intervals: Function the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ction from well? OM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit	1.5. ft. to 1.5. ft. to 1.6. ft. to 1.7. ft. to 1.7. ft. to 1.7. ft. to 1.7. ft. to 2.5. ft., From 7. Pit privy 8. Sewage lagoo 9. Feedyard	14.5	Offer	ft. to
GRAVEL F GRAVEL F GROUT MATERIA ut Intervals: Frat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se oction from well? ROM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GRAVEL F GROUT MATERIA ut Intervals: Frat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se oction from well? ROM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GRAVEL F GROUT MATERIA at Intervals: Frank 1 Septic tank 2 Sewer lines 3 Watertight se ction from well? OM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GRAVEL F GROUT MATERIA at intervals: Fratis the nearest 1 Septic tank 2 Sewer lines 3 Watertight se oction from well? COM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GRAVEL F GROUT MATERIA at intervals: Fratis the nearest 1 Septic tank 2 Sewer lines 3 Watertight se oction from well? COM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GRAVEL F GROUT MATERIA at Intervals: Frank 1 Septic tank 2 Sewer lines 3 Watertight se ction from well? OM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GRAVEL F GROUT MATERIA at intervals: Fratis the nearest 1 Septic tank 2 Sewer lines 3 Watertight se oction from well? COM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GRAVEL F GROUT MATERIA ut Intervals: Frat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se oction from well? ROM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GROUT MATERI ut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se oction from well? 30M TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GROUT MATERI ut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GRAVEL F GROUT MATERIA DUI Intervals: Frat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GROUT MATERI GROUT MATERI out Intervals: Fri at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
GROUT MATERI GROUT MATERI out Intervals: Fi at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	ACK INTERVALS	From From From From cement .ft. to contamination: rral lines s pool page pit		14.5	Offer	ft. to
REEN-PERFORA GRAVEL F GROUT MATERI out Intervals: Fi at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se action from well? ROM TO D IO D IV.5	TED INTERVALS: ACK INTERVALS AL: 1 Neat om. 1 source of possible 4 Late 5 Cess wer lines 6 See Fill - C Sand , 1	From H From From H From Cement ft. to H, 2 e contamination: ral lines s pool page pit LITHOLOGIC CLCY h-r m - f grad	<pre>1.5. ft. to ft. to i. Z.S. ft. to ft. to ft. to ft. to 2 Cement grout 2.5. ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard C LOG n plosficity ined</pre>	14.5 ft., Fro. ft., Fro. ft., Fro. ft., Fro. ft., Fro. 3 Bentonite 4 10 Lives 11 Fuel n 12 Ferti 13 Insee How ma FROM TO I I	omom	ft. to
GRAVEL F GRAVEL F GROUT MATERI ut Intervals: Fi at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se cotion from well? CONTRACTOR'S	ACK INTERVALS: ACK INTERVALS AL: 1 Neat om. 1 source of possible 4 Late 5 Cess wer lines 6 Seep Fill - C Sand, 1 C Sand, 1 C	From H From From H From Cement ft. to H, 2 e contamination: ral lines s pool page pit LITHOLOGIC CLCY h-r m - f grad	TION: This water well was	14.5 .ft., Fro. .ft., Fro. .ft., Fro. .ft., To. .ft., Fro. .ft., Fro. .ft., Fro. .ft., To. .ft., Fro. .ft., Fro. .ft., Fro. .ft., Fro. .ft., Fro. .ft., Fro. .ft., Fro. .ft., Fro. .ft., Fro. </td <td>omom</td> <td>ft. to</td>	omom	ft. to
GRAVEL F GRAVEL F GROUT MATERI ut Intervals: Fi at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se cotion from well? 20M TO 10 10 114.5	ACK INTERVALS: ACK INTERVALS AL: 1 Neat om. 1 source of possible 4 Late 5 Cess wer lines 6 Seep Fill-C Sand, 1 Source of possible 4 Late 5 Cess 5	From. From. From. From. cement ft. to contamination: ral lines s pool page pit LITHOLOGIC LITHOLOGIC M	TION: This water well was	14.5 .ft., Fro. .ft., Fro. .ft., Fro. .ft., To. .ft., Fro.	omom	ft. to
GRAVEL F GRAVEL F GROUT MATERI ut Intervals: Fi at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se cotion from well? 20M TO 10 10 114.5	ACK INTERVALS: ACK INTERVALS AL: 1 Neat om. 1 source of possible 4 Late 5 Cess wer lines 6 Seep Fill-C Sand, 1 OR LANDOWNE by/year) or's License No.	From. From. From. From. cement ft. to contamination: ral lines s pool page pit LITHOLOGIC LITHOLOGIC M	TION: This water well was	14.5 .ft., Fro. .ft., Fro. .ft., Fro. .ft., To. .ft., Fro.	omom	ft. to