1 LOCATION OF WATER WELL:		FRACTION	w	ater Well Reco	Mu Form wwc-	Section Number	Township Number	Range Number	
Sedgwick		NE 1	1/4 SE	1/4	SE 1/4	32	T 27 s	1 17	
Distance and direction frem nearest town or city street address of well if located within city?									
2201 S. Broadway Wichita, Kansas									
WATER WELL OWNER: SONIC DRIVE INN									
RR#, ST. ADRI							Board of Agriculture, D	ivivsion of Water Resource	
RR#, ST. ADRESS, BOX #: 2201 S. Broadway CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:									
		DEPTH OF C		D WELL	40	ft. EL	EVATION:		
AN "X" IN SEC	TION BOY.	Depth(s) grou			1	ft.	2 ft.	3 ft.	
	 	LL'S STATIO					URFACE MEASURED ON mo/day/yr	03/30/1999	
			test data:		water was	ft.	after hours pum		
1 1 "	'' 'i=	Yieid	lieid gpm: Well water was			ft.	after hours pum		
l ig w —	E Bore	Hole Diamet	0.	in.	to 40	ft.	and in.	to ft.	
= "		LL WATER T			5 Public water			njection well	
		1 Domestic	3 Feed	llot	6 Oil field w	ater supply	•	Other (Specify below)	
		2 Irrigation	4 Indu	strial	7 Lawn and	garden only	10 Monitoring well		
	Was	a chemical/b	acteriologica	al sample s	submitted to D	epartment? Yes	No X; If yes, m	o/day/yr sample was	
S submitted Water Well Disinfected? Yes X No									
$\boldsymbol{\vdash}$	CASING USED:		5 Wro	ought iron	1 1	8 Concrete tile	CASING JOINTS: G	lued X Clamped	
1 Steel 3 RMP (SR)			6 Asbe	estos-Cem	ent 9	Other (Specify below) Welded			
2 PVC	4 ABS		7 Fiber	rglass	S	SDR-26	T	hreaded	
Blank casing Di	•	to 25	ft.,	Dia	in.	. to	ft., Dia in.	to ft.	
	bove land surface 12		in.,	weight 2		lbs. / ft.	Wall thickness or gauge No.	.214	
	EEN OR PERFORATION	MATERIAI		-1		7 PVC	10 Asbestos-ceme		
1 Steel	3 Stainless Steel 4 Galvanized steel		5 Fiber	•		8 RMP (SR)	11 other (specify	•	
2 Brass	6 Concr			9 ABS	12 None used (op	,			
1	PERFORATION OPENING	G ARE:			uzed wrapped		8 Saw cut 11 None (open hole)		
1 Continous slo	3 1/III 310t	_		6 Wir	re wrapped		9 Drilled holes		
2 Louvered shu				7 Toro	ch cut		10 Other (specify)		
SCREEN-PERI	FORATION INTERVALS	: from	25	ft	t. to 35	ft., Fron	m ft. to	ft.	
from				ft. to		ft., Fron	m ft. to	ſt.	
GRAVEL PACK INTERVALS: from 24			24	ft. to 40		ft., Fro		ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								ft,	
			2 Cement gr				4 Other		
Grout Intervals: From 4 ft. to 24 What is the nearest source of possible contamination:		ft.	ft. From f		to 10 Livest	ft. From	ft. to ft.		
1 Septic tank 4 Lateral lines			7	7 Pit privy		11 Fuel s	towner	14 Abandon water well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon				15 Oil well/Gas well 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard						13 Insecticide storage			
Direction from well? West How many feet? 50									
FROM TO LITHOLOGIC LOG			OG .	FROM TO			PLUGGING INTERVALS		
0 3	topsoil								
3 11	clay								
11 21	fine sand								
21 35	medium sand	d							
						\bot			
					\bot				
						_LL.			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No23.6									
Under the business name of Harp Well & Pump Service. Inc. by (signature)									
Todd S. Harp									