Loca	TION OF W	ATER WELL:	FRACTION CIA	Water Well Record		KSA 82a-1212 Section Number		Dura Maritan	
Ľ			20	INW SW SE			Township Number	Range Number	
	Sedgy		201 1/4		1/4	7	т 27 s	R 1E EAW	
Distance and direction frem nearest town or city street address of well if located within city?									
1536 N. Charles Wichita, Kansas									
WATER WELL OWNER: JOHNSON, Greg									
RR#, ST. ADRESS, BOX #: 1536 N. Charles Board of Agriculture, Divivsion of Water Resource									
CITY	STATE, ZIP	CODE: Wichi	ta, Kansa	s	Application Number:			r:	
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 40 ft. ELEVATION:									
AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.									
		w w	ELL'S STATIC WA	TER LEVEL 1	5 гт.	BELOW LAND SU	URFACE MEASURED ON mo/day/yr	04/19/1999	
			Pump test	data: Well v	water was	ft.	after hours pum	ping gpm	
ے ا		Est	. Yield	gpm: Well	water was	ft.	after hours pum	ping gpm	
Wile w		E Bor	re Hole Diameter	12 in.	to 40	ft.	and in.	to ft.	
		WE	ELL WATER TO B	E USED AS:	5 Public water	r supply	8 Air conditioning 11 I	njection well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be							Other (Specify below)		
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was									
S submitted Water Well Disinfected? Yes X No									
5 TY	PE OF CA	SING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS: G	lued X Clamped	
1 Stee	l	3 RMP (SR)		6 Asbestos-Cement 9 Other (Spec					
2 PVC	2	4 ABS		7 Fiberglass	S	DR-26	Т	hreaded	
Blank casing Diameter 5 in. to 25 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No. , 214									
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Stee	2	3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
1 Contir	nous slot	3 Mill slot		6 Wire	wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 25 ft. to 40 ft., From ft. to ft.									
from ft. to ft., From								ft.	
GRAVEL PACK INTERVALS: from 24					. to 40	ft., Fro		ft.	
from ft. to ft., From ft. to							ft.		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From 24 ft. to 26 ft.									
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandon water well									
1 Septic tank 4 Lateral lines			nes	7 Pit privy		11 Fuel s	torage 15 ()il well/Gas well	
2 Sewer lines 5 Cess pool			1	8 Sewage lagoon				Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? East How many feet? 90									
FROM	ТО	LIT	HOLOGIC LOG		FROM	ТО	PLUGGING INTER	RVALS	
	4	topsoil							
4	20	medium sar			-				
20	40	medium coa	arse sand						
			1. 2. 2						
							NE 34	5. V I	
								· · · · · · · · · · · · · · · · · · ·	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No. 236. This Water Well Record was completed on (mo/day/yr). 04/21/99.									
Under the business name of Harp. Well. & Pump. Service, Inc. by (signature)									
Iodd S. Harp									