Ling	TION OF IT		Lan	1.000	Wat	er Well Rec	ord Form W	WC-5	KSA 82a-1212							
LILOCA		ATER WELL:		ACTION					Section Number	r	Township Nu	mber	R	ange Number		
71.1	Sedgr			<b>TE</b> 1/4	NE	1/4	SE	1/4	18			s	R	1E E	/W	
1		frem nearest town or ci				-										
		ections o				<u>Buff</u>	um			W	<u> Iichita</u>	<u>, Kansa</u>	s			
WATER WELL OWNER: WICHITA, CITY OF  RR#, ST. ADRESS, BOX#: 455 N Main  Board of Agriculture, Division of V													Votes Descues			
RR#, ST. ADRESS, BOX#: 455 N. Main CITY, STATE, ZIP CODE: Wichita, Kansa									68000							
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COM											Application Number: 990054  ELEVATION:					
	" IN SECTIO			(s) groundw			1	,	ft. E	LLEVA	TION:	ft.	3		ft.	
l +		<del>-\</del>	1 -	STATIC W			17	FT	BELOW LAND	SHREA				28/19		
			WELLS	Pump tes		-	∟ / I water wa		ft.	afte		hours pum	•	•		
1	NW	NE	Est. Yiel	•	gpm:		l water wa l water wa		ft.	afte		hours pum			gpm	
1 Mile	, 📗			- e Diameter	12	in.	to 40		ft.		ınd	in.	to		gpm ft.	
= "		\\X\frac{1}{2}	WELL W	ATER TO			5 Public v				ir conditionin		njection v	well		
1.	sw		1 Do	mestic	3 Feedl	lot	6 Oil fiel	d wat	ter supply		ewatering		)ther (Sp	ecify below	)	
	2 Irrigation					4 Industrial 7 Lawn and garden only 10 Monitoring well										
<b> </b>			emical/bact	cteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample									sample was			
<b>_</b>		S	submitt	ed				-			Well Disinfect	X No				
$\vdash$		SING USED:			5 Wro	ught iro	n	8	Concrete tile		CASING JO	OINTS: G	lued X	Clamped		
1 Steel 3 RMP (SR)						stos-Cen	nent	9	Other (Specify	y belov	v)	Welded				
2 PVC	2	4 ABS			7 Fiber	glass		S	DR-26			T	hreaded			
1	asing Diam	•		20	ft.,	Dia		in.	to	ft.	, Dia	in.	to	ft.		
		ve land surface      ] EN OR PERFORA	L2	in.,		weight	5.52	_	lbs. / ft.	Wal	ll thickness or	gauge No. Asbestos-ceme	4	.332		
1 Ste		3 Stainless Steel	ITON MA	I EKIAL:	5 Fiberg	lass			PVC RMP (SR)							
2 Brass 4 Galvanized steel 6 Concrete tile									ABS			other (specify	•			
									ADS		8 Saw cut	None used (op	•	ne (open ho	ala)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauze 1 Continous slot 3 Mill slot 6 Wire v								wrapped						me (open no	ilej	
	red shutte										10 Other (spe					
				fmorm 0.0			ch cut ft. to 40				10 Outer (spe	ft. to			_	
															ft.	
GRAVEL PACK INTERVALS: from 20					`	ft. to ft. to				ft., From ft., From		ft. to			ft.	
	GIUIV	BETACK INTER	VALO.	from	,		ft. to		ft., Fr			ft. to ft. to			ft. ft.	
6 GRC	OUT MAT	ERIAL: 1 Neat	cement	2 (	ement gr			Ben	tonite		Other be	ntonite	hol	e pluc	_	
Grout In	itervals:	From	ft. to		ft. I	rom		ft. í	to		ft. From	0	ft. to		eft.	
What is the nearest source of possible contamination:									10 Live	stock p	1		bandon water well			
1 Septic tank 4 Lateral lines						7 Pit privy			11 Fuel	storag			5 Oil well/Gas weli			
2 Sewer lines 5 Cess pool					8 S	8 Sewage lagoon			12 Fert			o die (speelly below)			,	
3 Wate	rtight sew	er lines 6 Seep	age pit		9 F	eedyard			13 Insecticide storage			None Apparent				
	n from we			2010100							How many fe					
FROM 0	то 3	topsoil	LITHOLO	OGIC LOG			FRO	<u>M</u>	TO	<u> </u>	PLUC	GING INTER	RVALS			
3	11	clay							<u> </u>							
11	27	fine sar	nd													
27	40	medium s							1							
<del></del>	-													/		
-																
2004																
<b></b>																
										ļ				4400		
	<u> </u>		-2"							L						
7 CO	NTRACTO	R'S or landowne	R'S CERTIF	ICATION: Th	is water v	vell was	(1) <u>const</u>	ructe	ed, (2) recons	structe	ed, or (3) plug	gged under n	ny jurisd	liction and		
		on (mo/day/year													iter	
Well C	ontracto	r's License No ness name of.Ha	₩ŊŊ	a 11 £	This Wat	er Well Serr	Record w	as co	ompleted on	(mo/d	ay/yr) ro\	V.#./3.\	J./	••••••		
Jildel	are busil	ivaa iidiile Ul.AAS		m.m./H)#1		m.\		.mni	ny (SI	griatu	· · · ·	Todd S	H.	α/Δ <b>Δ</b>		