Trock	TION OF W	TODATE		FRACTION	Water Well Rec	ord Form WWC-5					
1 LOCA		ATER WELL:					Section Numb	1	Range Number		
	Sedgr			SE 1/4	SE 1/4	NE 1/4	14	T 27 s	R 1E E	Z/W	
1			city stree	et address of well if loc	•						
		<u>. 10th</u>			Wich	<u>ita, Ka</u>	nsas				
WA	TER WELL			, Cindy							
RR#,	ST. ADRESS			. 10th				Board of Agricul	ture, Divivsion of Water Resource	3	
CITY, STATE, ZIP CODE: Wichita, Kansa											
		LOCATION WITH	<b>4</b> 1	DEPTH OF 🥬	<b>43,600</b> WELI	<b>23</b>	ft.	ELEVATION:			
AN "X	" IN SECTIO	N BOX:		epth(s) groundw	ater Encountered		ft.	2 ft.		ft.	
1 1			WE	LL'S STATIC W	ATER LEVEL	13'6" гт	. BELOW LAND	SURFACE MEASURED ON mo/day	yyr 04/22/199	99	
1 1	NW	NE		Pump tes	t data: Wel	l water was	ft.	after hours	pumping	gpm	
47				Yleld	OT.	ll water was	ft.	after hours	pumping	gpm	
lije w	,	X		Hole Diameter		to	ft.	and	in. to	ft.	
= "			WEI	LL WATER 16	EUSED AS:	5 Public wate	r supply	8 Air conditioning	11 Injection well		
١				1 Domestic	3 Feediot	6 Oil field wa	ter supply	9 Dewatering	12 Other (Specify below)	)	
				2 Irrigation	4 Industrial	7 Lawn and g	garden only	10 Monitoring well			
								es No X ; If y	yes, mo/day/yr sample was	,	
<u> </u>		S	sub	mitted			,	Water Well Disinfected?	Yes X No		
$oldsymbol{\sqcup}$		SING USED:			5 Wrought iro	n 8	Concrete tile	CASING JOINTS:	Glued Clamped		
1 Stee	<u></u>	3 RMP (SR	)		6 Asbestos-Cen	nent 9	Other (Specia	fy below)	Welded		
2 PVC	<u> </u>	4 ABS			7 Flberglass				Threaded		
Blank ca	asing Diap	neter 1 1/4	in.	to	ft., Dia	in.	to	ft., Dia	in. to ft.		
Casing l	height 250	ve land surface	60	in.,	weight		lbs. / ft.	Wall thickness or gauge No			
TYPE (	OF SCREE	EN OR PERFOR	ATION	MATERIAL:	5 Ett. 1	7 PVC 10 Asbestos-cement					
1 Steel 5 Standers Steel						5 Fiberglass 8 RMP (SR) 11 other (specify					
2 Bra	SS	4 Galvanized s	teel		6 Concrete tile 9 ABS			12 None used (open hole)			
SCREEN OR PERFORATION OPENING ARE:					5 Ga	uzed wrapped		8 Saw cut 11 None (open hole)			
1 Conti	nous slot	3 Mill	slot		6 Wi	6 Wire wrapped 9 Drilled holes					
2 Louve	red shutte	er 4 Key	punche	ed.	7 To	rch cut		10 Other (specify)	N/A		
SCREE	N-PERFO	RATION INTE	RVALS	from		ft. to	ft., F	rom ft	L to	ft.	
				from		ft. to	ft., F		. to	ft.	
GRAVEL PACK INTERVALS: from					ft. to ft., Fr			t. to	ft.		
				from		ft. to	ft., F	<del>-</del> -	t. to	ft.	
6 GRO	OUT MAT	ERIAL: 1 Nea	t cemei	nt 2 C	ement grout	3 Be	ntonite	4 Other			
Grout Ir	Grout Intervals: From 2 ft. to 23 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:					10 Livestock pens 14 Abandon water well						
1 Septic tank 4 Lateral lines					7 Pit privy 11 Fuel store			l storage	rage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool					8 Sewage la	8 Sewage lagoon 12 Fertilizer storage 16 Other (specify be				,	
3 Wate	rtight sew	er lines 6 Sec	page pi	it	9 Feedyard 13 Insecticide storage None Apparent						
Direction from well?  How many feet?											
FROM	TO		LITH	IOLOGIC LOG		FROM	TO	PLUGGING II			
	ļ					0	2	surface clay	and silt		
						2	23	cement grout			
	ļ										
	<u> </u>										
									· · · · · · · · · · · · · · · · · · ·		
	ļ				· · · · · · · · · · · · · · · · · · ·						
ļ							<b>_</b>				
	ļ										
	<b> </b>										
	-										
							<u> </u>				
7 CO	NTRACTO	OR'S OR LANDOW	VER'S CE	RTIFICATION: Th	is water well was	s (1) construct	ed, (2) recon	structed, or (3) plugged un	der my jurisdiction and	,	
was c	ompleted	on (mo/day/ye	ar)	04/22/	1999	and this red	cord is true t	o the best of my knowledge	e and belief. Kansas Wa	ater	
Well C	ontracto	r's License No <u>.</u>	23	5.5	This Water Well	Record was	ompleted on	(mo/day/yr)Q4	/23/99		
Under	the busi	ness name of.J	larp.	™&TT™&'''	Pump Ser	ATCe''''II	າຕ by (s	ignature)	0 00		
ŀ								Jodd	S. Haro		