

1 LOCATION OF WATER WELL: County: <u>Sedgwick</u>		Fraction <u>NE 1/4 NE 1/4 NE 1/4</u>	Section Number <u>14</u>	Township Number T <u>27</u> S	Range Number R <u>1</u> E/W
Distance and direction from nearest town or city street address of well if located within city? <u>4615 E 13th Street, Wichita</u>					
2 WATER WELL OWNER: RR#, St. Address, Box # : <u>Tom Vatch (Auto Mech)</u> City, State, ZIP Code : <u>P.O. Box 247, Wichita, KS 67202</u>			Board of Agriculture, Division of Water Resources Application Number: <u>2</u>		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>14</u> ft. ELEVATION: <u>2</u>			
		Depth(s) Groundwater Encountered <u>1</u> ft. 2. <u>7.5</u> ft. 3. <u>NA</u> ft. WELL'S STATIC WATER LEVEL <u>7.5</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>NA</u> ft. after <u>NA</u> hours pumping <u>NA</u> gpm Est. Yield <u>NA</u> gpm: Well water was <u>NA</u> ft. after <u>NA</u> hours pumping <u>NA</u> gpm Bore Hole Diameter <u>NA</u> in. to <u>NA</u> ft., and <u>NA</u> in. to <u>NA</u> ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>NA</u> No <u>NA</u> ; If yes, mo/day/yr sample was submitted <u>NA</u> Water Well Disinfected? Yes <u>NA</u> No <u>NA</u>			
		5 TYPE OF BLANK CASING USED:			
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>NA</u> Clamped <u>NA</u> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>NA</u> 7 Fiberglass Threaded <u>NA</u> Blank casing diameter <u>2.0</u> in. to <u>NA</u> ft., Dia. <u>NA</u> in. to <u>NA</u> ft., Dia. <u>NA</u> in. to <u>NA</u> ft. Casing height above land surface <u>NA</u> in., weight <u>NA</u> lbs./ft. Wall thickness or gauge No. <u>NA</u>			
		TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) <u>NA</u> 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) <u>NA</u>			
SCREEN-PERFORATED INTERVALS: From <u>NA</u> ft. to <u>NA</u> ft., From <u>NA</u> ft. to <u>NA</u> ft., From <u>NA</u> ft. to <u>NA</u> ft.					
GRAVEL PACK INTERVALS: From <u>NA</u> ft. to <u>NA</u> ft., From <u>NA</u> ft. to <u>NA</u> ft., From <u>NA</u> ft. to <u>NA</u> ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From <u>0.5</u> ft. to <u>0.5</u> ft., From <u>0.5</u> ft. to <u>2.0</u> ft., From <u>2.0</u> ft. to <u>14.0</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>NA</u> How many feet? <u>NA</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>0.5</u>	<u>0.5</u>	<u>Cement</u>
			<u>0.5</u>	<u>2.0</u>	<u>Cement</u>
			<u>2.0</u>	<u>14</u>	<u>Bentonite</u>
<u>Well No. 00070740</u>			<u>MW-6</u>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12/15/98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>483</u> This Water Well Record was completed on (mo/day/yr) <u>6/14/99</u> under the business name of <u>TEST (Deffenbaugh Field Services)</u> by (signature) <u>Ron Wood by P.O.</u>					