				Water Well Record	Form WWC-5	KSA 82a-1212			
LOCA		ATER WELL:		NW NE SE	_	Section Number		Range Number	
<u></u>	Sedg		<b>572.</b> 1/4	NE 1/4 M	1/4	22	T 27 s	R 1E E/W	
1			ity street address of well if loc	•					
	12 S.			ta, Kansas					
ш	WATER WELL OWNER: KRUMREY, Michael RRW, ST. ADRESS, BOX#: 142 S. Erie Board of Agriculture, Divivsion of Water Resource								
1	Y, STATE, ZI		s. Erie hita, Kansa	•					
<del></del>		LOCATION WITH	Y	WELL WELL	18	n. E	LEVATION:		
	" IN SECTIO		Depth(s) groundw	(XI	1	n. A.	2 n.	3 ft.	
İt			1, .	ATER LEVEL 12	FT.	BELOW LAND	SURFACE MEASURED ON mo/day/yr	07/28/1999	
	NW	NE.	Pump tes		iter was	ſt.	after hours pum		
ا			Est. Yield	gpm: Well w	ater was	ft.	after hours pum	ping gpm	
l Mail M	/	E	Bore Hole Diameter		0	ſt.	and in.	to ft.	
"			WELL WATER		Public water		•	njection well	
1 1	sw	s <b>s</b> e	1 Domestic		Oil field wat		•	other (Specify below)	
1			2 Irrigation		Lawn and ga		10 Monitoring well	,, ,	
1 *	ــــــــــــــــــــــــــــــــــــــ	S	Was a chemical/bacto	eriological sample sub	mitted to Dep			o/day/yr sample was	
5 TY	PE OF CA	SING USED:	submitted	£ 33/	0.4			<u> </u>	
1 Stee		3 RMP (SR)		5 Wrought Iron 6 Asbestos-Cement		Concrete tile Other (Specif	•	lued Clamped 'elded	
2 PVC	C	4 ABS		7 Fiberglass		omer (Speen,	, ,	hreaded X	
	- asing Dian		in. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height libs. / ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos								nt	
1 Ste		3 Stainless Steel	_	5 Fiberglass	8 RMP (SR) 11 other (specify) N/A				
2 Bra		4 Galvanized ste		6 Concrete tile	9 ABS 12 None used (open hole)				
					zed wrapped 8 Saw cut 11 None (open hole)				
	nous slot	3 Mill si		6 Wire w			9 Drilled holes	<b>.</b> _	
1	ered shutte	• •		7 Torch			10 Other (specify) N/		
SCREE	N-PERFU	RATION INTER		ft. t	0	ft., Fr	om ft. to	ft.	
1	CDAY	er back inter	from	ft. to		ft., Fr		ft.	
	GRAV	EL PACK INTER	VALS: from from	ft.		ft., Fr		ft.	
from ft. to ft., From ft. to ft.  GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From ft. to ft. From ft. to ft. From 3 ft. to 18 ft.									
What is the nearest source of possible contamination:					10 Livestock pens 14 Abandon water well				
1 Sept	ic tank	4 Later	ral lines			el storage 15 Oil well/Gas well			
	r lines	5 Cess	s pool	8 Sewage lagoon 12 Fertilizer stora		5 100	Other (specify below)		
3 Watertight sewer lines 6 Secpage pit 9 Feedyard 13 Insecticide storage None Apparent									
Direction from well?   How n   FROM   TO   LITHOLOGIC LOG   FROM   TO								177 A V C	
FROM	10		LITHOLOGIC LOG		FROM 0	3	PLUGGING INTER		
					3	18	bentonite hole		
			*			<b></b>			
								The second secon	
						ļ			
	ļ					<u> </u>			
	l					<u> </u>			
	<del> </del>								
<b></b>	1								
					<b></b>	<del> </del>			
					<u> </u>	1			
	l								
<u> </u>	1								
7 (0)	MTD A COT	Die or		ie weter well (4)	. aonata	d /2\ =====	etrusted or /2\ minaged and	w juriediation and	
	N I KACTO omnieted	on (mo/day/year	er s certification: The control of t	1999	constructe	u, (z) recons ord is true to	structed, or (3) <u>plugged</u> under n o the best of my knowledge and	belief. Kansas Water	
Well (	Contracto	r's License No	236	This Water Well Re	cord was co	mpleted on	(mo/day/yr)0.7./2.5	2/99	
Under the business name of HarpWell& PumpServiceInc by (signature)									
							Todd S	Harn	