1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	T	Dane Number
Ľ					Township Number	Range Number
Sedgwick	SW 1/4		SE 1/4	33	т 27 в	R 1E E/W
Distance and direction frem nearest town or city		•				
2023 Laura	Wich:		s			
	ARDS, Daphr	ey				
RR#, ST. ADRESS, BOX #: 2023 Laura Board of Agriculture, Divivsion of Water Resource						
CITY, STATE, ZIP CODE: Wich	<u>lita, Kansa</u>				Application Numbe	r:
LOCATE WELL'S LOCATION WITH	4 DEPTH OF Co !	AS GAS WELL	. 24	ft. EL	EVATION:	
AN "X" IN SECTION BOX:	Depth(s) groundw	ater Encountered	1	ft.	The floor ft.	3 ft.
	WELL'S STATIC W	ATER LEVEL 1) гт.	BELOW LAST	PREACE MEASURED ON mo/day/yr	10/07/1999
NWNE	Pump tes	t data: Well v	water was	ft.	after hours pum	ping gpm
	Est. Yield		water was	ft.	after hours pum	ping gpm
E E	Bore Hole Diameter	unknown in.	to	ft.	and in.	to ft.
= "	WELL WATER		5 Public water	r supply	8 Air conditioning 11 I	njection well
1. <u> </u>	1 Domestic		6 Oil field wa		· ·	Other (Specify below)
5W	2 Irrigation		7 Lawn and g		10 Monltoring well	
	Was a chemical/bacte	riological sample su	hmitted to De		=	o/day/yr sample was
S	submitted	i lologicai sampie su	onnitted to De	•	ater Well Disinfected? Yes	
TYPE OF CASING USED.						
5 1 YPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						
2 PVC 4 ABS 7 Fiberglass Threaded						
	t 4	Ü				
Blank casing Diameter 1 1/4 below basement The Casing height show land surface 6	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
TYPE OF SCREEN OR PERFORAT	U in., FION MATERIAL:	weight	7	lbs. / ft. PVC	Wall thickness or gauge No. 10 Asbestos-ceme	ent
1 State 2 State St						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						M/A
	_			ADS	8 Saw cut	11 None (open hole)
			ca wrapped			11 None (open noie)
I · · · · ·			re wrapped 9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Tol			cut		10 Other (specify) N	/A
SCREEN-PERFORATION INTERV	ALS: from	ft.	to	ft., Fron	n ft. to	ft.
from		ft. to		ft., Froi	m ft. to	ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., Fro	m ft. to	ſt.
	from	ft.	to	ft., Fro	m ft. to	ft.
6 GROUT MATERIAL: 1 Neat c	ement 2 C	ement grout	3 Ber	itonite	4 Other bentonite	hole plug
Grout Intervals: From 0 ft. to 8		ft. From ft. to		to	ft. From 8	ft. to 11 ft.
What is the nearest source of possible contamination:					estock pens 14 Abandon water well	
1 Septic tank 4 Lateral lines		7 Plt privy			11 Fuel storage . 15 Oll well/Gas well	
2 Sewer lines 5 Cess pool		9 9			ertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage						
Direction from well? East How many feet? 10						
FROM TO I	ITHOLOGIC LOG		FROM	то	PLUGGING INTE	RVALS
			0		cement grout	
			8		bentonite hole	
			11	24	chlorinated san	d and gravel
7			4)	-1 (0)		
ONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)						
Well Contractor's License No236 This Water Well Record was completed on (mo/day/yr)						
Under the business name of Harp Well & Pump ServiceInc by (signature)						
Todd S. Harp						
					Jadd. X	Harr