		Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCATION OF WATER WELL:	FRACTION		ŀ	Section Number	Township Number	Range Number
Sedgwick	NE 1/4	SW 1/4 N	1/4	9	T 27 s	R 1E E/W
Distance and direction frem nearest town or	city street address of well if loc	ated within city?				
•	oeka, NE co:	rner	Wichit	a, Kan	sas	
L. Q Stev	y Kochler, Farmers Coop Elevator, P.C e Bartel, Purina Mills, 414 East 18 th St	rect, Wichita, Kansas 67124			Doord of Amelout	turn Districtor of Water Parauses
RR#, ST. ADRESS, BOX#: D Aare 67	on Pirner, 400 East 18th Partnership, c 124	b Big Bob's Carpet, 400 East 18th 5	St., Wichita, Kansas		-	ture, Divivsion of Water Resource
CITY, STATE, ZIP CODE : O Hein	nan Elevator, 1940 North Toncka Stree				Application ?	Number:
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		103 GIBERI VELL	20		LEVATION:	2 4
AN A INSECTION BOX.	Depth(s) groundw		1	ft.	2 ft.	3 ft.
		ATER LEVEL 15		BELOW LAND S	URFACE MEASURED ON mo/day	
NE NE	Pump tes		iter was	ft.		pumping gpm
	Est. Yield	91	ater was	ft.		pumping gpm
W W	Bore Hole Diameter			ft. 	and	in. to ft.
			Public water		8 Air conditioning 9 Dewatering	11 Injection well 12 Other (Specify below)
swsie	1 Domestic		Oil field wat Lawn and ga		10 Monitoring well	12 Ouler (Specify below)
	2 Irrigation		_			os moldovku somple was
	was a chemical/bacte	eriological sample sub	mitted to Dej		· ·	yes, mo/day/yr sample was Yes X No
5 TYPE OF CASING USED:	sublittied	# TATE 1 A P			CASING JOINTS:	
1 Steel 3 RMP (SR)	•	5 Wrought iron 6 Asbestos-Cement		Concrete tile Other (Specify		Glued Clamped Welded
2 PVC 4 ABS	•	7 Flberglass	,	- area (openly	,	Threaded
Blank casing Diameter 2	in. to	ft., Dia	in.	to	ft., Dia	in. to ft.
i "helaw"	48 in.,	weight		lbs. / ft.	Wall thickness or gauge No	
TYPE OF SCREEN OR PERFOR		weight		PVC	10 Asbestos	
1 Steel 3 Stainless Stee	ı	5 Fiberglass	8	RMP (SR)	11 other (sp	pecify) N/A
2 Brass 4 Galvanized st	teel	6 Concrete tile	9	ABS	12 None use	ed (open hole)
SCREEN OR PERFORATION OF	PENING ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill	6 Wire w	6 Wire wrapped				
2 Louvered shutter 4 Key	punched	7 Torch	cut		10 Other (specify)	N/A
SCREEN-PERFORATION INTER	RVALS: from	ft. (: 0	ft., Fro	m ft	t. to ft.
	from	ft. 1	to	ft., Fro	_	. to ft.
GRAVEL PACK INTERVALS: from		ft.	to	ft., Fro		t. to ft.
	from	ft.	to	ft., Fro	om fl	t. to ft.
0 0110011111111111111111111111111111111	t cement 2 (Cement grout	3 Ben	tonlte	4 Other benton:	ite hole plug
Grout Intervals: From	ft. to	ft. From	ft. t		ft. From 3	ft. to 20 ft.
What is the nearest source of possible contamination:					tock pens	14 Abandon water weli
1 Septic tank 4 Lateral lines				11 Fuel :	•	15 Oil well/Gas well
	ss pool	8 Sewage lagoo	n		lizer storage cticide storage	16 Other (specify below)
1	epage pit	9 Feedyard			u	nknown
Direction from well? FROM TO	LITHOLOGIC LOG		FROM	то	How many feet? PLUGGING I	NTEDVALS
TROM TO	LITHOLOGIC LOG		0	3	compacted tor	
			3	20	bentonite hol	
			ļ	ļl		
			ļ	 		
				 		
			ļ			
				 		
				 		
				1		
			l			
7 CONTRACTOR'S OR LANDOW	NER'S CERTIFICATION: T	nis water well was (1) constructe	ed, (2) recons	tructed, or (3) plugged un	der my jurisdiction and
was completed on (mo/day/ye	ar)		and this rec	ord is true to	the best of my knowledge	e and belief. Kansas Water) / 2 9 / 9 9
Well Contractor's License No. Under the business name of.						(a/a.#1.4%/##
The the pushiess hattie VI.A					Todd	S. Harp