					Water Well R	ecord Form W	WC-5	KSA 82a-1212						
1 LOCA		ATER WELL:	'	FRACTION				Section Number	r	Township Numbe	r	Rang	ge Number	
Sedgwick NW 1/4					SW 1/4	NW	1/4	9		т 27 ,	5	R	1E ,	E/W
Distance and direction frem nearest town or city street address of well if located within city?														
			<u>eka,</u>	NE co	rner	Wic	hit	ta, Kan	ısas	3				
\Box	TER WELL	• Sh	rve Bartel, Peri	ne Mills, 414 East 18 ⁶	P.O. Box 316, Garden Plate Street, Wichita, Kansas 61	1124				Board of	A and and thomas Di	ularatan at Wat	D	_
	ST. ADRESS	, BUX#: DA	uron Pir ner , 400 67124	East 18th Partnership	c/o Big Bob's Carpet, 400 East 18th St., Wichita, Kansas					Board of Agriculture, Divivsion of Water Resource				
_	, STAT E, ZI I		7-1-		cct. Wichita, Kansas 67124					Application Number:				
	E WELL'S I	LOCATION WITH N BOX:	\blacksquare	PTH OF		_	7		LEVA	ATION:	_	•		_
•		N	1		ater Encountere			ft.		2	ft.	3	- /1 0	ft.
			WELL		ATER LEVEL					CE MEASURED ON		10/2	7/19	99
'	X-NW	NE	ļ., .,.	Pump tes		ell water wa		ft.	aft		hours pump			gpm
l ii			Est. Yi	eia ole Diameter (91	ell water wa	18	ft.	aft		nours pump	_		gpm
M M		E			unknown in. SE USED AS:	to 5 Public	water	ft.		and	in. 11 Te	to ejection wel	11	ft.
	1 Domestic					•						ther (Speci		e)
	SW.		2 II	4 Industrial 7 Lawn and garden only					10 Monitoring well					
			1	•	eriological sampl	Tomoral guidantes and the second seco							mnle was	s
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample submitted Water Well Disinfected? Yes X No														
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped														
1 Steel	l	3 RMP (SR)			6 Asbestos-Ce		Other (Specify	Oluce Champen						
2 PVC	!	4 ABS			7 Fiberglass			``.		,	TI	readed	x	
Blank ca	_ sing Diam	eter 2	in.	to	ft., Dia	ı	in.	to	ft	., Dia	in.	to	ft.	
Casing h	eight and	e land surface	12	in.,	weight	t		lbs. / ft.		ill thickness or ga	ige No.			
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement														
1 Stee	al	3 Stainless Steel			_	5 Fiberglass 8 RMP (SR)				11 other (specify) N/A				
2 Bras	S	4 Galvanized sta	el	6 Concrete tile			9 ABS			ne used (ope	en hole)			
I		RFORATION OF	ENING A	5 Gauzed wrapped			8 Saw cut				11 None	(open h	ole)	
l	ous slot	3 Mill s	lot		6 Wire wrapped					9 Drilled holes				
2 Louve	red shutte	r 4 Key _l	punched		7 T	orch cut				10 Other (specif	y) N/	Ά		
SCREEN	N-PERFO	RATION INTER	VALS:	from		ft. to		ft., Fr	om		ft. to			ft.
from					ft. to			ft., From			ft. to			ft.
	GRAV	EL PACK INTER	VALS:	ft. to			ft., From			ft. to			ft.	
 				from		ft. to		ft., Fr	rom		ft. to			ft.
	UT MAT		cement	2 (Cement grout	:	3 Bent	tonite	4	Other bent	onite	hole	plu	g
Grout In		From t source of possib	ft. to	ft. From ft. to			14 11011			0 ft. to 27 ft.				
1 Septie		_	ie contam ral lines	7 Pit privy			10 Livestock pens 11 Fuel storage			14 Abandon water well				
2 Sewer						11 Fuel storage 12 Fertilizer storage			15 Oil well/Gas well					
	rtight sew		s pool	• •				13 Insecticide storage			16 Other (specify below)			
1	ı from we		page pit		э геецуаг	u	unkn					OWI		
FROM	TO	11	LITHOI	LOGIC LOG		FDC	FROM TO			How many feet?	ow many feet? PLUGGING INTERVALS			
				.cole 200		0	J.V1	27	be	ntonite				
												<u>-</u>		
								ļ						
									<u> </u>					
									ļ					
								ļ						
								ļ						
								<u> </u>	ļ					
								ļ						
									-					
_								<u>.</u>						
7 CON	TRACTO	R'S or landown	ER'S CERTI	FICATION: Th	is water well w	as (1) const	ructe	d, (2) recons	struct	ed, or (3) plugge	d under m	y jurisdic	tion and	1
was co	mpleted	on (mo/day/yea	r)	.10/.27/.	1999	and this	s reco	ord is true to	the t	est of my know	ledge and	belief. Ka	nsas W	ater
Well C	ontracto	r's License No	&		This Water We	II Record w	as co	mpleted on	(mo/c	lay/yr)	10/.29	7.99		
Under	ine Dusii	ness name of.H	****	I'&++&	T.M.D961	··X T C G · v · ·	ት ሂ ሃ	by (si	gnatu	irė) T	dd S	\mathcal{U}_{-}		
										90	aa 🛭	. Ila	rp	