1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212	T =	T
	į	Cra		Section Number	Township Number	Range Number
Sedgwick	NW 1/4	SW 1/4 N	W 1/4	9	1 _T 27 _s	R 1E E/W
Distance and direction from nearest town or city street address of well if located within city? 18th N. and Topeka, NE corner Wichita, Kansas						
18th N. and Tope	ka, NE cor	ner	WICUI	ca, Kans	las	
DD# ST ADDRESS DOV.4 Seeve Bart	thier, Farmers Coop Elevator, P.O.: tel, Parina Mills, 414 East 18th Stro	et, Wichita, Kansas 67124			Roard of Agriculture, Di	vivsion of Water Resource
CITY STATE ZIP CODE 67124	Big Bob's Carpet, 400 East 18th St., Wichita, Kanses			Application Number:		
O Neimen C	jevapor. 1940 North Toneka Street. DEPTH OF @ 1940		46	- PI	EVATION:	3
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	Depth(s) groundwa		40 1	ft. EL	EVATION: 2 ft.	3 ft.
	, .		_		Z URFACE MEASURED ON mo/day/yr	10/27/1999
	WELL'S STATIC WA Pump test	<u>.</u> .	ater was			
' X NE 1	Est. Yield		ater was ater was	ft. ft.	after hours pum after hours pum	
	Bore Hole Diameter (ater was	ft.	and in.	ping gpm to ft.
E C	WELL WATER	•	o Public water	_		njection well
	1 Domestic		Oil field wat		•	Other (Specify below)
SWSE	2 Irrigation		Lawn and ga		10 Monitoring well	(-F
	Was a chemical/bacte		-	=		o/day/yr sample was
S	submitted	rologicar sample sub	indiced to De	-	ater Well Disinfected? Yes	• • •
TUDE OF CACING USED.						
1 Steel 3 RMP (SR)		5 Wrought iron 6 Asbestos-Cement		Other (Specify l	•	elded/elded
2 PVC 4 ABS		7 Fiberglass	•	Canon (Speeding)	,	hreaded X
	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height and surface 4		weight	1111	lbs. / ft.	Wall thickness or gauge No.	10 11.
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N / A) N/A
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (op	•
SCREEN OR PERFORATION OPEN	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire wrapped 9 Drilled holes				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A					/ a	
SCREEN-PERFORATION INTERVA	ALS: from	ft. 1		ft., Fron	•	ft.
	from	ft.	_	-		ft.
GRAVEL PACK INTERVALS: from		ft.		ft., Fror ft., Fro		
	from	ft.		ft., Fro		ft. ft.
6 GROUT MATERIAL: 1 Neat ce	ement 2 C	ement grout		tonite	4 Other bentonite	
Grout Intervals: From	ft. to	ft. From	ft. 1	co.	ft. From 3	ft. to 25 ft.
What is the nearest source of possible contamination:				10 Livesto		bandon water well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel st	torage 15 C	Dil well/Gas well
2 Sewer lines 5 Cess pool		• •			rtilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard			13 Insecticide storage unknown			
Direction from well? How many feet?						
FROM TO L	ITHOLOGIC LOG		FROM	ТО	PLUGGING INTER	
			0		compacted topso	
	<u> </u>		3		bentonite hole	
			15	46	chlorinated unc	onfinded
			<u> </u>			
				 		
				+		
				 		
			 			
			 			
	7.48.					
			 	-		
				+ +		
				†		
7 CONTRACTOR'S OR LANDOWNERS			\			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)						
Well Contractor's License No236						
Todd S. Harp						