1 LOCATION OF W	/A TPD 33/P1 1 .	FRACTION	Water Well Record	Form WWC-5	KSA 828-1212	T =		
Ľ		i	CM	TT- 444	Section Number	Township Number	Range Number	
Sedg  Distance and direction		NE 1/4 ty street address of well if loc		VE 1/4	34	т 27 s	R 1E E/W	
	. Wichita	, , , , , , , , , , , , , , , , , , , ,	•	ahita	Vancas			
WATERWELL		LINE, Bill	MT	<u>chita,</u>	Valisas			
RR#, ST. ADRES	111014	4 S. Volust	·ia			Board of Agricult	ure, Divivsion of Water Resource	
CITY, STATE, ZIP CODE: Wichita, Kansa					67211	Application Number:		
	LOCATION WITH		APPER WELL	27		LEVATION:		
AN "X" IN SECTION	ON BOX:	Depth(s) groundw	<b>U</b>	1	ft.	2 ft.	3 ft.	
		WELL'S STATIC W	ATER LEVEL 1	9 FT.	BELOW LAND S	URFACE MEASURED ON mo/day	<b>77</b> 10/25/1999	
NW.	NE	Pump tes		water was	ft.	after hours	pumping gpm	
	XE	Est. Yield	gpm: Well	water was	ft.	after hours	pumping gpm	
w   W   W   W   W   W   W   W   W   W	E	Bore Hole Diameter	Anknown in	to	ft.	and	in. to ft.	
= "		WELL WATER TO	USED AS:	5 Public water	supply	8 Air conditioning	11 Injection well	
-sw	sie	1 Domestic		6 Oil field wat	er supply	9 Dewatering	12 Other (Specify below)	
		2 Irrigation	4 Industrial	7 Lawn and ga	rden only	10 Monitoring well		
	S	Was a chemical/bacte	eriological sample su	bmitted to De	•		es, mo/day/yr sample was	
		submitted			W		es X No	
<u> </u>	ASING USED:		5 Wrought iron	_	Concrete tile	CASING JOINTS:	Glued Clamped	
1 Steel	3 RMP (SR)		6 Asbestos-Ceme	nt 9	Other (Specify	below)	Welded	
2 PVC	4 ABS		7 Fiberglass				Threaded	
	meter 1 1/4	in. to	ft., Dia	in.	to	•	in. to ft.	
	we land surface (	in. , TION MATERIAL:	weight		lbs. / ft. PVC	Wall thickness or gauge No 10 Asbestos-		
1 Steel	3 Stainless Steel	TION MATERIAL.	5 Fiberglass		RMP (SR)	11 other (sp		
2 Brass	4 Galvanized ste	el	6 Concrete tile	. ,			ectry) N/A d (open hole)	
SCREEN OR PE	ERFORATION OP	5 Gauzed wrapped		8 Saw cut 11 None (open hole)				
1 Continous slot	3 Mill si	6 Wire wrapped		9 Drilled holes				
2 Louvered shutt				7 Torch cut		10 Other (specify)	N/A	
SCREEN-PERFO	DRATION INTERV	VALS: from		to	ft., Fro		•	
				_	to II.			
from GRAVEL PACK INTERVALS: from			ft. to ft. to		ft., Fro ft., Fr		to ft.	
from			ft. to ft., F		<del></del> -	to ft.		
6 GROUT MAT	ERIAL: 1 Neat	cement 2 (	Cement grout	3 Ben	tonite	4 Other bentoni	te hole plug	
Count Intervals. R 3							ft. to ft.	
What is the nearest source of possible contamination:						14 Abandon water well		
1 Septic tank 4 Lateral lines					11 Fuel	-	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			127			tilizer storage 16 Other (specify below)		
3 Watertight sev		age pit	9 Feedyard	9 Feedyard 13 Insecticide storage unknown			ıknown	
Direction from well?  How many feet?								
FROM TO	<del></del>	LITHOLOGIC LOG		FROM	3 TO	PLUGGING IN compacted top		
				3	27	bentonite hol		
				<del> </del>	4 /	Delicource nor	e prug	
							·	
					1			
ļ								
ļ. — ļ. — .				_	<del>                                     </del>			
ļ	<u> </u>				<b> </b>			
ļ	1							
<sup>7</sup> CONTRACT	OR'S OR LANDOWN	er's certification: Th	is water well was (	(1) constructe	ed, (2) recons	tructed, or (3) plugged und	der my jurisdiction and	
						the best of my knowledge		
Well Contracto	or's License No		This Water Well R	Record was co	ompleted on	(mo/day/yr)1.0.	/. <b>4</b> .1./.33	
Under the bus	iness name of Mi	arp Well &	.r.umpaery.	₩₩₩.ĸ₩₩	by (si	gnature)	S. Harp	
						c/ (9/CI/CI/	v 1 / D(1/1/1/2	