1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212			
انا		NT C	,,	Section Number	Township Number	Range Number	
Sedgwick Distance and direction from nearest town or city		NE 1/4 S	E 1/4	27	1 27 s	R 1E E/W	
3127_Aloma Wichita, Kansas							
	NDSON, Kev		ca, Kai	ısas			
	Aloma	, 111			Board of Agriculture, D	ivivsion of Water Resource	
	ita, Kansa	ıs			Application Numbe		
	1	APLETED WELL	18	ft. EL	EVATION:		
AN "X" IN SECTION BOX:	Depth(s) groundw		1	ſt.	. 2 os . ft.	3 ft.	
	WELL'S STATIC W	ATER LEVEL 7	FT.	BELOW PASS	THE MEASURED ON mo/day/yr	11/04/1999	
NW NE	Pump tes	t data: Well w	ater was	ft.	after hours pum		
	Est. Yield	gpm: Well w	ater was	ft.	after hours pum		
e li w	Bore Hole Diameter	c in.	to	ft.	and in.	to ft.	
=	WELL WATER 16	E USED AS: 5	Public water	supply	8 Air conditioning 11 I	njection well	
s _w	1 Domestic		Oil field wat		9 Dewatering 12 C	Other (Specify below)	
	2 Irrigation	4 Industrial 7	Lawn and ga	arden only	10 Monitoring well		
		riological sample sub	mitted to De	•		o/day/yr sample was	
submitted water weil Districted? Yes X No							
5 TYPE OF CASING USED: 1 Steel 3 RMP (SR)		5 Wrought iron 6 Asbestos-Cemen		Concrete tile	_	lued Clamped	
2 PVC 4 ABS		7 Fiberglass	. 90	Other (Specify)	•	/elded hreaded	
1	lm 4-	_					
Casing height and the face 1:	in. to 2 in.,	ft. , Dia welght	in.	to lbs. / ft.	ft., Dia in. Wall thickness or gauge No.	to ft.	
TYPE OF SCREEN OR PERFORATION MATERIAL:				7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless Steel 5 Fibergland			8 RMP (SR) 11 other (specify) N/A				
2 Brass 4 Galvanized steel 6 Concrete tile				ABS	12 None used (op		
SCREEN OR PERFORATION OPENING ARE: 5 Gauze			d wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire v	6 Wire wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 T			cut		10 Other (specify) N	/A	
SCREEN-PERFORATION INTERVALS: from ft. to			to	ft., Fron	•	ft.	
from		ft.	to	ft., From	m ft. to	n.	
GRAVEL PACK INTERVALS: from		ft.	to	ft., Fro	m ft. to	ft.	
from ft. to ft., From ft. to						ft.	
6 GROUT MATERIAL: 1 Neat co		ement grout	3 Ben	tonite	4 Other bentonite	hole plug	
Grout Intervals: From 0 ft. to 6 What is the nearest source of possible contamination:		ft. From ft. to			ft. From 6	•	
1 Septic tank 4 Lateral lines					/estock pens 14 Abandon water well el storage 15 Oil well/Coa well		
2 Sewer lines 5 Cess pool		8 Sewage lagoo	n			oil well/Gas well	
3 Watertight sewer lines 6 Seepage pit		0 0		lizer storage 16 Other (specify below) ticide storage			
Direction from well? East How many feet? 8							
FROM TO LITHOLOGIC LOG			FROM	ТО	PLUGGING INTER	RVALS	
			0	6	cement grout		
			6	8	bentonite hole	plug	
			8	18	chlorinated san	d and gravel	
				ļ			
				ļ			
				1			
				[
				 			
				+			
7 CONTRACTOR'S OR LANDOWNER	S CERTIFICATION: Th	s water well was (1	constructe	d. (2) reconst	ructed, or (3) plugged under n	ny lurisdiction and	
was completed on (mo/day/year)	11/04/	1999	and this rec	ord is true to t	he best of my knowledge and	belief. Kansas Water	
was completed on (mo/day/year) Well Contractor's License No	11/04/ 236	1999 This Water Well Re	and this reco	ord is true to t empleted on (n	he best of my knowledge and no/day/yr)1	belief. Kansas Water	
was completed on (mo/day/year)	11/04/ 236	1999 This Water Well Re	and this reco	ord is true to t empleted on (n	he best of my knowledge and no/day/yr)1	belief. Kansas Water 5/99	