				Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCA	TION OF WA	TER WELL:	FRACTION Near	Center of NY	2_	Section Number	Township Number	Range Number
	Sedgw	rick			#	16	T 27 s	R 1E E/W
Distance	and direction	frem nearest town or cit	y street address of well if loca	ted within city?				
1 11	th N.	and Was	hington	Wichita	. Kans	as	4	
	TER WELL C		HITA, CITY					
	ST. ADRESS,		N, Main	01			Board of Agriculture, I	Divivation of Water Resource
	, STATE, ZIP		hita, Kansa	a		67202	Application Numb	er: 990255
		OCATION WITH	4 DEPTH OF COM		40		EVATION:	930233
	" IN SECTIO		Depth(s) groundwa		1	it. EL	2 ft.	3 ft.
1 .		-\	• '''				URFACE MEASURED ON mo/day/yr	
1			WELL'S STATIC W.	_			• •	12/09/1999
'	NW		Pump test			ft.	after hours pun	
ا ا			Est. Yield	81	ater was	ft.	after hours pun	nping gpm
Mile M		E	Bore Hole Diameter	12 in. t	o 20	ſt.	and in.	to ft.
=			WELL WATER TO F	BE USED AS: 5	Public water	supply	8 Air conditioning 11	Injection well
١.			1 Domestic	3 Feedlot 6	Oil field wate	r supply	9 Dewatering 12	Other (Specify below)
			2 Irrigation	4 Industrial 7	Lawn and ga	rden only	10 Monitoring well	
			Was a chemical/bacte	riological sample sub	mitted to Dep	artment? Yes	No X; If yes, r	no/day/yr sample was
		S	submitted			W	ater Well Disinfected? Yes	X No
5 TY	PE OF CA	SING USED:		5 Wrought iron	8 (Concrete tile	CASING JOINTS: (Glued Clamped
1 Stee	1	3 RMP (SR)		6 Asbestos-Cement		Other (Specify		Welded
2 PVC	7	4 ABS		7 Fiberglass		DR-26		Threaded
	 sing Diam		in. to 20	ft., Dia	in.	to	ft., Dia in.	to ft.
1	•	eter 6 /e land surface 1		weight 5.		bs. / ft.	Wall thickness or gauge No.	.332
			L 2 in. , TION MATERIAL:	weight 3.		PVC	10 Asbestos-cem	.334 vent
1 Ste		3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specif	
			a)	6 Concrete tile			· •	• •
2 Mais Tollie ased (open not)								
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louve	red shutte	r 4 Key pı	unched	7 Torch	cut		10 Other (specify)	
SCREE	N-PERFO	RATION INTERV	ALS: from 20	ft. t	o 4 0	ft., Froi	n ft. to	ft.
			from	ft. í	to	ft., Fro	m ft. to	ft.
GRAVEL PACK INTERVALS: from 20				N. to 40		ft., Fro		
			from	ft. (to	ft., Fro		,
6 GRO	UT MATI	ERIAL: 1 Neat	cement 2 C	ement grout	3 Bent	onite	4 Other bentonite	hole plug
Grout Intervals: From 0 6 to 20								
To Florida and the Florida and							ft. to ft. Abandon water well	
1 Septic tank 4 Lateral lines 7 Pit privy						11 Fuel storage		
2 Sewer lines 5 Cess pool							15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedya							icido etoroso	
1	n from wel	-	age pit	> I ccuyuru				Apparent
FROM	TO TO		LITHOLOGIC LOG		FROM	то	How many feet? PLUGGING INTE	DVALC
0	4	topsoil	DITTIOLOGIC LOG		FROM	 '\ 	FLUGGING INTE	RVALS
4	10	clay				-		
10	30	medium s	and		<u> </u>	 		
	1		anu					
30	40	shale						
l								
L	 			•	 	 -		P-9
						ļ		
					ļ			
	ļ					 		
			······································					
					<u> </u>	 		
					L			
7 CO	VTD ACTO	D'S OD LANDOUGHE	D'S CERTIFICATION. Th	s water well was /1	constructe	d (2) reconst	ructed, or (3) plugged under	my jurisdiction and
LUU	TINALIL.	IN OUR LAINDUWNE	BALLERIA BURNE III	- voice ven Was III	, combudut		i uvicu, vi joj pluggeu uliger	my juniouicuon and
	ompleted	on Imoldaylyear	12/09/	99	nd this reco	rd is true to	he hest of my knowledge an	d helief Kaneae Mate-
was c	ompleted	on (mo/day/year) 12/09/	9 <u>9</u>	nd this reco	ord is true to	the best of my knowledge and	d belief. Kansas Water
was c Well (ompleted Contractor	on (mo/day/year 's License No) 12/09/	9.9 This Water Well Re	ind this reco	ord is true to to mpleted on (t	the best of my knowledge and mo/day/yr)12./1	d belief. Kansas Water