					Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCAT	TION OF WA	TER WELL:		FRACTION	ter of NYZ		Section Number	Township Number	Range Number	
	Sedgw	rick			_	· ·	16	т 27 s	R 1E EW	
Distance and direction frem nearest town or city street address of well if located within city?										
11th & Washington Wichita, Kansas										
WATER WELL OWNER: WICHITA, CITY OF										
RR#, 5	ST. ADRESS,	BOX#: 455	N.	Main				Board of Agriculture, D	ivivsion of Water Resource	
CITY,	STATE, ZIP	CODE: Wic	hit	a, Kansa	s		67202	Application Numbe	#: 990255	
LOCAT	F WEI I 'S I	OCATION WITH			49 G S D WELL	40	ft. El	LEVATION:		
	IN SECTION				ater Encountered	1	ft.	2 ft.	3 ft.	
	<del></del>	N .	1					SURFACE MEASURED ON mo/day/yr	01/31/2000	
			WE		ATER LEVEL 15		BELOW LAND	_	· · ·	
	NW	NE.	[	Pump tes	t data: Well w	ater was	ft.	after hours pum	iping gpm	
i			Est.	Yield	gpm: Well w	ater was	ft.	after hours pum	iping gpm	
M M			Bore	Hole Diameter	_ 12 in.	to	ft.	and in.	to ft.	
Įξw				LL WATER	5	Public water	supply	8 Air conditioning 11 I	njection well	
				1 Domestic		Oll field water			Other (Specify below)	
1	sw	sie	1				•••	· ·	Amer (Speeny Below)	
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well									
ļ ļ	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sam								10/day/yr sample was	
S submitted Water Well Disinfected? Yes X No										
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded										
l .		, ,				, , ,	other (opecing	,	hreaded	
2 PVC	:	4 ABS			7 Fiberglass				iii eaueu	
	sing Piam	eter 8	in.	to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing h	eight abo	e land surface	36	in. ,	weight		lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement										
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N/A										
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)										
				C . D.P.				8 Saw cut	11 None (open hole)	
		RFORATION OP		G ARE:		d wrapped			11 None (open noie)	
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes										
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A										
SCREE	N-PERFO	RATION INTER	VALS	: from	ft.	to	ft., Fro		n.	
CREE	· · · ·			from			-			
· ·					ft. to		ft., Fr		ft.	
	GRAV	EL PACK INTER	<b>VALS</b>	S: from	•		ft., Fr	om ft. to	rt.	
				from	<u>n.</u>	to	ft., Fr	om ft. to	· n.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug										
E ALAMAN A A A A A A A A A A A A A A A A A A										
Long to the state of the state										
1 Septi		4 Late			7 Did and any					
_						·			Oil well/Gas well	
2 Sewe			s pool		8 Sewage lagoon			cticide storage	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent										
Direction	n from we	11?						How many feet?	_	
FROM	TO		LITE	HOLOGIC LOG		FROM	TO	PLUGGING INTE	RVALS	
						0	3	surface clay an	d silt	
						3	9	cement grout		
							15	bentonite hole	- 1	
<u> </u>						9				
						15	40	chlorinated san	d and gravel	
						i				
		.,,							The second secon	
						<del> </del>	<b>_</b>			
								7		
						<del></del>				
	<u> </u>					L	J			
7 CO	NTRACTO	DR'S OF LANDOWN	FR'S C'	ERTIFICATION. Th	is water well was /1	) constructe	d. (2) recons	structed, or (3) plugged under	my jurisdiction and	
H	omnleted	on imoldavives	r)	01/31/	00	and this rec	ord is true to	the best of my knowledge and	helief Kaneae Water	
Well Contractor's License No23.6										
unaer	ine busii	iless riame of AA	mm	Ki.wi.m.m			Dy (SI	Todd	S. Harp	
								zouu .	J. July	