Line	TION OF W	ATER WELL:	I ED CTI	ON	Water Well Re	cord Form WWC-					
1 1000			FRACTI				Section Number	Township Nu	nber	Range Number	
Sedgwick			NE		SE 1/4 SE		19	т 27	S	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?											
1115 W. Douglas Wichita, Kansas  WATER WELL OWNER: PARKER, John											
$\mathbf{L}$	ST. ADRESS				_			Board	of Agriculture Di	vivsion of Water Resource	
	Y, STATE, ZI	PCODE: Wig	5 W. Do <sup>1</sup> hita, K	ugras	3						
		LOCATION WITH			3 PLETED WELI	1.0	A EI	EVATION:	pplication Number	<u> </u>	
	" IN SECTIO				er Encountered		ft. EI ft.	EVATION: 2	ft.	3 ft.	
1 t					TER LEVEL			URFACE MEASURED		02/24/2000	
				ımp test d		ll water was	ft.	after	hours pum		
1 '	NW	NE	Est. Yield			ell water was	ft.	after	hours pum	er er	
1 Mile	, L	E	Bore Hole Dia	meter	12 in.	to 40	ft.	and	in.	to ft.	
\( \bar{\bar{\bar{\bar{\bar{\bar{\bar{	<b>'</b>	F	WELL WATE			5 Public wate		8 Air conditioning		jection well	
Ι.		, sic	1 Domest	ic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	•	ther (Specify below)	
	Sw.	× ×	2 Irrigati	on	4 Industrial	7 Lawn and g	arden only	10 Monitoring well	COC	oling	
			Was a chemic	al/bacteri	iological sample	submitted to D	epartment? Yes	No		o/day/yr sample was	
		S	submitted				-	ater Well Disinfecte	d? Yes	X No	
5 TY	PE OF CA	SING USED:			5 Wrought iro	on 8	Concrete tile	CASING JO	DINTS: GI	ued X Clamped	
1 Stee	el	3 RMP (SR)			6 Asbestos-Ce	ment 9	Other (Specify	below)	W	elded	
2 PV	C	4 ABS			7 Fiberglass	S	DR-26		T	hreaded	
	asing Dian	•	in. to 3	0	ft., Dia	in.	to	ft., Dia	in.	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214											
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)											
2 Bra		3 Stainless Steel	al.		6 Concrete tile				other (specify)		
12 Note used (open note)									,		
						5 Gauzeu Wiappeu			B Saw cut 11 None (open hole)  D Drilled holes		
I consend shutter A Very market											
SOTTEEN BEDEED ATION INTERVALS.											
SCREE	N-I ERFO	KATION INTERV		m 30		ft. to 40	ft., Fro		ft. to	ft.	
GRAVEL PACK INTERVALS: from 24					ft. to ft. to 40		ft., Fro ft., Fro		ft. to	ft.	
1	OICAY.	EL TACK INTER	fro			ft. to	ft., Fro		ft. to ft. to	ft. ft.	
6 GRO	OUT MAT	ERIAL: 1 Neat	cement		ment grout		ntonite				
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.											
What is	the neares	t source of possible	e contamination				10 Livestock pens		14 Abandon water well		
1 Septic tank 4 Lateral lines			al lines	7 Pit privy			11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool					8 Sewage la	agoon	12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Fee						l	13 Insecticide storage				
Direction from well? South How many feet? 40											
FROM			LITHOLOGIC	CLOG		FROM	ТО	PLUG	GING INTER	VALS	
0	2	trash									
2 8	8 20	clay medium s		-			+	. ,			
20	38	coarse s					+ +		-		
38	40	shale	sand							** L. W. 14 P.	
-	1 1	BHATE									
							1 1				
										186.7467.34.4	
								- AAAAA AAAAA	-		
					- 1						
										y jurisdiction and	
was c	ompleted	on (mo/day/year	)Q2./	<b>24/0</b>	Q	and this red	ord is true to	the best of my kno	owledge and	belief. Kansas Water	
								no/day/yr)	0.3/01	./.0.0	
Under	the busi	ness name of.Ha	rb wer		ump ser	ATCG''''II	ໄ⊆ by (sig	nature)	Todd S	Harn	
									zouu J	· Junp	