		Water Well Record	Form WWC-5	KSA 82a-1212		T	
1 LOCATION OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number	
Sedgwick	SE 1/4	SW 1/4 S	E 1/4	33	т 27 s	R 1E E/W	
Distance and direction frem nearest town or city stre							
2341 S. Pattie		W.	<u>ıchıta</u>	<u>, Kansas</u>	3		
WATER WELL OWNER: JOPLIN	I, Corby						
RR#, ST. ADRESS, BOX#: 2341 S	. Pattie	•			Board of Agriculture, D	lytysion of Water Resource	
)	a, Kansa				Application Number	r:	
		WELL	20	ft. EL	EVATION: basement	floor	
1 1		*		n. E.		3 ft.	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		vater Encountered	1		=	=	
	LL'S STATIC W	ATER LEVEL 9	FT.	BELOW LAND SI	URFACE MEASURED ON mo/day/yr	05/11/2000	
NW. NE	Pump tes	t data: Well w	ater was	ft.	after hours pum	ping gpm	
	Yield	gpm: Well v	vater was	ſt.	after hours pum	ping gpm	
		Br				to ft.	
E Bore	e Hole Diameter LL WATER TO	AS. in.	to	n.		• •	
¬	LL WATER TO		Public water			njection well	
	1 Domestic	3 Feedlot	5 Oil field wat	ter supply	9 Dewatering 12 C	Other (Specify below)	
	2 Irrigation	4 Industrial	Lawn and g	arden only	10 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Giued Clamped							
1 Steel 3 RMP (SR)		6 Asbestos-Cemen	it 9	Other (Specify)	below) V	Velded	
2 PVC 4 ABS		7 Fiberglass			Т	hreaded	
l	4-	A DI		4-	O Die i-	to ft.	
Blank casing Diameter 1 1/4 in. Casing height shove Land 50	, to	ft., Dia	in.	to	ft., Dia in.	to ft.	
	in.,	weight	_	lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N/A							
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (op	en hole)	
SCREEN OR PERFORATION OPENIN	C ARE.	5 G9117	ed wrapped		8 Saw cut	11 None (open hole)	
	G /IKL				9 Drilled holes	, <u>-</u>	
J	o whe	o who wapped					
2 Louvered shutter 4 Key punched			cut		10 Other (specify) N	/A	
SCREEN-PERFORATION INTERVALS	: from	ft.	to	ft., Fro	m ft. to	ft.	
	from		to	ft., Fro	. .	ft.	
		ft. to ft. to		ft., Fro			
4				•		ſt.	
	from	ft.		ft., Fro			
6 GROUT MATERIAL: 1 Neat ceme	ent 2 (Cement grout	3 Ben	tonite	4 Other		
Grout Intervals: From 0 ft.	to 20	ft. From	ft. (to	ft. From	ft. to ft.	
What is the nearest source of possible contamination:		10 J		10 Livest	ock pens 14 A	bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuei s	torage 150	15 Oil well/Gas weil	
		8 Sewage lagoon		12 Fertil		Other (specify below)	
C CCCC POOL			12 Innesticida etempos			other (speerly below)	
3 waterught sewer lines 6 Seepage pit 9 reedyard							
Direction from well? North How many feet? 5							
FROM TO LITI	HOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
<u> </u>			0	20	cement grout		
				1			
			 		•	· · · · · · · · · · · · · · · · · · ·	
			 	+			
			1				
				1 1			
				†			
		 		 			
				l l			
				1			
				<u></u>			
7 CONTRACTOR'S OR LANDOWNER'S C	ERTIFICATION: Th	nis water well was ('	f) construct	ed, (2) reconst	ructed, or (3) plugged under r	ny jurisdiction and	
was completed on (mo/day/year)	05/11/	00	and this rec	ord is true to	the best of my knowledge and	belief. Kansas Water	
Well Contractor's License No							
Under the business name of HAXI	Well &	Pump Servi	ice, Ir	LG bv (sia			
Under the business name of AAA D							