LOCATION OF WATER WELL:	FRACTION A.	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
		I NW NE SE				
Sedgwick	△₹ 77 1/4	3/2 1/4 8	1/4	6	1 27 s	R 1W EAV
Distance and direction frem nearest town or city street address of well if located within city?						
2532 N. Porter Wichita, Kansas						
	CH, Mike					
* 1 ·	Burton				Board of Agriculture,	Divivsion of Water Resource
	ita, Kansa	a		67213	Application Numb	er:
			30		LEVATION:	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF POL			n. e. N.		3 n.
N	Depth(s) groundwa		1			
	WELL'S STATIC WA	_		BELOW LAND S	URFACE MEASURED ON mo/day/yr	07/07/2000
NWNE	Pump test	data: Well w	ater was	ſt.	after hours pur	n ping gp m
	st. Yield	gpm: Well w	ater was	ſt.	after hours pur	n pin g gpm
E B	ore Hole Diameter	in.	to	ſt.	and in.	to ft.
≥ W	vell water 484	EUSED AS: 5	Public water	supply	8 Air conditioning 11	Injection well
	1 Domestic		6 Oil field wate		•	Other (Specify below)
stst			Lawn and ga		10 Monitoring well	()
	2 Irrigation				5	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was						
S submitted Water Weli Disinfected? Yes X No						
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clamped						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						
2 PVC 4 ABS		7 Fiberglass		•		Threaded
	n. to		in.	to	ft., Dia in.	to ft.
		,			•	to it.
Casing height the land surface 36 TYPE OF SCREEN OR PERFORATI	•	weight		lbs. / ft. PVC	Wall thickness or gauge No. 10 Asbestos-cen	ient
	ON WATERIAL:	5 Fiberglass		RMP (SR)		es .
1 Steel 3 Stainless Steel		S			11 other (specif	· N/A
2 Brass 4 Galvanized steel		6 Concrete tile	9.	ABS	12 None used (c	pen hole)
SCREEN OR PERFORATION OPEN	ING ARE:	5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot	6 Wire	6 Wire wrapped		9 Drilled holes		
2 Louvered shutter 4 Key pun	7 Torch cut		10 Other (specify) N/A			
1	_				•	
SCREEN-PERFORATION INTERVA	.LS: from	ft.	to	ft., Fro	om ft. to	ft.
	from	ft.	to	ft., Fro	om ft. to	ſt.
GRAVEL PACK INTERVALS: from		ft. to		ft., Fr	om ft. to	ft.
	from	n.	to	ft., Fr	om ft. to	
6 GROUT MATERIAL: 1 Neat ce	ment 2 C	ement grout	3 Ben	tonite	40ther bentonit	e hole plug
Grout Intervals: From 0 ft. to 3		ft. From ft. to		•		
What is the nearest source of possible contamination:		in From			ft. From 3 ft. to 20 ft. estock pens 14 Abandon water well	
1 Septic tank 4 Lateral lines				d starona		
•						Oil well/Gas well
2 Sewer lines 5 Cess pe		12 Importing at a second			Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent						
Direction from well? How many feet?						
FROM TO LI	THOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS
			0	3	cement grout	
			3	20	bentonite hole	plug
			20	30	chlorinated san	
			1	1 1		
			1			The services of an extension of the services o
l				 		TWO IS A STATE OF THE STATE OF
		 	ļ			
			<u> </u>	<u> </u>		
			<u> </u>			
				1	7-18-4-1-18-18-18-18-18-18-18-18-18-18-18-18-1	
			1	<u> </u>		
			 	 		*
			-			
		·····	1	↓		
			<u> </u>	l		
7 CONTRACTOR'S OR LANDOWNER'S	S CERTIFICATION. Th	s water well wae /	1) constructe	d. (2) recons	structed, or (3) plugged under	my jurisdiction and
was completed on (mo/day/year).	07/07/	00	and this rece	ord is true to	the hest of my knowledge an	d helief Kancac Water
Well Contractor's License No	236	This Water Well D.	acord was a	mnleted on	(mo/day/yr) 07 / 1	0/00
Index the hydrogen name of Unit	ro Well &	Pump Servi	ce. Tn	C hu tei	anatura)	
Under the business name of Harp Well & Pump Service. Inc by (signature) Todd S. Harp						
i .					z ouu	שוואו בי יט