	TION OF W		FRACTION	Water Well Reco	rd Form WWC-5			
		ATER WELL:				Section Number	Township Number	Range Number
Sedgwick SW 1/4				NW 1/4	16	т 27 в		
Distance and direction frem nearest town or city street address of well if located within city?								
1100 N. Topeka Wichita, Kansas								
WATER WELL OWNER: OCHSNER EYE CLINIC								
RR#, ST. ADRESS, BOX #: 1100 N. Topeka Board of Agriculture, Divivision of Water Resource								
CITY	, STATE, ZII		a, Kansa				Application Numb	er:
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 42 ft. ELEVATION:								
AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.								
1			LL'S STATIC W	ATER LEVEL 1	.5 FT	. BELOW LAND SI	URFACE MEASURED ON mo/day/yr	07/21/2000
Pump test date: 11/-11								
'	XNW	NE	- Yield		water was	ft.	after hours pun	
Mile M			Hole Diameter	12 in.	to 42	ft.	and in.	to ft.
<u>7</u> %	/				5 Public wate			Injection well
							Other (Specify below)	
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
			8			•	5	no/dov/wn som plo was
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was								
The population of the populati								
				5 Wrought iron		Concrete tile		Glued X Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded							Welded Threaded	
2 PV0		4 ABS		7 Fiberglass	-	DR-26		
Blank casing Diameter 5 in. to 24 ft., Dia in. to ft., Dia in. to ft.								
		ve land surface 12	in.,	weight		lbs. / ft.	Wall thickness or gauge No.	.214
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								
2 Bra	SS	4 Galvanized steel		6 Concrete tile		9 ABS	12 None used (o	pen hole)
SCREE	IN OR PE	RFORATION OPENIN	G ARE:	5 Gau	ized wrapped		8 Saw cut	11 None (open hole)
1 Conti	nous slot	3 Mill slot		6 Wir	e wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 24 ft. to 42 ft., From ft. to ft.								
			from	4	t. to	ft., Fro		ft.
GRAVEL PACK INTERVALS: from 24						ft., Fro		
			from	. 1	it. to	ft., Fro	m ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug								
Grout Intervals: From ft. to ft. From ft. to ft. From 4 ft. to 24 ft.								
						Abandon water well		
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel s	storage 15	Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Ferti	. .	Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								
Direction from well? East How many feet? 100								
FROM			IOLOGIC LOG		FROM	то	PLUGGING INTE	RVALS
0	3	topsoil	_					
3	12	clay						
12	18	fine sand						
18	37	medium coa	rse sand					
37	42	shale						
ľ í								······································
	1							
						-		
		1						
[<u> </u>						· · · · · · · · · · · · · · · · · · ·	
	1					1 1		
	1		1 1					
 								• • • • • • • • • • • • • • • • • • • •
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No. 236. This Water Well Record was completed on (mo/day/yr)								
Unde	r the busi	ness name of Harp		rump sers	(TCG''''''	44ፍ by (sig	gnature) Todd	S Harn
Under the Dusiness name Of ANMA Providence of the State of State o								